


AD-A285 430



**COMBAT RATION
ADVANCED MANUFACTURING
TECHNOLOGY DEMONSTRATION
(CRAMTD)**

**"Design and Development of a CIM Architecture
for Food Manufacturing"
Short Term Project (STP) #4**



**FINAL TECHNICAL REPORT
Results and Accomplishments (October 1989 through January 1993)
Report No. CRAMTD STP #4 - FTR 6.0
CDRL Sequence A004
July 1994**

**CRAMTD CONTRACT NO. DLA900-88-D-0383
CLIN 0003**

**Sponsored by:
DEFENSE LOGISTICS AGENCY
Cameron Station
Alexandria, VA 22304-6145**

**Contractor:
Rutgers, The State University of New Jersey
THE CENTER FOR ADVANCED FOOD TECHNOLOGY*
Cook College
N.J. Agricultural Experiment Station
New Brunswick, New Jersey 08903**

**Principal Investigator: Thomas Boucher
Co-principal Investigator: Mohsen A. Jafari**

**Dr. John F. Coburn
Program Director**

**This document has been approved
for public release and sale; its
distribution is unlimited.**

**TEL: 908-445-6132
FAX: 908-445-6145**

94-31550

REPORT DOCUMENTATION PAGEForm Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)**2. REPORT DATE**

JULY 1994

3. REPORT TYPE AND DATES COVERED

FINAL Oct. 1989 -- Jan. 1993

4. TITLE AND SUBTITLEDesign and Development of a CIM Architecture for
Food Manufacturing (Short Term Project -- STP#4)**5. FUNDING NUMBERS**

C-DLA900-88D-0383

PE - 7811s

PR - 88003

6. AUTHOR(S)

Thomas Boucher and Mohsen A. Jafari

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)Rutgers, The State University of New Jersey
The Center for Advanced Food Technology
Cook College, NJ Agricultural Experiment Station
New Brunswick, NJ 08903**8. PERFORMING ORGANIZATION
REPORT NUMBER**

FTR 6.0

9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)Defense Logistics Agency
Cameron Station
Alexandria, VA 22304-6100**10. SPONSORING / MONITORING
AGENCY REPORT NUMBER****11. SUPPLEMENTARY NOTES****12a. DISTRIBUTION / AVAILABILITY STATEMENT****12b. DISTRIBUTION CODE****13. ABSTRACT (Maximum 200 words)**

In collaboration with two Combat Ration Producers, one of MRE pouches and the other of tray pack, a detailed study was made of the functional and informational requirements to operate a food manufacturing plant. These inputs were used to develop formal models, "Architectures", of the functional requirements and the informational requirements. Although particular attention was given to the operating practices of combat ration manufacturers, practices of civilian product manufacture are also specified within the Functional and Informational Architectures. Two case studies were included: MRE Pouch - Omelet with Ham and Tray-Pack - Beef Chunks and Gravy. The implementation of Computer Integrated Manufacturing requires the development of a factory database that supports operating the manufacturing enterprise. A single-user Oracle Database management system was purchased and a preliminary physical database model was constructed as a prototype. Based on the architectures developed, the installed database management software, and the preliminary database modules, it was demonstrated that the proposed Computer Integrated Manufacturing of Combat Rations was achievable and would be practical for commercial utilization.

14. SUBJECT TERMSAutomation, Process, Packaging, Rations,
Tray-Pack Ration, MRE (Meal, Ready-to-Eat)**15. NUMBER OF PAGES**

209

16. PRICE CODE**17. SECURITY CLASSIFICATION
OF REPORT**

Unclassified

**18. SECURITY CLASSIFICATION
OF THIS PAGE**

Unclassified

**19. SECURITY CLASSIFICATION
OF ABSTRACT**

Unclassified

20. LIMITATION OF ABSTRACT

UL

**"Design and Development of a CIM Architecture
for Food Manufacturing"
Short Term Project (STP) #4**

Contributing Technical Personnel

| | |
|----------------------------------|--|
| Principal Investigator | Dr. Thomas Boucher |
| Co-principal Investigator | Dr. Mohsen A. Jafari |
| Faculty | Dr. Nabil R. Adam Dr. Sooyoung Kim |
| Graduate Students | T. Chamberlin A. Gangopadhyay R. Holowczak J. McPhail A. Sevinc V. Srinivasan J. Weber |
| Consultant | Dr. E. Goldman |

1.0. Results and Accomplishments

1.1 Introduction and Background

Short Term Project #4, "Design and Development of a CIM Architecture for Food Manufacturing", was to develop a Functional Architecture, an Informational Architecture, and a preliminary Database Design for packaged food manufacture. This activity was deemed necessary to pursue one of the goals of the CRAMTD program, which is to demonstrate Computer Integrated Manufacturing in the manufacture of Combat Rations. A secondary objective was to develop computer simulation models of automated tray pack and MRE pouch production lines. This activity was deemed necessary to evaluate the performance of proposed designs and to compare them to current base line practices.

In collaboration with two coalition companies, one a producer of MRE pouches and the other a producer of tray packs, a detailed study was made of the functional and informational requirements to operate a food manufacturing plant. These inputs were used to develop a formal model of the functional requirements and a formal model of the informational requirements. These models were documented in Technical Working Paper, TWP #37, "Functional Architecture for Packaged Food Manufacture" and TWP #52, "Informational Architecture for Packaged Food Manufacture", available from the Rutgers University (CAFT) Center for Advanced Food Technology . All technical working papers subsequently cited in this report are available from CAFT.

The implementation of computer integrated manufacturing requires the development of a factory database to implement the informational and data requirements that support the activities, or functions, for operating the manufacturing enterprise. A single user Oracle Database management system was purchased and a preliminary physical database model was constructed as a prototype for supporting the CIM design. The results of this work was documented in a Technical Working Paper #56, "Preliminary Database Design for CRAMTD Demonstration Plant."

| | |
|--------------------|----------------------|
| or | |
| 21 | |
| A 254 806 | |
| Availability Codes | |
| Cost | Avail and/or Special |
| A-1 | |

STP#4 began in October, 1989 based on the proposal submitted to the DLA on August 1, 1989 and revised on August 29, 1989 after detailed review with the DLA.

1.2 Results and Conclusions

The Functional Architecture developed in this Short Term Project (STP) is a generic architecture and can therefore be used as a reference model by any company in the packaged food industry that wishes to undertake a CIM implementation project. Particular attention was given to the operating practices of combat ration manufacturers, however, practices of civilian product manufacture are also specified within the architecture. Two case studies were included: MRE Pouch - Omelet with Ham and Tray Pack - Beef Chunks and Gravy.

The Informational Architecture model developed in Phase III is traceable to the model described in the Functional Architecture, Phase II, and visa-versa. Each of the entities depicted in the Informational Architecture is represented by a table in the Database implementation. The ORACLE database management software was selected, acquired and installed for the Database implementation and a preliminary set of forms and reports were developed to demonstrate the functionality.

During the no-cost extension of this STP, an Equipment Maintenance Module and a Quality Assurance Module were developed. These Modules consist of the necessary forms for data entry and data retrieval.

1.3 Recommendations

Based on the architecture developed, the installed database management software, and the preliminary database modules, it was demonstrated that the proposed Computer Integrated Manufacturing of Combat Rations was achievable and would be practical for commercial utilization. During the last Phase of this STP, researchers worked closely with

those of STP #16 "Implementation of Integrated Manufacturing" to transfer the technology developed. The technical recommendations for STP #16 database structure, forms and reports (including both software and hardware) have already been incorporated into that successor activity.

An important research issue which arose during STP #4 is the lack of a mechanism for the system designer to test system performance during the CIM design process without separately building a simulation model. Since the IDEF methodology, employed in STP #4, can be used to define the specification of the manufacturing system, it should also be possible to derive the specification of controllers directly from the IDEF model. This capability would also simplify and enhance technology transfer to potential industrial users. A methodology has been defined in concept that should take the IDEF0 specification of the manufacturing system, automatically generate a dynamic model that can be used to analyze the system performance (IDEF2), and then automatically generate the computer code to run the system. It is recommended, therefore, that a new STP be defined to demonstrate the feasibility of integrating the IDEF methodology with testing systems dynamics, and delivery order (DO 0017) has been issued to cover STP #24 -- "Integration of IDEF methodology with Testing System Dynamics".

2.0 Program Management

Work on this Short Term Project began in October, 1989 with Interim Funding. Project Definitization occurred on April 2, 1990. There are four phases to this STP#4 "Design and Development of a CIM Architecture for Food Manufacturing". These Phases cover:

- Phase I Methodological Review
- Phase II Functional Architecture
- Phase III Informational Architecture
- Phase IV Simulation and Database Design

Each phase was carried out as a distinct activity, but phases were allowed to overlap.

However, the linkage between the functional architecture, informational architecture, and database design required some precedence structure since each succeeding step required some information from a preceding stage. The control of project phases was further complicated by the need to carry out studies in two different companies in order to obtain a CIM architecture that would include MRE pouch and tray pack products as well as civilian products.

2.1 Summary of Progress

- Simon Simulation Models with CINEMA graphics animation were developed for the CRAMTD tray pack and the MRE pouch lines and a technical report documenting these models was issued (TWP#33).
- A Functional Architecture for packaged Food Manufacturing was developed that covers the manufacture of MRE pouches, tray pack products, and shelf stable civilian food products. A technical report documenting this model was issued (TWP#37).
- An Informational Architecture for packaged food manufacturing was developed that covers the manufacture of MRE pouches, tray pack products, and shelf stable civilian food products. A technical report documenting this model was issued (TWP#52).
- During a no cost extension period, from August, 1992 through January, 1993, a module was added to the information architecture in the area of quality control. Appendix 4.8 documenting this module is attached.
- During a no cost extension period, from August, 1992 through January, 1993, a module was added to the information architecture in the area of machine maintenance. Appendix 4.9 documenting that module is attached.
- A single user Oracle Database management system was procured and a preliminary CIM database design was implemented based on the previously defined Functional and Informational architectures. A technical report documenting this design, including Oracle Forms and reports was issued (TWP#56).
- During the no cost extension period modules were added to the preliminary database to support the areas of quality control and machine maintenance.

- During the no cost extension period a multi-user Oracle Database management system was purchased along with a Novell network server. The installation of this software began under STP#4. After January 1993, the installations continued under STP#16.

3.0 Short Term Project Activities

3.1 STP Phase I Tasks

Phase I is a methodological review, the objective of which is to determine the methodologies available for designing a CIM Architecture. It consists of three tasks:

Review Architecture Methodologies

Review software Development Tools

Install Development Workstation

3.1.1. Review Architecture Methodologies (3.4.1)

A thorough methodological review was undertaken. We examined the IDEF methodology of the U.S. Airforce, the hierarchial control architecture of the National Institute of Standards and Technology (NIST), the Petri net control architecture, and related work being done at other universities. This review was done through literature and conversations with individuals involved. The full report on this task, "Review of CIM Architecture Methodologies," was published as Technical Working Paper (TWP) #7.

The following are the main conclusions of this phase:

1. The IDEF methodology is the most fully developed methodology currently available in the public domain. It is the methodology of choice for this project.
2. None of the methodologies reviewed showed how the functional and informational architectures are related to the physical (communication) architecture. This issue was raised

in the NIST literature and we had to plan to address communication architecture separately in our work.

3. IDEF methodology, by itself, lacks the capability of analyzing operational control in shop floor and lower levels. Although IDEF2 is intended to serve this purpose, it is very poorly defined at this time. The IDEF methodology would have to be combined with Petri net methodology in order to convert IDEF to a formal controller specification that could be analyzed at the shop floor level.

3.1.2 Review Software Development Tools (3.4.2)

In order to document the IDEF models and to be able to provide professional quality drawings of these models, we evaluated commercially available software tools. After evaluating these tools, two were selected.

The AIØ software of Knowledge Based Systems, Inc. was chosen to document IDEFØ. Besides its relatively low cost, it has the capability of automatically generating a drawing from simple user inputs, such as text or keystrokes. Other software we evaluated required the user to produce the drawing in a CAD-like environment, which we considered to be more tedious.

The Model Pro software of D. Appleton, Inc. was chosen to document IDEFIX. As in the case of AIØ, the drawings are automatically generated from text or keystroke inputs.

3.1.3 Install Development Workstation (3.4.3)

Two computers were installed in an Industrial Engineering Laboratory to be used in documenting IDEF models. The AIØ software of Knowledge Based Systems was installed on an IBM AT to support functional modeling. An IBM PS2 MOD 70 was purchased to be used to support the IDEFIX Model Pro Software of D. Appleton, Inc., which requires a VGA monitor. This task, completed in the quarter ending April, 1990, completed Phase I of STP#4.

3.2 STP Phase II Tasks

Phase II of STP#4 is the Functional Architecture design, the objective of which is to design a functional architecture that would include a specification for MRE pouch, tray pack

and shelf stable civilian products. It consists of four tasks:

Review Industrial Practices

Build and Document Functional Model

Install in CRAMTD Site

Provide Technical Report

3.2.1 Review Industrial Practices (3.5.1)

This activity began on April 2, 1990, with a trip to Pillsbury/Green Giant, a coalition company that collaborated with CRAMTD personnel on the MRE Pouch Functional and Informational Models. CRAMTD investigators made three visits to Pillsbury/Green Giant during June, 1990. We interacted with company managers, administrators, and production personnel and gained a detailed understanding of the practices involved in operating a packaged food enterprise. This task was deemed completed in the quarter ending October, 1990.

3.2.2 Build and Document Functional Model (3.5.2)

After the interviews in June of 1990, CRAMTD investigators began to document the Functional Architecture for the MRE pouch processes. The documentation was done in stages. The process of developing the functional model consisted of on-site interviews concerning a selected subset of functions, followed by documenting the results of the interviews in the formal IDEFØ modeling language. This would be followed by a return trip to the coalition company to review the document, make any needed corrections, and continue the interview process. Toward the end of June, 1990 and through the Fall of 1990, this process continued. By January, 1991, a functional model that could support the MRE pouch requirements was complete.

During the spring of 1991 we initiated a collaboration with Venice Maid Food Company to extend the Functional Architecture to tray pack and shelf stable civilian products. The model development process for tray pack and civilian products continued through the summer of 1991 and the combined architecture, including MRE pouch, was essentially complete by the Fall of 1991.

3.2.3 Install in CRAMTD Site (3.5.3)

In Fall, 1991, computer disks incorporating the Functional model were transferred to CRAMTD management. Subsequently, the architecture was presented at the Annual Contract Briefing in October 1991.

3.2.4 Technical Report (3.5.4)

In December, 1991, the document entitled "Functional Architecture for Packaged Food Manufacturing" (TWP37) was issued as the final technical report for Phase II. It describes a "Generic Architecture", which characterizes both civilian and military manufacturing environment. There are also two appendices to that report, which are case studies of the application of the generic architecture. One case study is for the manufacture of a MRE pouch product; the other case study is for the manufacture of a tray pack product.

Phase II of STP #4 was reported complete in the quarterly report ending January, 1992.

3.3 STP Phase III Tasks

Phase III of STP #4 is the Informational Architecture design, the objective of which is to design an informational architecture that would include a specification for MRE pouch, tray pack, and shelf stable civilian products. It consists of four tasks:

- Review Industrial Practices

- Build and Document Informational Model

- Install in CRAMTD Site

- Technical Report

3.3.1 Review Industrial Practices (3.6.1)

This activity began coincident with the documenting of the functional architecture in June, 1990. This led to some natural overlapping between phases II and III of this STP. The research team continued on-site observations of data collection practices in packaged food manufacturing environment through April, 1991.

3.3.2 Build and Document Informational Model (3.6.2)

This task began in the summer of 1990. At that time we addressed the MRE pouch manufacturing environment. This activity continued through the spring of 1991. During the

spring of 1991 and through the fall of 1991, the research team addressed the informational requirements of the tray pack and civilian products.

The process of collecting data for the information model involved gathering the forms and reports currently being used to maintain data by the food companies that collaborated with us. These data elements were then reviewed to eliminate redundancy and to prune the data set. Using the IDEF1X methodology, data entities and attributes were defined based on these collected forms and reports. This activity was essentially completed in the Fall of 1991.

3.3.3 Install in CRAMTD Site (3.6.3)

Computer disks of the Informational model were transferred to CRAMTD management.

3.3.4 Technical Report (3.6.4)

In April 1992, the document entitled "Informational Architecture for Packaged Food Manufacturing" (TWP52) was issued as the final technical report for Phase III. This included an informational architecture that covered both civilian and military product manufacture. This architecture, defined in IDEF1X modeling language, became the basis for the preliminary database design.

3.4 STP Phase IV Tasks

Phase IV of STP#4 includes the design and development of computer simulation models and the implementation of a prototype CIM database. Phase IV consists of five tasks:

- Design and Code Simulation Model

- Install in CRAMTD Site

- Technical Report (Simulation)

- Design Preliminary Database

- Technical Report (Database Design)

3.4.1 Design and Code Simulation Model (3.7.1)

The design of the simulation models began in June, 1990 and a software requirements specification, "Simulation Model, Software Requirements Specification, Version 1.0", was released in October, 1990 as a Technical Working Paper (TWP15). The development work was done using Simon simulation language and cinema graphical display. The tray pack simulation model was completed in the Fall of 1990, and the pouch simulation model was completed in June, 1991.

3.4.2 Install in CRAMTD Site (3.7.2)

In June, 1991, the simulation programs were demonstrated to CRAMTD management. Run time files were transferred.

3.4.3 Technical Report (Simulation) (3.7.3)

In Fall, 1991, the document entitled "Report on CRAMTD Tray Pack and MRE Pouch Simulation Models" (TWP 33) was issued as the Final Technical Report. It contains the Simon and Cinema programming codes as well as outputs for test simulation runs.

3.4.4 Design Preliminary Database (3.7.4)

In March, 1991, a single user Oracle Database Management System was procured and in April, 1991, the research team began implementing a preliminary database design based on the informational architecture developed for an MRE Pouch Enterprise. As the data requirements for tray pack and civilian enterprise was developed in the Fall of 1991, we began to incorporate these requirements into the prototype database.

In August, 1992, STP#4 was granted a no cost extension through January, 1993. During this period, preliminary database modules were developed for raw material quality control, finished goods quality control, and machine maintenance.

3.4.5 Technical Report (Database Design) (3.7.5)


In July, 1992, the document entitled "Preliminary Database Design for the CRAMTD Demonstration Plant", (TWP56) was issued as a Final Technical Report. It describes the relational database model and the Oracle Database Management System. The database tables created are related to the IDEF1X Informational Model for completeness in understanding the transition from data model to database Implementation. Structured Query Language

(SQL) Forms and SQL Reports are described and user screens are shown as the interface between the database and the functions it supports. During the development of the preliminary database, a Technology Transfer partner was identified for the commercialization of the final database to be designed and implemented under CRAMTD Phase II.

4.0 Appendix

- 4.1 Figure: "Time Events and Milestones"
- 4.2 "Review of CIM Architecture Methodologies", TWP#7.
- 4.3 "Functional Architecture for Packaged Food Manufacture", TWP#37.
- 4.4 "Informational Architecture for Packaged Food Manufacture", TWP#52.
- 4.5 "Simulation Model, Software Requirements specification, Version 1.0", TWP#15.
- 4.6 "Report on CRAMTD Tray Pack and MRE Pouch Simulation Models", TWP#33.
- 4.7 "Preliminary Database Design for the CRAMTD Demonstration Plant", TWP#56.
- 4.8 "Report on Quality Assurance Module Implementation -- Part I".
- 4.9 "Report on Equipment Maintenance Module Implementation -- Part I".

**Fig. 1 - CRAMTD Short Term Project #4
Design and Development of a CIM Architecture
for Food Processing
Projected Time & Events and Milestones**



COMBAT RATION ADVANCED MANUFACTURING TECHNOLOGY DEMONSTRATION (CRAMTD)

Review of CIM Architecture Methodologies (Ref. No. 3.4.1) Technical Working Paper (TWP) 7

T.O. Boucher and M.A. Jafari
Department of Industrial Engineering
Rutgers University

CRAMTD CONTRACT NO. DLA900-88-D-0383
CLIN 0003

Sponsored by:
DEFENSE LOGISTICS AGENCY
Cameron Station
Alexandria, VA 22304-6145

Contractor:
Rutgers, The State University of New Jersey
THE CENTER FOR ADVANCED FOOD TECHNOLOGY*
Cook College
N.J. Agricultural Experiment Station
New Brunswick, New Jersey 08903

DR. JACK L. ROSSEN
Program Director, CRAMTD
DR. JOHN F. COBURN
Associate Director, CRAMTD

TEL: 908-932-8306
FAX: 908-932-8690

1. Introduction

The manufacturing enterprise is a complex set of relationships of humans, material, machines, tools, and information. Attempts to use the computer to assist in the manufacturing function has often proceeded in a disjoint fashion, resulting in a patchwork of hardware and software that addresses sub-problems in a suboptimal fashion. For example, factory accounting systems, one of the earliest sub-systems to be computerized, are often not designed with information that can be usefully shared by production functions. Material requirements planning (MRP) software, the function of which is to provide overall production planning and control, is usually not integrated with shop floor control systems.

The fundamental problem is that of interrelating data and knowledge across the manufacturing organization. Computer Integrated Manufacturing (CIM) is an approach to accomplish that goal through computer data bases and their administration which integrate manufacturing functions (such as process control and quality control) and business functions (such as purchasing, accounting, and inventory control). The principal benefits of this integration are the elimination of redundancy, the increased speed of performance, the reduction in non-value added functions, and the improved accuracy and quality of data.

Organizations are typically described by an organization chart, which shows the hierarchical structure of the organization. Departments are described by functional names, but the organizational chart does not show functional relationships.

Understanding organizational dynamics requires a different view. An organization moves toward achieving its goals through the performance of functions, which are highly interrelated. A functional view of an organization requires that the inputs and outputs of each organizational activity be modeled, including relationships and dependencies. An organizational function or activity may or may not correspond to the organizational chart, which simply shows the hierarchy and reporting relationships. The organizational chart is not necessarily relevant to the functions and activities of the organization. It is the goal-oriented functions and activities that represent the organizational dynamics.

The performance of functions usually requires one or more of the following: material, tooling, machines, or information. Every function has a world view associated with it, which includes a view of the information, which includes data, and the format of the information that is necessary to accomplish that function. We shall call this the "user view".

The function may both use data and create data. The data created by a particular function may be part of the user view of another function. One of the ways in which functions are interconnected is through the information which they share or which one function provides to another.

In order to realize the full benefits of CIM, it is necessary to understand the interrelationship of functions with each other and their relationship to the information resources of the organization. It is also necessary to understand the structure of the information resources: what they are, how they are used, how they are changed.

The term "Architecture" has been used to describe a set of descriptive models of the structure of the relationship among entities in an organization. Architecture is a generic term and there is more than one approach to modeling the organization architecture as a necessary first step toward CIM. It is the purpose of this report to review the approaches that are currently available in the public domain. The principle approaches reviewed are the IDEF methodology of the U.S. Air Force, the architecture of the National Institute of Standards and Technology, and the Petri Net architecture approach. Each will be described in a separate section, followed by a brief description of other methodologies. The reader is supplied with an extensive bibliography that goes into more detail on each of these subjects.

2. IDEF Methodology

Major software development projects have always proved extremely difficult to manage. The success of these projects depend critically on how well the overall problem is defined before programming begins. In order to improve that definition, a number of structural design methodologies were developed in the 1960's and 1970's to assist systems analysts in designing information systems.

In 1973 a more general systems engineering design methodology was introduced by Douglas Ross of MIT under the name "Structured Analysis and Design Techniques" (SADT). The development of this methodology was motivated by a commercial project to design a complete factory of the future. The methodology was more specific to system design in manufacturing than earlier structured analysis methodologies.

In the late 1970's the U.S. Air Force sponsored a series of projects to design an Architecture for Computer Integrated Manufacturing. One of the Architectures was to be an activity only, or functional architecture. It was developed using the SADT approach and has become known as the IDEF ϕ methodology. This was followed by the development of a composite information modeling methodology, which became known as IDEF1. In 1985, an extended version of IDEF1 (IDEF1X) was released. It provided improvements to the graphical representation and modeling procedures and enhancements to the semantics of IDEF1.

2.1 IDEF ϕ

The IDEF modeling procedure is used to model the activities that go into running a business. Modeling teams use the IDEF methodology to document the way in which a factory is actually operated. This is called the "As Is" model, which becomes a baseline for analyzing inconsistencies, redundancies, and non-value added activities in the organization. The "As Is" model becomes a baseline for developing a "To Be" model, which eliminates the deficiencies of the "As Is" state.

The "As Is" model is developed through a process of top down functional analysis, beginning with the overall goal of the organization. For example, Figure 1 illustrates a high level activity for a manufacturing organization, to "manufacture food product". The interfaces to a function are indicated by arrows that enter and leave the function. As Figure 1 illustrates, they are classified as inputs, outputs, controls, and mechanisms. Input arrows, which appear to the left of the box, represent things that are used and transformed by the function. An input can be raw material (in a material processing function) or information (in an information processing function). The Manufacture Food Products function requires both. The procurable items are the materials that are processed into food products. The contract schedule is information that is processed into a production plan.

Controls, which appear at the top of the function box, occur when the execution of the function is constrained by an entity outside the function. As illustrated in Figure 1, FDA and USDA requirements, as well as Mil Specs, which are exogeneous to the organization, are constraints on "manufacture food products".

Outputs of the function can be material items or information items or both. Finally, mechanisms are shown as an arrow entering at the bottom of the box. The mechanisms arrow indicates the resources by which the function is realized. Mechanisms may be used to indicate the job skill level (who) will do a particular function; it can be used to indicate tools or machines required.

The most general level of an IDEF model, called the AO concept level, decomposes into a set of submodels (sub functions) that comprise the top level model. Consider the illustration in Figure 2. The process employed in IDEF modeling is to gradually expand the detail of the organization by breaking out subfunctions that comprise the higher function. The rule of thumb is to expose detail by expanding the function into from 3 to 6 subfunctions. Figure 4 conceptually illustrates the process.

Figure 2 shows four major functions that comprise Figure 1. The inputs, outputs, and controls that were evident in Figure 1 are also shown entering and exiting Figure 2. In addition there are other

inputs, outputs, and controls created within the diagram due to the additional levels of detail which show the interrelationships between functions.

Function 4 (Produce Product) of Figure 2 is further broken down in Figure 3. Note that the inputs, outputs and controls and mechanisms, that enter "Produce Product" in Figure 2 are now entering at the boundaries of Figure 3. In this manner, there is a connectedness between diagrams at each level of the hierarchical decomposition. Once again, Figure 4 conceptually illustrates the process.

Creation of a model in IDEF is a process that requires the participation of more than one person. Besides the analyst, it is necessary to have individuals familiar with the functions of the organization to serve as information resources and reviewers of the models.

2.2. IDEF1X

IDEF1 and its extension, IDEF1X, is a methodology for modeling data entities and their relationships. An entity is represented by a box labeled by a noun, as shown in Figure 5. It may be a material thing, such as a tray menu item or a non-material thing, such as retort processing time. These entities are the types of information and data that are required to perform the functions of IDEF ϕ .

There normally exists one or more instances of an entity. For example, an instance of the entity tray pack menu is "tray pack, mixed vegetables". Another instance is tray pack, beef chunks in gravy. Instances of an entity are identified by assigning the entity a "key attribute", such as the military specification number of the tray menu item.

Entities may have relationships to other entities. IDEF1X allows the models to be fairly specific about relationships. Each contract is written for one tray pack menu item; there may zero, one, or more contracts for the same menu. The relationship is shown by a line with a dot above the entity contract. By attaching a specific number to that we can indicate a fixed correspondence between the two entities. In this case it is one to one. A dot without a number can represent a cardinality of zero, one, or many. An entity that relates to zero, one, or many instances of another entity is a "parent" to that "child" entity.

The key attribute of an entity is placed at the top of the entity and enables the user to identify the specific instance of the entity. An entity may have non-key attributes when they are appropriate. Non key attributes give the user additional information about the entity.

A foreign key (FK) is used to identify the relationship between entities. For example, the foreign key "mil No." in the entity "contract" shows the relationship to the entity "tray pack menu". When IDEF1 models are used to design a data base, the foreign key indicates the relationship between files.

2.3. IDEF2

IDEF2 is a modeling procedure for describing the elements of the manufacturing system whose behavior varies over time. The methodology is based on network modeling concepts. There are two purposes of IDEF2: 1) to document a system in a way that it can be communicated to management and 2) to provide a means of analyzing dynamic performance.

The IDEF2 methodology is the least specific and least well-defined of the IDEF concepts. In theory it is a simulation of the functional and information submodels to whatever level of detail is reasonably possible. The methodology is not currently developed enough to standardize the level of modeling detail.

3. Petri Nets

Petri nets were originally introduced by Petri in 1962, as a formalism for representing causal relationships between events (or activities) taking place in a system exhibiting concurrency, asynchronism, and conflict. Unlike IDEF models, it has the capability of describing the flow of both physical and logical entities in a system.

A Petri net may be described through a set-theoretic type structure and/or a directed multigraph. The latter one is specially more desirable as it may represent a natural sequence of events and activities taking place in a system. In a Petri net graph (an example is shown in Figure 6) there are two types of nodes circles and bars (called "places" and "transitions" respectively). Places and transitions are connected via directed arcs representing input/output relationship. The places, transitions, and the input/output arcs basically describe the topology of the Petri net. The dynamics of the Petri net is governed through the firing of its transitions. A transition is enabled, thus may fire, if all of its input places are marked. A place is marked if there are a sufficient number (defined by the topology) of tokens there. The mechanism to fire transitions in a Petri net resembles the inference engine in AI, with the marked places representing the facts about the current state of the system. The transitions in the Petri net correspond to the rules in AI. As for the control strategy, one needs to augment transitions with some rules in order to decide which enabled transitions may fire.

Over the last three decades, there have been enormous extensions to the original work of Petri, both in application and theory. On the theoretical side, the emphasis has been on extending the modeling power of Petri nets and on developing a mathematical framework to analyze different properties of Petri nets. On the application side, Petri nets have been used for specification and verification of communication protocols, real time controllers, and discrete event systems, in general.

In the context of manufacturing, there have been several research projects (for example, S.E.C.O.I.A. project [4], [2] and [23]) to develop Petri net based controllers. The emphasis has been concentrated on the lower levels of CIM control hierarchy including shop floor controllers, cell controllers, and workstation controllers. At each level, the Petri net is in charge of coordinating or sequencing the tasks to be performed at that level. The Petri nets in different levels interact through token passing via the shared places. Note that, conventionally sequencing has been a task performed by programmable logic controllers.

To our knowledge, Petri nets have not been used to model higher levels in CIM control hierarchy. This is not surprising, as in these levels one is less interested in the flow and sequencing of entities and more interested in defining goals, setting plans, identifying necessary functions, and their interrelationship. Though Petri nets can be used to coordinate different functions and to represent the flow of control from one function to another, they can hardly be used to define these functions. One reason is that Petri nets are flow models, and another is that there has not been any attempt to augment Petri nets with a natural language as is done with IDEF models. Therefore, Petri net does not seem to be an appropriate formalism for the definition of functions and their interrelationship in higher levels of the CIM control hierarchy. Moreover, Petri nets may not be used to define information entities and their interrelationship. However, they may be used as a formalism for representing information flow and for coordinating the use of information by different functions.

One may observe that IDEF methodology and Petri nets are two different yet complementary methodologies. It is of interest to us to determine how and when these two could be combined.

4. NIST Architecture

Since the early 1980's, the National Institute of Standards and Technology ([17,18,19]) has been involved with a project to develop standards for automated manufacturing systems and to transfer technology to industry. To this end, the Center for Manufacturing Engineering at NIST has established an experimental test bed, the Automated Manufacturing Research Facility (AMRF). The design philosophy for the System is to exhibit a greater degree of flexibility and modularity than any other existing automated system. To meet these objectives, the following has been done:

1. The production control system has been partitioned into five levels in a hierarchical structure (see [17,18]).
2. The controllers for different levels were implemented in a distributed computer environment. This also allowed for a distributed data base management system.
3. Sensory equipment were used for feedback to the controllers in the lower levels.

Each controller is implemented as a finite state machine (FSM). State graphs or machines are a special type of Petri nets. The nodes in the graph represent the global state of the system being controlled. This is in contrast to Petri nets where nodes carry only local information. In a state graph, a change of state requires global information. In a Petri net only local information is required. This is a major advantage of Petri net over state machine.

Similar to the development work performed around Petri nets, the emphasis here is to develop formal models for sequencing of functions and for flow of information. The functional structure of the system is defined only informally. NIST has also performed a preliminary study ([19]) on the structure of a control system for CIM and have concluded that the three major functions, namely, production management functions; information management functions; and communication must be separately specified. They have not, however, used any structured model to describe the details of each of these functions.

5. Others

A group of researchers at Rensselaer Polytechnic Institute ([7,8,9]), have recently developed an architecture for information management in a manufacturing environment. This is based on the Metadatabase approach and TSER (Two-state Entity Relationship) methodology. Metadatabase describes data, knowledge, and control strategy. TSER contains constructs for building functional and operational models. There are algorithms to link the functional model to the operational model. There are also algorithms to map the operational model into a format which could be used to design a relational data base.

Compared to IDEF methodology, this architecture has some advantages and disadvantages. On the advantage side, the above architecture incorporates mapping algorithms from one model to another and finally to a data base design. These algorithms are not defined in IDEF methodology documentation. On the other hand, IDEF methodology has published a more concise specification scheme, which is not available in the above architecture. Moreover, the notion of using natural language in IDEF methodology makes it more attractive than TSER. At the same time both of these methodologies lack the mathematical theory which is present in Petri nets. Such a mathematical framework would enable one to formally analyze the behavior of the system.

There are also some other related work (for example [3]). These however, do not present any structured methodology. Therefore, we do not describe them in detail.

Bibliography

1. Appleton, D., "The Emerging Standard for CIM Data Sharing," Proceedings of IDEF User Group, Universal Technology Corp. May, 1989.
2. Boucher, T. O., M. A. Jafari, and G. A. Meredith, "Petri Net control of an Automated Manufacturing Cell," Computers and Industrial Engineering, Vol. 17, No. 1-4, 1989.
3. Biemans, F. P. and C. A. Vissers, "Reference Model for Manufacturing Planning and Control systems," Journal of Manufacturing systems. (to appear)
4. Bigou, J., M. Courvoisier, M. Demmou, H. Desclaux, C. Pascal, and R. Valette, "A Methodology of Specification and Implementation of Distributed Discrete control systems," IEEE Transactions on Industrial Electronics IE-34, 4, 1987, p. 417.
5. Davis, W. J. and A. T. Jones, "Functional approach to Designing Architectures for CIM," IEEE Transactions on Systems, Man, and Cybernetics, Vol. 19, No. 2, 1989.
6. Douglas, R. T. and K. E. Schoman, Jr., "Structured Analysis for Requirements Definition," IEEE Transactions on Software Engineering, Vol. SE-3, No. 1, 1975.
7. Hsu, C. and C. Skevington, "Integration of Data and Knowledge in Manufacturing Enterprises: A Conceptual Framework," Journal of Manufacturing Systems, Vol. 6, No. 4, 1987.
8. Hsu, C. C. Angulo, A. Perry, and L. Rattner, "A Design Method For Manufacturing Information Management," Proceedings of systems Integration conference, IEEE computer society Press, 1987.
9. Hsu, C., M. Bonziane, W. Cheung, J. Naguer, L. Rattner, and L. Yee, "A Metadata System for Information Modeling and Integration," Proceedings of Systems Integration Conference, IEEE Computer Society Press. (To appear in April, 1990)
10. Integrated Computer-Aided Manufacturing (ICAM) Function Modeling Manual (IDEFO), Materials Laboratory, Wright-Patterson Air Force Base, June, 1981.
11. Integrated Computer-Aided Manufacturing (ICAM) Architecture, Part II, Composite function Model of Manufacture Product (MFG0), Materials Laboratory, Wright-Patterson air force Base, June, 1981.
12. Integrated Computer-Aided Manufacturing (ICAM) Architecture, Part II, Composite Information Model of Manufacture Product (MFG1), Materials Laboratory, Wright-Patterson Air Force Base, June, 1981.
13. Integrated Computer-Aided Manufacturing (ICAM) Architecture, Part II, Composite Information Model of Manufacture Product (MFG1) - Part 2, Materials Laboratory, Wright-Patterson Air force Base, June, 1981.
14. Integrated Computer-Aided Manufacturing (ICAM) Dynamics Modeling Manual (IDEF2), Materials Laboratory, Wright-Patterson Air Force Base, June, 1981.
15. Information Modeling Manual IDEF1 - Extended, ICAM Project, U. S. Air Force, December, 1985.
16. Jafari, M. A., "A Design Methodology for Shop-Floor controllers Using Colored Petri Nets," Working Paper 89-112, Industrial Engineering Department, Rutgers University, 1989.
17. Jones, A. and C. McLean, "A Proposed Hierarchical Control Model for Automated Manufacturing Systems," Journal of Manufacturing systems, vol. 5, 1986.
18. Jones, A., E. Barkmeyer, and W. Davis, "Issues in the Design and Implementation of a system Architecture for Computer Integrated Manufacturing," International Journal of Computer Integrated Manufacturing, Vol. 2, No. 2, 1989.
19. Jones, A. and A. Saleh, "A Multi-Level/Multi-Layer Architecture for Intelligent shop Floor Control," National Institute of Standards and Technology, Unpublished Manuscript.

20. Joyce, R. and M. Nolan, "Interactive Knowledge Acquisition for Tomorrow's Enterprise," Proceedings of IDEF User Group, Universal Technology Corp, May, 1989.
21. Marca, D. A and C. L. McGowan, Structured Analysis and Design Technique, McGraw-Hill Book Company, 1988.
22. Martin, J. and C. McClure, Diagramming Techniques for Analysts and Programmers, Prentice-Hall Inc., Englewood Cliffs, NJ, 1985.
23. Meredith, G. A., "A Transformation From A Boolean Equation Control Specification to Petri Net," Unpublished MS Thesis, Department of Industrial Engineering, Rutgers University, 1990.
24. Zachman, J. A., "A Framework for Information Systems Architecture," Proceedings of IDEF User Group, Universal Technology Corp., May, 1989

| | | | | | | |
|-----------------------------|---------|-----------------|-------------|--------|------|---------|
| Used At: | Author: | Date: 29/1/1990 | Working | READER | DATE | Context |
| Project: Traypack | | Rev: | Draft | | | |
| Notes: 1 2 3 4 5 6 7 8 9 10 | | | Recommended | | | |
| | | | Publication | | | |





Figure 1

| | | |
|-----------|--|-----------|
| Note: A-0 | Title: Manufacture Tray Pack Food Products (Context) | Number: 4 |
|-----------|--|-----------|

| | | | | | |
|-----------------------------|---------|---------------|-------------|------|---------|
| Used At: | Author: | Date: 29/1/90 | Reader: | DATE | Context |
| Project: Traypack | Rev: | | Working | | |
| Notes: 1 2 3 4 5 6 7 8 9 10 | | | Drnk | | |
| | | | Recommended | | |
| | | | Publication | | |



- 1. Procured Materials
- 2. Manufactured Product
- 3. Production Data

Figure 2

| | | |
|----------|--|-----------|
| Node: A0 | Title: Manufacture Tray Pack Food Products | Number: 7 |
|----------|--|-----------|

Used At:

Author:

Date: 2/9/1990

DATE

Context

Project: Traypack

Rev:


READER

Working
Draft

Recommended
Publication

Notes: 1 2 3 4 5 6 7 8 9 10

C1 C2 C3



- 1. Procured Materials
- 2. Inspected Materials
- 3. Cooked Materials
- 4. Manufactured Product

Figure 3

Node:A4

Title:Produce Product

Number: 16




Figure 4 -- Relationship between levels in IDEF0 Methodology
(Source: Ref. 15)

010/Tray Pack Menu

| |
|--|
| Mil Spec No. |
| Material Inspection Requirements |



050/ Contract

| |
|---|
| Contract No. |
| Mil Spec. No. (FK) Quantities Due Dates |

Figure 5. -- Example of Partial IDEFIX Model
(Illustration only)




Figure 6 -- A Petri net for a manufacturing cell with two machines and a robot for material handling. The marked places specify the current state of the cell.

COMBAT RATION ADVANCED MANUFACTURING TECHNOLOGY DEMONSTRATION (CRAMTD)

**Technical Report: Functional Architecture
for Packaged Food Manufacturing
Technical Working Paper (TWP) 37**

**T.O. Boucher, M.A. Jafari, S. Kim, and J. McPhail
Department of Industrial Engineering
Rutgers University
December 1991**

**Sponsored by:
DEFENSE LOGISTICS AGENCY
Cameron Station
Alexandria, VA 22304-6145**

**Contractor:
Rutgers, The State University of New Jersey
THE CENTER FOR ADVANCED FOOD TECHNOLOGY*
Cook College
N.J. Agricultural Experiment Station
New Brunswick, New Jersey 08903**

**DR. JACK L. ROSSEN
Program Director, CRAMTD
DR. JOHN F. COBURN
Associate Director, CRAMTD**

**TEL: 908-932-7985
FAX: 908-932-8690**

**"Functional Architecture for
Packaged Food Manufacturing"**

Technical Working Paper (TWP) 37

T.O. Boucher, M.A. Jafari, S. Kim and J. McPhail

Abstract

This report describes the Functional Architecture to be used for designing the data base of the CRAMTD Computer Integrated Manufacturing (CIM) demonstration facility. It is a generic architecture and can be used by any company in the packaged food industry that wishes to undertake a CIM implementation project. Particular attention was given to the operating practices of combat ration manufacturers, however, the authors also specify within the architecture practices of civilian product manufacture

Since the architecture is generic, the model is written at a fairly high level of abstraction. In order to give some detail to the reader on how to use the generic architecture for a product specific case, two case studies are included as appendices: MRE pouch - Omelet with Ham, Tray pack - Beef Chunks and Gravy. Only abridged appendices, however, are included in the Technical Working Paper. The complete report of 696 pages is available on special request.

1.0 INTRODUCTION

This report addresses the requirements of Task Item section 3.5.4 of STP #4, requiring a technical report on the design of a functional architecture for packaged food manufacturing. Phase II of STP #4 required studying the procedures by which coalition companies operated their enterprises in the manufacture of shelf stable food products. From these studies the research team was required to abstract the common features of the coalition companies studied in order to describe a generic set of operating procedures. This generic model is referred to as a "Functional Architecture". A Functional Architecture is a description of the functions performed in operating the enterprise and the relations between these functions as given by the information flows and material flows linking them. From these studies it was further required to describe the Functional Architecture as it will be implemented in a Computer Integrated Manufacturing (CIM) environment. This meant paying particular attention to information flows and how they would be captured in a factory data base. It also meant redesigning or respecifying some functions to take advantage of the data base environment that would exist in a CIM plant. The architecture of the observed (existing) manufacturing plants is called the "AS IS" architecture. The architecture that results from redesigning functions and procedures is called the "TO BE" architecture. In this report we present the "TO BE" architecture; that is, the architecture to be used for designing the data base of the CRAMTD demonstration facility. It is a generic architecture and can be

used by any company in the package food industry that wishes to undertake a CIM implementation project.

Particular attention was given to the operating practices of combat ration manufacturers. However, we also specify within the architecture the practices of civilian product manufacture. The overlap is quite considerable.

Since the architecture is generic, the model is written at a fairly high level of abstraction. For most functions it should not be difficult for the reader to relate the model to his or her own enterprise. However, at the factory floor level, a generic description can be difficult to interpret because manufacturing steps are very product specific and a "generic" architecture tries not to be product specific. In order to give some detail to the reader on how to use the generic architecture for a product specific case, we have prepared two appendices for this report. Each appendix describes a specific example of the shop floor level architecture. The hypothetical case study of appendix I is that of a MRE pouch manufacturer producing Omelet with Ham. The hypothetical case study of appendix II is that of a Tray Pack manufacturer producing Beef Chunks and Gravy. The first case study is based on practices currently used in some contractor plants observed by the research team during this study. The case study is meant to be illustrative of how the Functional Architecture design methodology would be employed in studying current practices. The second case study was carried out in the CRAMTD pilot plant and applied the methodology to the automated environment of that production system as it currently

exists.

The text of this document contains diagrams and descriptions using the IDEF0 methodology. IDEF0 (Integrated Computer-Aided Manufacturing Definition O) is a modeling procedure developed under funding of the U.S. Air Force. It is an extension of an earlier modeling technique called SADT (Structured Analysis and Design Technique) developed by SoftTech, Inc. of Waltham, Massachusetts.

The IDEF0 models were documented on computer. The software that was used is a product of Knowledge Based systems, Inc. of College Station, Texas. It is called AIO.

In the next section we will give an overview of the IDEF0 (SADT) methodology. This will be followed by a description of the format of the AIO documentation.

2.0 SADT AND IDEF0

Systems model building is an established area in computer science and management information system design. In Computer Integrated Manufacturing an often used method is the "Structured Analysis and Design Technique" (SADT) or its descendent, IDEF0 (Integrated Computer-Aided Manufacturing Definition O), developed under U.S. Air Force sponsorship by SoftTech, Inc. SADT or IDEF0 is a modeling methodology for designing and documenting hierarchic, layered, modular systems.

The building block of this modeling approach is the activity box, shown in Figure 1. The Activity Box defines a specific activity in the organization that is being modeled. The Activity may be a decision making or information conversion activity or a

material conversion activity. Inputs to the activity are shown at the left of the box. Inputs are items (material, information) that are transformed by the activity. Outputs of the activity are shown at the right of the box. Outputs are the results of the activity acting on the inputs. Controls are shown entering the Activity box from the top. A control is a condition that governs the performance of the activity. For example, a control may be a set of rules governing the activity or a condition that must exist before the activity can begin. Mechanisms enter the activity box from the bottom. A mechanism is the means by which an activity is realized. For example, a mechanism may be a machine or a worker.

The activity box and the four entities of Figure 1 provide a concise expression: An input is transformed into an output by an activity performed by a mechanism and governed by a control. The specific activity, its inputs, outputs, mechanisms, and controls must be defined for the situation being modeled. Activity boxes represent actions being performed and are labeled with verb phrases. Inputs, outputs, controls, and mechanisms are things, and are labeled with noun phrases.

SADT is applied using top down hierarchic decomposition. This is illustrated in Figure 2. At the top of the hierarchy is the overall purpose of the model; it is the global activity that is the subject of the model. The overall activity is decomposable into components that, when taken together, comprise the global activity. This is the second tier of the hierarchy. Similarly, the second tier activities may be further decomposed

into component activities. The decomposition process continues until there is sufficient detail to serve the purpose of the model builder.

Models are coordinated sets of diagrams. Each layer of the model is coordinated with its sublayers through inputs, outputs, controls, and mechanisms. An example is shown in figures 3 and 4. figure 4 is a sublayer of figure 3. Note that the inputs, outputs, controls, and mechanisms that are at the boundary of figure 3 are also at the boundary of figure 4. In this manner the diagrams are made consistent and material flows and information flows are trackable throughout the model. In some instances it is more convenient to specify mechanisms only at the lowest sublayer. We have followed that practice in our model development.

This brief description will assist the reader in understanding this document. For more details, the reader is referred to the following publication: Structured analysis and Design Technique by D.A. Marca and C.L. McGowan, McGraw-Hill Book Company, 1988.

3.0 SOFTWARE DOCUMENTATION

The documentation of the IDEFO model begins with the highest level activity: "Operate a Shelf Stable Food Manufacturing Enterprise". At each stage of the layered architecture an activity is defined, followed by a breakdown diagram of the subactivities that comprise the major activity. This is followed by a "glossary". The glossary contains the definition of all the "concepts" used in the diagram. "Concepts" are the names

attached to input, output, control and mechanism arrows. Finally, this is followed by a definition of each of the activity blocks of the breakdown diagram of subactivities. By methodically proceeding through the text, the reader can review diagrams, read concept definitions, and read activity definitions.

The next section is the text of the generic architecture. This is followed by Appendix I and Appendix II, which are two case studies showing examples of shop floor diagrams for specific products.

Due to the size of the generic architecture model and software limitations, it was necessary to divide it in half for documentation. The generic architecture includes four major enterprise activities:

- 1) Manage Contracts, Orders, and Bidding Process
- 2) Plan for Manufacture
- 3) Manufacture Product
- 4) Control Manufactured Product

The first two major enterprise activities are documented in Section A. Major activities 3 and 4 are documented in Section B.




Figure 1. SADT ACTIVITY BOX AND CONNECTING ARROWS




Figure 2.-- Relationship between levels in IDEF0 Methodology

| | | | | | | |
|----------|-----------------------------|-----------------|-------------|--------|------|---------|
| Used At: | Author: PUT YOUR NAME HERE | Date: 8/12/1990 | Working | READER | DATE | Comment |
| | Project: 186 | Rev: | Desk | | | |
| | Notes: 1 2 3 4 5 6 7 8 9 10 | | Recommended | | | |
| | | | Publication | | | |




Figure 3. Overall concept diagram

| | | |
|------------|---|---------|
| Module: A0 | Title: MANUFACTURE COMPONENTS (Context) | Number: |
|------------|---|---------|

| | | | | | | |
|----------|-----------------------------|-----------------|-------------|--------|------|---------|
| Used At: | Author: PUT YOUR NAME HERE | Date: 8/12/1990 | Working | READER | DATE | Comment |
| | Project: 186 | Rev: | Desk | | | |
| | Notes: 1 2 3 4 5 6 7 8 9 10 | | Recommended | | | |
| | | | Publication | | | |




Figure 4. Manufacture components

| | | |
|------------|-------------------------------|---------|
| Module: A0 | Title: MANUFACTURE COMPONENTS | Number: |
|------------|-------------------------------|---------|

SECTION A
GENERIC ARCHITECTURE
ENTERPRISE ACTIVITIES
(ABRIDGED)

1. Manage Contracts, Orders, and Bidding Process (A1)
2. Plan for Manufacture (A2)


TABLE OF CONTENTS

| | |
|--|-----|
| Diagrams | 16 |
| A-0 | 17 |
| A0 Operate a Shelf Stable Food Manuf. Enterprise | 20 |
| A1 Manage Contracts, Orders, and Bidding Process | 26 |
| A11 Provide Quotations on Existing Products | 30 |
| A111 Review Current Pricing and Material Costs | 34 |
| A112 Review F G Inventory And Available Prod. Capacity | 36 |
| A113 Issue Quote | 38 |
| A12 Respond to New Product Inquiry | 40 |
| A121 Screen New Product Inquiries | 45 |
| A122 Adapt and Scale Customer Recipe or Formula | 47 |
| A123 Evaluate Kitchen Batches | 49 |
| A124 Develop Process Plan | 51 |
| A125 Evaluate Plant Test Kettle | 53 |
| A126 Determine Product Pricing | 55 |
| A13 Respond to DSPC Contract Solicitation | 57 |
| A131 Select Products Compatable with Business | 61 |
| A132 Estimate Contract Cost | 63 |
| A1321 Estimate Material Cost | 67 |
| A13211 Identify Required Ingredients | 71 |
| A13212 Identify Suppliers of Ingredients | 73 |
| A13213 Obtain Quotes | 75 |
| A13214 Select Preferred Vendors | 77 |
| A13215 Compute Material Cost | 79 |
| A1322 Develop Prduction Process Plan | 81 |
| A13221 Define Process Sequence | 85 |
| A13222 Determine Eqpt. Req. and Production Rate | 87 |
| A13223 Determine Labor Requirements | 89 |
| A1323 Estimate Labor Cost | 91 |
| A1324 Estimate Overhead Cost | 93 |
| A1325 Compute Unit Cost | 95 |
| A133 Complete Proposal | 97 |
| A1331 Estimate Contract Price | 100 |
| A1332 Prepare Pest Control Plan | 102 |
| A1333 Prepare SPC Plan | 104 |
| A1334 Prepare SBA Plan | 106 |
| A14 Manage Current Contracts and Orders | 108 |
| A141 Enter New Contracts and Orders | 112 |
| A142 Forecast Monthly Sales | 114 |
| A143 Review Customer Order Status Report | 116 |
| A144 Review DSPC Contract Status Report | 118 |
| A2 Plan for Manufacture | 120 |

| | | |
|---------|--|-----|
| A21 | Plan for DPSC Contract Requirements | 126 |
| A211 | Prepare DPSC Planning Documents & Obtain Approvals | 131 |
| A212 | Obtain USDA Approval | 134 |
| A213 | Obtain First Article Approval | 136 |
| A214 | Perform Contract Aggregate Production Planning | 138 |
| A2141 | Plan Production to Meet Contract Shipments | 142 |
| A21411 | Compute Intermediate Demand Schedule | 146 |
| A21412 | Compute Manufacturing Plan | 148 |
| A21413 | Revise Shift Schedules | 150 |
| A2142 | Develop Materials Plan | 152 |
| A21421 | Explode Material Requirements | 156 |
| A21422 | Identify Suppliers | 158 |
| A214221 | Determine Existence of Approved Suppliers | 161 |
| A214222 | Identify Other Potential Suppliers | 163 |
| A214223 | Qualify Suppliers | 165 |
| A21423 | Obtain Quotes | 167 |
| A21424 | Select Preferred Suppliers | 169 |
| A21425 | Document Materials Plan | 171 |
| A2143 | Develop Personnel Plan | 173 |
| A2144 | Develop Distribution Plan | 175 |
| A22 | Schedule Manufacture of Open Orders | 177 |
| A221 | Prepare Master Production Schedule | 182 |
| A2211 | Prioritize Orders for Production | 187 |
| A2212 | Determine Net Requirements | 189 |
| A2213 | Determine Ingredient Requirements | 191 |
| A22131 | Perform Ingredient Explosion | 195 |
| A22132 | Compare to Available Inventory | 197 |
| A22133 | Request Inventory Replenishment if Needed | 199 |
| A22134 | Assign Products to be Scheduled if Ingreds Avail | 201 |
| A2214 | Develop Month Production Schedule | 203 |
| A222 | Prepare Shop Floor Production Schedule | 205 |
| A2221 | Assign Products to Machines | 209 |
| A2222 | Generate Cook Sheets | 211 |
| A2223 | Develop Retort Schedules | 213 |
| A2224 | Develop Material Move Schedule | 215 |
| A223 | Update Open Orders and Finished Inventory | 217 |
| A23 | Plan New Product Manufacture | 219 |
| A231 | Obtain Label Approval | 222 |
| A232 | Obtain USDA Packing Plant Approval | 224 |
| A233 | Obtain Product Safety Filing Approval | 226 |

DIAGRAMS

| | | | | | | | | | | | |
|-----------------------------|--|----------------------------|--|----------------|--|-------------|--|------|--|----------|--|
| Useful At: | | Author: PUT YOUR NAME HERE | | Date: 1/2/1992 | | HEADLINE | | DATE | | Comments | |
| Project: Manuf_on | | Rev: | | | | Working | | | | | |
| Notes: 1 2 3 4 5 6 7 8 9 10 | | | | | | Draft | | | | | |
| | | | | | | Recommended | | | | | |
| | | | | | | Publication | | | | | |



GLOSSARY

Attached Concepts

Contract Proposals

A contractor's response to a government solicitation to bid on the manufacture of combat rations. It includes quantities to be delivered by time period, bid price, and relevant planning documents as required by the contract solicitation.

Contractor Inspection Plan (DB)

A document written by the contractor in conformance with MIL-I-45208A. It contains all the contractor's procedures in assuring the quality of foodstuffs offered for sale to the government. It includes indicators to assure the quality and inspection of raw material, the calibration of instruments used in inspection, the quality assurance organization, in-process inspection, and final product inspection.

Customer Orders (DB)

Orders for the production and sale of civilian food product to customers.

DPSC Contract Solicitation

Requests to bid on the production and sale of combat rations. Includes identification of product, total units required, proposed delivery schedule, and other requirements to be met by the contractors.

DPSC Contracts (DB)

The final award to a contractor indicating the quantities of each product that the government will purchase.

Equipment Resources

Machines and other equipment employed by the manufacturing enterprise in operating its business.

Human Resources

Employees of the manufacturing enterprise.

Material From Vendors

Primary raw materials, services, equipment, and supplies converted by or consumed in the manufacturing process.

Mil Spec (DB)

The specification for manufacturing the combat ration. Includes ingredients by weight, preparation procedures, quality assurance provisions, and packaging requirements.

MIL-I-45208A

Military specification for preparation of Contractor Inspection Plan.

Payments From Customers

Payments received for the delivery of shipped product.

Payments to Vendors

Payments made for the receipt of materials and services from vendors.

Purchase Orders (DB)

A document that initiates the sale of material from a vendor to the manufacturing enterprise.

Request for Vendor Information

Inquiries from manufacturing enterprise to vendor; e.g., requests for current pricing and delivery lead times of materials.

Shipped Product

Rations or civilian products produced to specification and shipped to appointed destination.

USDA, FDA, and Other Requirements

Includes requirements imposed on the manufacture of food products by federal and state agencies, for example, the USDA meat and poultry inspection regulations.

Vendor Information

Responses to requests for vendor information.


Operate a Shelf Stable Food Manuf. Enterprise

A0 is the root function diagram that describes the activities involved to operate a Shelf Stable Food Manufacturing Enterprise. The inputs, outputs, and controls at this level are interfaces between the enterprise and the outside world. The Shelf Stable Food Manufacturing Enterprise includes manufacture of MRE Pouch entres, manufacture of Tray Pack entres, and manufacture of shelf stable packaged civilian products.


There are two pre-production activities. The "Manage Contracts, Orders, and Bidding Process" is the sales and contracting interface with customers. For civilian customers, it takes "Customer Inquiries" as input and provides "Response to Customers" as outputs. For DSPC, it takes "Contract Solicitations" as input and provides "Contract Proposals" as output. This function also performs order entry for final orders and contract awards.

The "Plan for Manufacture" function begins with the awarding of a contract or the issuing of an order/forecast. This function includes developing a Manufacturing Plan and Production Schedule and the approval of a Contractor Inspection Plan.

There are two production activities. "Manufacture Product" includes the receipt of ingredients and other materials, ingredient and material inspection, ingredient processing and packaging, and in-process control of product and process. "Control Manufactured Product" includes finished product inspections, rework and re-inspection, storage, handling and shipping.



| | | | | | |
|----------|-----------------------------|---------------|-------------|------|---------|
| Used As: | Author: PUT YOUR NAME HERE | Date: 1/21/92 | Working | DATE | Comment |
| | Project: Manned_m | Rev: | Dead | | |
| | Notes: 1 2 3 4 5 6 7 8 9 10 | | Recommended | | |
| | | | Publication | | |



1. Proposed Process Plan (DB)

2. Open Orders (DB)

3. Vendor Lot Inventory (DB)

4. Finished Goods Inv. (Labeled & Unlabeled) (DB)

5. New Product Orders
6. Material Replenishment Request (DB)

7. Manufactured Product

8. Sample For Finished Product Exams

9. Response to Customer

10. Control Aggregate Production Plan (DB)
11. Month Production Schedule (DB)

GLOSSARY

Attached Concepts

Contract Aggregate Production Plan (DB)

A plan for production, manpower, and material requirements by time period that, when executed, should enable the enterprise to meet its contract shipping schedule. It consists of a manufacturing schedule, a materials plan, a personnel plan, and a distribution plan associated with the production of a specific contract for combat rations.

Contract Proposals

A contractor's response to a government solicitation to bid on the manufacture of combat rations. It includes quantities to be delivered by time period, bid price, and relevant planning documents as required by the contract solicitation.

Contractor Inspection Plan (DB)

A document written by the contractor in conformance with MIL-I-45208A. It contains all the contractor's procedures in assuring the quality of foodstuffs offered for sale to the government. It includes indicators to assure the quality and inspection of raw material, the calibration of instruments used in inspection, the quality assurance organization, in-process inspection, and final product inspection.

Customer Inquiries

Requests from customers for pricing and/or delivery lead times on products, status of current orders, or status of evaluation of new product proposals.

Customer Orders (DB)

Orders for the production and sale of civilian food product to customers.

DPSC Contract Solicitations

Requests to bid on the production and sale of combat rations. Includes identification of product, total units required, proposed delivery schedule, and other requirements to be met by the contractors.

DPSC Contracts (DB)

The final award to a contractor indicating the quantities of each product that the government will purchase.

DPSC Inquiries

Requests from the contracting agency concerning the status of contract execution.

Equipment Resources

Machines and other equipment employed by the manufacturing enterprise in operating its business.

Finished Goods Inv. (Labeled & Unlabeled)(DB)

Manufactured product that is in compliance with quality specifications and is in storage. May be stored with a customer Label or in the unlabeled (shiner) condition.

Human Resources

Employees of the manufacturing enterprise.

Incubation Sample

A sample of product drawn from each retort basket after retorting. Held for ten days and examined for container swelling. Part of the process of insuring that the package contents are properly sterilized.

Manufactured Product

Rations or civilian product that have completed the production processes and are awaiting clearance for acceptable quality.

Material From Vendors

Primary raw materials, services, equipment, and supplies converted by or consumed in the manufacturing process.

Material Replenishment Request (DB)

A request to the materials manager for the procurement of material from a supplier to the manufacturing enterprise.

Mil Spec (DB)

The specification for manufacturing the combat ration. Includes ingredients by weight, preparation procedures, quality assurance provisions, and packaging

requirements.

MIL-I-45208A

Military specification for preparation of Contractor Inspection Plan.

Month Production Schedule (DB)

A medium range aggregate production schedule which specifies the products to be produced for the next four weeks. Revised weekly.

New Product Orders

Requests for the manufacture of a new civilian product.

Open Orders (DB)

The existing backlog of unfilled orders and internal orders (forecasts).

Other Business Constraints

Factors that constrain a particular enterprise in its participation in combat ration contracts or other new business. May include available capital, level of past experience with a particular type of product, and/or other factors of a general business nature.

Payments From Customers

Payments received for the delivery of shipped product.

Payments to Vendors

Payments made for the receipt of materials and services from vendors.

Proposal Process Plan (DB)

The manufacturer's identification of the specific processes that will be used in the manufacture of the ration product. This plan, though not submitted as part of the proposal, is one of the bases for estimating manufacturing costs and production quantities.

Purchase Orders (DB)

A document that initiates the sale of material from a vendor to the manufacturing enterprise.

Request for Vendor Information

Inquiries from manufacturing enterprise to vendor; e.g., requests for current pricing and delivery lead times of materials.

Response to Customer

Response to a customer inquiry as defined in attached concept "Customer Inquiry".

Sample For Finished Product Exams

A sample of product taken from production and used for examining the quality of the finished product. Includes a container evaluation and a product evaluation.

Shipped Product

Rations or civilian products produced to specification and shipped to appointed destination.

Shop Floor Schedules (DB)

A group of schedules that are provided daily to the line supervisor for executing production. They include the "Day Production Schedule", "Material Move Schedule and Report", "Raw Preparation Sheet", "Cook Sheet", and "Daily Process Information".

USDA, FDA, and Other Requirements

Includes requirements imposed on the manufacture of food products by federal and state agencies, for example, the USDA meat and poultry inspection regulations.

Vendor Information


Responses to requests for vendor information.

Vendor Lot Inventory (DB)

The inventory of available raw materials, which are recorded and identifiable by vendor lot numbers.

Manage Contracts, Orders, and Bidding Process

"Manage Contracts, Orders, and Bidding Process" includes four functions: "Provide Quotations on Existing Products", "Respond to New Product Inquiry", "Respond to DSPC Contract Solicitation", and "Manage Current Contracts and Orders". These functions represent the interface with the customer or the selling side and would normally be the responsibility of sales. In government or other long term contracting, the activities are often handled by an administrator charged with overseeing the contract. Node A14 ("Manage Current Contracts and Orders") provides a tracking mechanism for monitoring the status of all open orders and active contracts.



GLOSSARY

Attached Concepts

Contract Proposals

A contractor's response to a government solicitation to bid on the manufacture of combat rations. It includes quantities to be delivered by time period, bid price, and relevant planning documents as required by the contract solicitation.

Customer Inquiries

Requests from customers for pricing and/or delivery lead times on products, status of current orders, or status of evaluation of new product proposals.

Customer Orders (DB)

Orders for the production and sale of civilian food product to customers.

DPSC Contract Solicitations

Requests to bid on the production and sale of combat rations. Includes identification of product, total units required, proposed delivery schedule, and other requirements to be met by the contractors.

DPSC Contracts (DB)

The final award to a contractor indicating the quantities of each product that the government will purchase.

DPSC Inquiries

Requests from the contracting agency concerning the status of contract execution.

Mil Spec (DB)

The specification for manufacturing the combat ration. Includes ingredients by weight, preparation procedures, quality assurance provisions, and packaging requirements.

Open Orders (DB)

The existing backlog of unfilled orders and internal orders (forecasts).

Other Business Constraints

Factors that constrain a particular enterprise in its participation in combat ration contracts or other new business. May include available capital, level of past experience with a particular type of product, and/or other factors of a general business nature.

Proposal Process Plan (DB)

The manufacturer's identification of the specific processes that will be used in the manufacture of the ration product. This plan, though not submitted as part of the proposal, is one of the bases for estimating manufacturing costs and production quantities.

Request for Vendor Information

Inquiries from manufacturing enterprise to vendor; e.g., requests for current pricing and delivery lead times of materials.

Response to Customer

Response to a customer inquiry as defined in attached concept "Customer Inquiry".

USDA, FDA, and Other Requirements

Includes requirements imposed on the manufacture of food products by federal and state agencies, for example, the USDA meat and poultry inspection regulations.

Vendor Information

Responses to requests for vendor information.

GLOSSARY

Attached Concepts

Available Production Capacity (DB)

Uncommitted time on a specific production (filling) line. It is determined from the current order backlog, order delivery dates, and total manufacturing capacity.

Customer Inquiries

Requests from customers for pricing and/or delivery lead times on products, status of current orders, or status of evaluation of new product proposals.

Finished Goods Inventory (DB)

Current record of labeled and unlabeled finished product.

Material Cost (DB)

Record of standard cost and actual last price paid.

Price

Quotation price of product based on units ordered.

Price List (DB)

Current prices established by the company for specific products ordered in specific quantities.

Promised Delivery Date

Quotation delivery date for proposed units to be ordered.

Quotation (DB)

An electronic record of a quotation issued to a customer.

Quotation and Payment Policy

Company policies with respect to such items as the length of time for which a quotation is effective or the accounts receivable payment and discount policy.

Response to Customer


Response to a customer inquiry as defined in attached concept "Customer Inquiry".

Sales Manager

The individual who handles customer relationships.

Plan for Manufacture

"Plan for Manufacture" represents the second of the four major activities in Operating a Shelf Stable Food Manufacturing Enterprise. "Plan for Manufacture" begins with the awarding of a combat rations contract or the entry of civilian product orders into the backlog. There are three major sub-activities. "Plan for DSPC Contract Requirements" includes all the pre-production activities before a contractor obtains final approval to produce. "Schedule Manufacture of Open Orders" includes the scheduling activities associated with open orders that have cleared all approval processes. Finally, "Plan for New Product Manufacture" includes all activities before a new product can be scheduled into production.



GLOSSARY

Attached Concepts

Approvals

All necessary approvals prior to placing a product into production. May include approved contractor inspection plan, product labeling, first article approval, and so forth.

Contract Aggregate Production Plan (DB)

A plan for production, manpower, and material requirements by time period that, when executed, should enable the enterprise to meet its contract shipping schedule. It consists of a manufacturing schedule, a materials plan, a personnel plan, and a distribution plan associated with the production of a specific contract for combat rations.

Contractor Inspection Plan (DB)

A document written by the contractor in conformance with MIL-I-45208A. It contains all the contractor's procedures in assuring the quality of foodstuffs offered for sale to the government. It includes indicators to assure the quality and inspection of raw material, the calibration of instruments used in inspection, the quality assurance organization, in-process inspection, and final product inspection.

Day Production Schedule (DB)

The schedule of which products are to be produced on which production equipment for a specific day. This is a firm schedule released the afternoon before the day's production.

DPSC Contracts (DB)

The final award to a contractor indicating the quantities of each product that the government will purchase.

Equipment Available (DB)

A data file of equipment available to be used in production and its characteristics, such as worker requirements, output rate, and so forth.

Finished Goods Inv. (Labeled & Unlabeled)(DB)

Manufactured product that is in compliance with quality specifications and is in storage. May be stored with a customer Label or in the unlabeled (shiner) condition.

Formula (DB)

A description of the ingredient and packaging content of a product along with processing information.

Historical Labor Requirements (DB)

The number of workers historically required to operate the production line at a specific rate when producing a specific product.

Labor Available

Current workforce size and skill composition.

Material Move Schedule and Report (DB)

A shop floor schedule issued with the "Day Production Schedule" describing what vendor lots (raw material) should be moved from inventory to shop floor locations to accommodate the "Day Production Schedule". Also used to report depletion of raw material.

Material Replenishment Request (DB)

A request to the materials manager for the procurement of material from a supplier to the manufacturing enterprise.

Mil Spec (DB)

The specification for manufacturing the combat ration. Includes ingredients by weight, preparation procedures, quality assurance provisions, and packaging requirements.

MIL-I-45208A

Military specification for preparation of Contractor Inspection Plan.

Month Production Schedule (DB)

A medium range aggregate production schedule which specifies the products to be produced for the next four weeks. Revised weekly.

New Product Orders

Requests for the manufacture of a new civilian product.

Open Orders (DB)

The existing backlog of unfilled orders and internal orders (forecasts).

Open Orders/Forecasts(DB)

The existing backlog of unfilled orders and internal orders (forecasts).

Pallet Record (DB)

A record indicating the contents of a pallet, including product and quantities by retort cook also indicates storage location. Used as a primary record of finished goods inventory.

Proposal Process Plan (DB)

The manufacturer's identification of the specific processes that will be used in the manufacture of the ration product. This plan, though not submitted as part of the proposal, is one of the bases for estimating manufacturing costs and production quantities.

Raw Preparation and Cook Sheets (DB)

Shop floor schedules that list the recipe and cooking instructions for the preparation of raw ingredients and the mixing and cooking of batches.

Request for Vendor Information

Inquiries from manufacturing enterprise to vendor; e.g., requests for current pricing and delivery lead times of materials.

Retort Schedule and Daily Process Information(DB)

Shop floor schedule the describes which retorts will be dedicated to the manufacture of each product on a particular day. Also indicates retort settings and other process information.

Shop Floor Schedules (DB)

A group of schedules that are provided daily to the line supervisor for executing

production. They include the "Day Production Schedule", "Material Move Schedule and Report", "Raw Preparation Sheet", "Cook Sheet", and "Daily Process Information".

USDA, FDA, and Other Requirements

Includes requirements imposed on the manufacture of food products by federal and state agencies, for example, the USDA meat and poultry inspection regulations.

Vendor Lot Inventory (DB)


The inventory of available raw materials, which are recorded and identifiable by vendor lot numbers.

Vendor Quotes


The suppliers' response to "Request for Vendor Information".

Plan for DPSC Contract Requirements

This activity begins after a contract has been awarded and ends prior to the start up of production. The activity includes obtaining approvals required for production and preparing the production facility and a contract aggregate production plan. The specific activities are to "Prepare DPSC Planning Documents and Obtain Approvals", "Obtain USDA Approval", "Obtain First Article Approval", and "Perform Contract Aggregate Production Planning".



| | | | | | |
|----------|-----------------------------|----------------|-------------|------|---------|
| Used At: | Author: PUT YOUR NAME HERE | Date: 1/2/1992 | Reader: | DATE | Contact |
| | Project: Mamef_on | Rev: | Working | | |
| | Notes: 1 2 3 4 5 6 7 8 9 10 | | Draft | | |
| | | | Recommended | | |
| | | | Publication | | |



1. Request for Vendor Information
2. Contract Aggregate Production Plan (DB)
3. Material Requisition Request (DB)

GLOSSARY

Attached Concepts

Approved First Article

Notification from the contracting officer of a DPSC contract that the first article submission is of sufficient quality to allow the contractor to begin production of that product against the contract.

Approved Labeling

Product ingredients must be declared on the carton. This ingredient declaration must be approved by the USDA.

CIS Approval

An approval from DPSC informing the contractor that the submitted Contractor Inspection Plan can be used in conjunction with the production of the ration under contract to the enterprise.

Contract Aggregate Production Plan (DB)

A plan for production, manpower, and material requirements by time period that, when executed, should enable the enterprise to meet its contract shipping schedule. It consists of a manufacturing schedule, a materials plan, a personnel plan, and a distribution plan associated with the production of a specific contract for combat rations.

Contract Management/Staff

Individuals with primary responsibility for securing contracts and overseeing the planning of the business.

Contractor Inspection Plan (DB)

A document written by the contractor in conformance with MIL-I-45208A. It contains all the contractor's procedures in assuring the quality of foodstuffs offered for sale to the government. It includes indicators to assure the quality and inspection of raw material, the calibration of instruments used in inspection, the quality assurance organization, in-process inspection, and final product inspection.

DPSC Contracts (DB)

The final award to a contractor indicating the quantities of each product that the government will purchase.

Material Replenishment Request (DB)

A request to the materials manager for the procurement of material from a supplier to the manufacturing enterprise.

Materials

Packaging and ingredients used in the manufacture of food by the enterprise.

Mil Spec (DB)

The specification for manufacturing the combat ration. Includes ingredients by weight, preparation procedures, quality assurance provisions, and packaging requirements.

MIL-I-45208A

Military specification for preparation of Contractor Inspection Plan.

Open Orders (DB)

The existing backlog of unfilled orders and internal orders (forecasts).

Proposal Process Plan (DB)

The manufacturer's identification of the specific processes that will be used in the manufacture of the ration product. This plan, though not submitted as part of the proposal, is one of the bases for estimating manufacturing costs and production quantities.

Request for Vendor Information

Inquiries from manufacturing enterprise to vendor; e.g., requests for current pricing and delivery lead times of materials.

USDA, FDA, and Other Requirements

Includes requirements imposed on the manufacture of food products by federal and state agencies, for example, the USDA meat and poultry inspection regulations.

Vendor Quotes

The suppliers' response to "Request for Vendor Information".

SECTION B
GENERIC ARCHITECTURE
ENTERPRISE ACTIVITIES
(ABRIDGED)

3. Manufacture Product (A3)
4. Control Manufactured Product (A4)

TABLE OF CONTENTS

| | |
|---|-----|
| iii. Diagrams | 12 |
| A-0 | 13 |
| A0 Operate a Shelf Stable Food Manuf. Enterprise | 16 |
| A1 Manage Contracts, Orders, and Bidding Process | 22 |
| A2 Plan for Manufacture | 25 |
| A3 Manufacture Product | 28 |
| A31 Control Incoming Material | 34 |
| A311 Request Inventory Replenishment | 39 |
| A312 Prepare and Issue Purchase Order | 41 |
| A313 Receive, Inspect, and Store Shipment | 43 |
| A3131 Receive Materials | 48 |
| A3132 Return Materials | 50 |
| A3133 Inspect and Classify Materials | 52 |
| A3134 Store Materials | 54 |
| A3135 Release Material to Production | 57 |
| A3136 Update Incoming Material Inventory Records | 59 |
| A314 Update Accounting and Authorize Payment | 61 |
| A3141 Confirm Receipt of Material | 65 |
| A3142 Update Accounting System | 67 |
| A3143 Authorize Payment | 69 |
| A32 Control Production Processes | 71 |
| A321 Prepare Ingredients | 77 |
| A3211 Draw Ingredients From Inventory | 81 |
| A3212 Prepare Subassemblies | 83 |
| A3213 Prepare Raw Ingredients | 85 |
| A322 Mix and Cook Ingredients | 88 |
| A3221 Combine and Mix Ingredients | 92 |
| A3222 Cook Ingredients | 94 |
| A3223 Perform Quality Tests | 97 |
| A323 Fill Packages | 99 |
| A3231 Deposit Ingredients into Package | 103 |
| A3232 Monitor Filling Process | 106 |
| A3233 Rework Package | 108 |
| A3234 Correct Filler Settings | 110 |
| A324 Seal Packages | 112 |
| A3241 Perform Sealing Operation | 117 |
| A3242 Perform Packaging Exam | 120 |
| A3243 Perform Net Weight Exam | 122 |
| A3244 Correct Machine Settings | 124 |
| A3245 Identify Package and Inspect for Defects | 126 |
| A325 Retort Product | 128 |
| A3251 Check Initial Temperature | 133 |


| | | | |
|-----|-------|--|-----|
| | A3252 | Retort Packages | 135 |
| | A3253 | Hold and Evaluate Variances | 138 |
| | A3254 | Destroy Product | 140 |
| A33 | | Control Packaged Product | 142 |
| | A331 | Wash and Dry Package | 147 |
| | A332 | Add Package Identification | 149 |
| | A333 | Inspect for Package Defects | 151 |
| | A334 | Case and/or Palletize Product | 153 |
| | A335 | Rework | 155 |
| | A336 | Dispose of Reject Product | 157 |
| A34 | | Update Daily Production Record | 159 |
| | A341 | Update Inventory Records | 163 |
| | A342 | Update Processing Records | 165 |
| | A343 | Update Inspection Records | 167 |
| A4 | | Control Manufactured Product | 169 |
| | A41 | Perform Finished Product Quality Assurance | 173 |
| | A411 | Evaluate Incubation Sample | 177 |
| | A412 | Perform Container Evaluation | 179 |
| | A413 | Perform Product Evaluation | 181 |
| | A42 | Control Finished Goods Inventory | 183 |
| | A421 | Store Finished Goods | 188 |
| | A422 | Label Containers | 190 |
| | A423 | Rework Or Obtain Variance | 192 |
| | A424 | Dispose Of Product | 194 |
| | A43 | Ship Finished Product And Update Records | 196 |
| | A431 | Stage Product For Shipment | 201 |
| | A432 | Inspect Condition Of Container | 203 |
| | A433 | Ship Product | 205 |
| | A434 | Update Accounting System | 207 |
| | A435 | Update Finished Goods Inventory Records | 209 |

DIAGRAMS


Manufacture Product

This function is comprised of all the activities of the manufacturing facility that transform incoming material into a product. For civilian products, these operations are controlled by USDA, FDA, and other requirements. For combat rations, operations are controlled by the contractor's "Contractor Inspection Plan", which includes statistical process control. The contractor inspection plan incorporates Mil Spec requirements and USDA, FDA, and other requirements.

The "Manufacture Product" function breaks down into four major areas: "Control Incoming Material", "Control Production Processes", "Control Packaged Product", and "Update Daily Production Records". The "Control Incoming Material" function includes all activities from the time material is received until it is released to production. The "Control Production Processes" function includes all activities of manufacturing through retorting. The "Control Packaged Product" function includes inspection, post retort labeling where appropriate, and palletizing. The "Update Daily Production Records" function adds daily production information to the database.



| | | | | | |
|------------------|----------------------------|----------------|---------------|--------|------|
| Used At: | Author: PUT YOUR NAME HERE | Date: 1/21/992 | Working Draft | READER | DATE |
| Project: Part of | 1 2 3 4 5 6 7 8 9 10 | Rev: | Recommended | | |
| Notes: | | | Publication | | |



GLOSSARY

Attached Concepts

Completed Cook Sheets (DB)

The record of the actual batch made for a a specific product, date, shift, and time. Also serves as one of the records of ingredients consumed.

Completed Raw Prep Report (DB)

A record of the actual raw ingredients prepared on a specific day and shift. Also serves as one of the records of ingredients consumed.

Contractor Inspection Plan (DB)

A document written by the contractor in conformance with MIL-I-45208A. It contains all the contractor's procedures in assuring the quality of foodstuffs offered for sale to the government. It includes indicators to assure the quality and inspection of raw material, the calibration of instruments used in inspection, the quality assurance organization, in-process inspection, and final product inspection.

Cook Sheet (DB)

A description of the ingredients and their quantities required for a batch of product. Also includes parameters for precooking the batch.

Daily Process Information (DB)

Retort parameters provided to retort operators for particular products to be produced during a production shift.

Day Production Schedule (DB)

The schedule of which products are to be produced on which production equipment for a specific day. This is a firm schedule released the afternoon before the day's production.

Incubation Sample

A sample of product drawn from each retort basket after retorting. Held for ten days and examined for container swelling. Part of the process of insuring that the package contents are properly stetilized.

Manufactured Product

Combat rations or civilian product that have completed the production processes and are awaiting clearance for acceptable quality.

Material From Vendors

Primary raw materials, services, equipment, and supplies converted by or consumed in the manufacturing process.

Material Move Schedule and Report (DB)

A shop floor schedule issued with the "Day Production Schedule" describing what vendor lots (raw material) should be moved from inventory to shop floor locations to accommodate the "Day Production Schedule". Also used to report depletion of raw material.

Material Replenishment Request (DB)

A request to the materials manager for the procurement of material from a supplier to the manufacturing enterprise.

Material Requisition (Contracts)

A request from a contract administrator to purchasing for the ordering or contracting of materials for a specific contract.

Materials Released to Production

Ingredients, pouches, and supplies that are released from inventory to be consumed into work-in-process inventory.

Materials Returned from Production

Ingredients, pouches, and supplies that were released to work-in-process but not consumed during the period of production.

Mil Spec (DB)

The specification for manufacturing the combat ration. Includes ingredients by weight, preparation procedures, quality assurance provisions, and packaging requirements.

Pallet Record (DB)

A record indicating the contents of a pallet, including product and quantities by retort cook and also indicates storage location. Used as a primary record of finished good inventory.

Payments to Vendors

Payments made for the receipt of materials and services from vendors.

Purchase Orders (DB)

A document that initiates the sale of material from a vendor to the manufacturing enterprise.

Retort Record (DB)

A log of the actual retort operating conditions by retort cook. Includes the initial temperature of the product placed in the retort.

Retorted Product

The product after retorting but before palletizing.

Sample For Finished Product Exams

A sample of product taken from production and used for examining the quality of the finished product. Includes a container evaluation and a product sample.

Shop Floor Schedules (DB)

A group of schedules that are provided daily to the line supervisor for executing production. They include the "Day Production Schedule", "Material Move Schedule and Report", "Raw Preparation Sheet", "Cook Sheet", and "Daily Process Information".

Updated Database Record (DB)

Entry of current information into the database. Includes information from retort record, completed raw prep report, and completed cook sheet.

USDA, FDA, and Other Requirements

Includes requirements imposed on the manufacture of food products by federal and


state agencies, for example, the USDA meat and poultry inspection regulations.

Vendor Information

Responses to requests for vendor information.

Control Incoming Material

This function includes the processes by which raw material inventory is replenished and accounted for, as well as the processes by which material is physically handled and stored. The activities begin when the replenishment policy used by the inventory manager triggers a "Material Requisition". This material requisition causes purchasing to "Prepare and Issue Purchase Order". When shipments of materials arrive, they are handled by the "Receive, Inspect, and Store" function. Finally, the acceptance of a shipment of materials triggers a series of accounting transactions in the "Update Accounting and Authorize Payment" function.



GLOSSARY

Attached Concepts

Approved Vendor (DB)

An enterprise database that lists vendors that are approved sources of ingredients and materials.

Contractor Inspection Plan (DB)

A document written by the contractor in conformance with MIL-I-45208A. It contains all the contractor's procedures in assuring the quality of foodstuffs offered for sale to the government. It includes indicators to assure the quality and inspection of raw material, the calibration of instruments used in inspection, the quality assurance organization, in-process inspection, and final product inspection.

Incoming Material Acceptance Report (DB)

Reports on the inspection of incoming materials using testing procedures administered by quality assurance in conformance with the Contractor Inspection Plan.

Inventory Position (DB)

A database attribute that monitors the number of units on-hand and on-order of materials and ingredients used in production.

Material From Vendors

Primary raw materials, services, equipment, and supplies converted by or consumed in the manufacturing process.

Material Move Schedule and Report (DB)

A shop floor schedule issued with the "Day Production Schedule" describing what vendor lots (raw material) should be moved from inventory to shop floor locations to accommodate the "Day Production Schedule". Also used to report depletion of raw material.

Material Replenishment Request (DB)

A request to the materials manager for the procurement of material from a supplier to the manufacturing enterprise.

Material Requisition

A request from production planning to the materials manager to provide materials needed for future production.

Material Requisition (Contracts)

A request from a contract administrator to purchasing for the ordering or contracting of materials for a specific contract.

Materials Manager

The individual who is required to maintain the overall operation of the in-plant materials supply and storage.

Materials Released to Production

Ingredients, pouches, and supplies that are released from inventory to be consumed into work-in-process inventory.

Materials Returned from Production

Ingredients, pouches, and supplies that were released to work-in-process but not consumed during the period of production.

Materials Returned to Suppliers

If Received materials do not pass inspection, they are returned to suppliers for credit.

Payments to Vendors

Payments made for the receipt of materials and services from vendors.

Purchase Orders (DB)

A document that initiates the sale of material from a vendor to the manufacturing enterprise.

Purchasing Agent

The individual responsible for buying material and supplies for the enterprise.

Receiving Report (DB)

A report from the receiving department indicating the materials received against purchase orders during each day.

Replenishment Policy

The rules that are used to determine when to order materials from suppliers and how much to order.

Returns Report (DB)

A report to notify accounting that material previously received from a vendor has been returned to the vendor because it was non-conforming.

USDA, FDA, and Other Requirements


Includes requirements imposed on the manufacture of food products by federal and state agencies, for example, the USDA meat and poultry inspection regulations.

Vendor Information

Responses to requests for vendor information.


Control Manufactured Product

This includes activities that occur after container processed and leave the production area to go to labeling or to be inventoried. Subactivities are: "Perform Finished Product Quality Assurance", "Control Finished Goods Inventory", and "Ship finished Product and Update Records".



| | | | | | | |
|----------|-----------------------------|----------------|-------------|--------|------|---------|
| Used At: | Author: PUT YOUR NAME HERE | Date: 1/2/1992 | Working | READER | DATE | Context |
| | Project: Part of | Rev: | Draft | | | |
| | Notes: 1 2 3 4 5 6 7 8 9 10 | | Recommended | | | |
| | | | Publication | | | |

C1



14. Programs From Customer

1. Product Released to Shipping
2. Labeling Report
3. Invoice

GLOSSARY

Attached Concepts

Classification(incompliance/not-in-compliance)

The classification given to finished goods by quality assurance.

Container Evaluation Reports (DB)

An examination of a sample of finished product for seal integrity.

Contractor Inspection Plan (DB)

A document written by the contractor in conformance with MIL-I-45208A. It contains all the contractor's procedures in assuring the quality of foodstuffs offered for sale to the government. It includes indicators to assure the quality and inspection of raw material, the calibration of instruments used in inspection, the quality assurance organization, in-process inspection, and final product inspection.

Incubation Report (DB)

The result of the evaluation of the incubation sample.

Incubation Sample

A sample of product drawn from each retort basket after retorting. Held for ten days and examined for container swelling. Part of the process of insuring that the package contents are properly sterilized.

Invoice

A request to a customer for payment for shipped product.

Labeling Report

A report from the labeling department of which pallets were labeled from finished goods inventory or from the day's production.

Labeling Schedule

Daily instructions to the labeling department indicating which products are to be labeled from daily production and/or from inventory.

Manufactured Product

Combat rations or civilian product that have completed the production processes and are awaiting clearance for acceptable quality.

Mil Spec (DB)

The specification for manufacturing the combat ration. Includes ingredients by weight, preparation procedures, quality assurance provisions, and packaging requirements.

Payments From Customers

Payments received for the delivery of shipped product.

Product Evaluation Reports (DB)

Report of the finish product examination for conformance with specifications.

Product Released to Shipping

Product to be staged at shipping dock for pickup and delivery to customers.

Sample For Finished Product Exams

A sample of product taken from production and used for examining the quality of the finished product. Includes a container evaluation and a product sample.

Shipped Product

Rations or civilian products produced to specification and shipped to appointed destination.

Shipping Schedule


A schedule indicating the pallets of product that are to be shipped to specific customers on a specific day.

USDA, FDA, and Other Requirements

Includes requirements imposed on the manufacture of food products by federal and state agencies, for example, the USDA meat and poultry inspection regulations.

Perform Finished Product Quality Assurance

Samples of finished product are taken from the production line after retorting to undergo finished product examinations. There are three classes of finished product examination as given by the three subactivities: "Evaluate Incubation Sample", "Perform Container Evaluation", and "Perform Product Evaluation".



GLOSSARY

Attached Concepts

Classification(incompliance/not-in-compliance)

The classification given to finished goods by quality assurance.

Container Evaluation Reports (DB)

An examination of a sample of finished product for seal integrity.

Contractor Inspection Plan (DB)

A document written by the contractor in conformance with MIL-I-45208A. It contains all the contractor's procedures in assuring the quality of foodstuffs offered for sale to the government. It includes indicators to assure the quality and inspection of raw material, the calibration of instruments used in inspection, the quality assurance organization, in-process inspection, and final product inspection.

Incubation Report (DB)

The result of the evaluation of the incubation sample.

Incubation Sample

A sample of product drawn from each retort basket after retorting. Held for ten days and examined for container swelling. Part of the process of insuring that the package contents are properly sterilized.

Product Evaluation Reports (DB)

Report of the finish product examination for conformance with specifications.

Quality Assurance

Department with overall responsibility for ingredient, material, and product testing to insure conformity to specifications.


Sample For Finished Product Exams

A sample of product taken from production and used for examining the quality of the finished product. Includes a container evaluation and a product sample.

USDA, FDA, and Other Requirements

Includes requirements imposed on the manufacture of food products by federal and state agencies, for example, the USDA meat and poultry inspection regulations.

| | | | | | | |
|----------|-----------------------------|-----------------|-------------|--------|------|---------|
| Used At: | Author: PUT YOUR NAME HERE | Date: 1/21/1992 | Working | Reader | DATE | Context |
| | Project: Part of | Rev: | Draft | | | |
| | Notes: 1 2 3 4 5 6 7 8 9 10 | | Recommended | | | |
| | | | Publication | | | |



APPENDIX I

MRE POUCH - OMELET AND HAM

CASE STUDY
(ABRIDGED)


TABLE OF CONTENTS

| | | |
|--------|--|-----|
| A33 | Manufacture Product | 35 |
| A331 | Control Incoming Material | 40 |
| A3311 | Request Inventory Replenishment | 45 |
| A3312 | Prepare and Issue Purchase Order | 47 |
| A3313 | Receive, Inspect, and Store Shipment | 49 |
| A33131 | Receive Materials | 54 |
| A33132 | Return Materials | 56 |
| A33133 | Inspect and Classify Materials | 58 |
| A33134 | Store Materials | 60 |
| A33135 | Release Material to Production | 62 |
| A33136 | Update Incoming Material Inventory Records | 64 |
| A3314 | Update Accounting and Authorize Payment | 66 |
| A33141 | Confirm Receipt of Material | 70 |
| A33142 | Update Accounting System | 72 |
| A33143 | Authorize Payment | 74 |
| A332 | Control Production Processes | 76 |
| A3321 | Prepare Ingredients | 81 |
| A33211 | Draw Ingredients From Inventory | 85 |
| A33212 | Prepare Raw Ingredients (Grind Ham) | 87 |
| A3322 | Mix and Cook Ingredients | 89 |
| A33221 | Combine and Mix Ingredients | 93 |
| A33222 | Cook Ingredients | 95 |
| A33223 | Perform Quality Test (Cerial Viscosity) | 97 |
| A33224 | Add Remaining Ingredients | 99 |
| A3323 | Fill Pouches | 101 |
| A33231 | Deposit Omlet into Pouches | 104 |
| A3324 | Seal Pouches | 106 |
| A33241 | Perform Pouch Sealing | 110 |
| A33242 | QA Exam Seal Strength/Residual Gas | 112 |
| A33243 | QA Exam: Net Weight | 114 |
| A33244 | Correct Machine Settings | 116 |
| A33245 | Label Pouch and Inspect for Defects | 118 |
| A3325 | Retort Pouch | 120 |
| A33251 | Check Initial Temperature | 125 |


| | | |
|--------|--|-----|
| A33252 | Retort Pouches | 127 |
| A33253 | Hold and Evaluate Variances | 130 |
| A33254 | Destroy Product | 132 |
| A333 | Control Packaged Product | 134 |
| A3331 | Wash and Dry Pouches | 138 |
| A3332 | Inspect for Pouch Defects | 140 |
| A3333 | Carton, Case and Palletize Product | 142 |
| A3334 | Rework | 144 |
| A3335 | Dispose of Reject Pouches | 146 |
| A334 | Store Production Records | 148 |
| A3341 | Update Inventory Records | 152 |
| A3342 | File Processing Records | 154 |
| A3343 | File Inspection Records | 156 |

Control Production Processes

This section describes the production of Ham Omllet in the MRE pouch. It covers the activities that begin when material is released to work-in-process and ends when product has completed the retort operation. The subactivities include "Prepare Ingredients", "Mix and Cook Ingredients", "Fill Pouches", "Seal Pouches", and "Retort Product".



| | | | | |
|----------|-----------------------------|-----------------|---------------|------|
| Used At: | Author: PUT YOUR NAME HERE | Date: 2/12/1992 | Reader: | DATE |
| | Project: Pillsbury | Rev: | | |
| | Notes: 1 2 3 4 5 6 7 8 9 10 | | Working Draft | |
| | | | Recommended | |
| | | | Publication | |



GLOSSARY

Attached Concepts

Completed Cook Sheets (Form 8)

The record of actual batch made for a specific product, date, shift, and time.

Completed Ham Usage Report (Form 6)

A report of the quantity of ham consumed in production during a shift.

Contractor Inspection Plan

A document written by the contractor in conformance with MIL-I-45208A. It contains all the contractor's procedures in assuring the quality of foodstuffs offered for sale to the government. It includes indicators to assure the quality and inspection of raw material, the calibration of instruments used in inspection, the quality assurance organization, in-process inspection, and final product inspection.

Cook Sheet (Form 8)

A description of the ingredients and their quantities required for a batch of product. Also includes parameters for precooking the batch.

Cook Sheet (Form 8)

A description of the ingredients and their quantities required for a batch of product. Also includes parameters for precooking the batch.

Daily Process Information

Retort parameters provided to the retort operator for particular products to be produced during a production shift.

Day Production Schedule

The schedule of which products are to be produced on which production equipment for a specific day. This is a firm schedule released the afternoon before the day's production.

Filled Pouch

Pouch containing product but not sealed.

Ground Ham

Ham that is ground at a step prior to mixing and precooking.

Incubation Sample

A sample of product drawn from each retort basket after retorting. Held for ten days and examined for container swelling. Part of the process of insuring that the package contents are properly sterilized.

Ingredients

Components used to produce a food product.

Materials Released to Production

Ingredients, pouches, and supplies that are released from inventory to be consumed into work-in-process inventory.

Materials Returned from Production

Ingredients, pouches, and supplies that were released to work-in-process but not consumed during the period of production.

Omelet Mix

Mixture of eggs, ham, hominy grits, and spices after precooking but before filling.

Pouches

Flexible packaging material.

Retort Record (Forms 12, 13, Taylor temp)

A set of logs of the actual retort operating conditions by retort cook. Includes the initial temperature of the product placed in the retort.

Retorted Omelet

The omelet after retorting but before palletizing.

Retorted Product

The product after retorting but before palletizing.

Sealed Pouch

A pouch after leaving the sealing operation but prior to retorting.

SS/RG Report (Form 9)


A report on seal strength and residual gas for a sample of sealed pouches.

Weight Report (Form 10)


A quality control chart that tracks the fill weights of sealed packages.

Prepare Ingredients

This activity provides "Prepared Ingredients (Ground Ham)" for the mixing and cooking operations. There are two subactivities: "Draw Ingredients From Inventory", and "Prepare Raw Ingredients (Grind Ham)".



| | | | | | | |
|-----------------------------|----------------------------|-----------------|---------------|--------|------|----------|
| Used At: | Author: PUT YOUR NAME HERE | Date: 2/12/1992 | Working Draft | Reader | DATE | Comments |
| Project: Pillabur | Rev: | | Recommended | | | |
| Notes: 1 2 3 4 5 6 7 8 9 10 | | | Publication | | | |



GLOSSARY

Attached Concepts

Completed Ham Usage Report (Form 6)

A report of the quantity of ham consumed in production during a shift.

Day Production Schedule

The schedule of which products are to be produced on which production equipment for a specific day. This is a firm schedule released the afternoon before the day's production.

Forklift Operator

A person who performs material handling using a forklift truck.

Ground Ham

Ham that is ground at a step prior to mixing and precooking.

Ingredients

Components used to produce a food product.

Materials Released to Production

Ingredients, pouches, and supplies that are released from inventory to be consumed into work-in-process inventory.

Materials Returned from Production

Ingredients, pouches, and supplies that were released to work-in-process but not consumed during the period of production.

Prepared Ingredients (Ground Ham)

Ham that has been ground prior to mixing and precooking.

Production Worker

Individual employed by the enterprise as production labor.

Request for Materials

eee A request by production to release ingredients into work-in-process.

APPENDIX II

TRAY PACK - BEEF CHUNKS AND GRAVY

CASE STUDY
(ABRIDGED)


TABLE OF CONTENTS

| | | |
|------|--|----|
| A0 | Control Production Process | 6 |
| A1 | Prepare Ingredients | 11 |
| A11 | Draw Ingredients From Inventory | 15 |
| A12 | Prepare Subassemblies | 17 |
| A2 | Mix and Cook Ingredients | 19 |
| A21 | Prepare Sauce | 23 |
| A211 | Prepare Starch Slurry | 27 |
| A212 | Add Remaining Ingredients | 29 |
| A213 | Cook Ingredients | 31 |
| A214 | Test Quality of Sauce | 33 |
| A22 | Cook Meat | 35 |
| A221 | Cook Meat in Oven | 39 |
| A222 | Control Oven Process | 41 |
| A223 | Test Quality of Meat | 43 |
| A3 | Fill Trays | 45 |
| A31 | Deposit Ingredients Into Package | 50 |
| A311 | Fill Meat | 54 |
| A312 | Level Trays | 56 |
| A313 | Fill Sauce | 58 |
| A32 | Check Weigh | 60 |
| A33 | Detect Mound | 62 |
| A34 | Rework Diverted Trays | 64 |
| A35 | Test Quality of Filled Tray | 66 |
| A4 | Seal Trays | 68 |
| A41 | Perform Sealing Operation | 72 |
| A42 | Test Quality of Sealed Trays | 74 |
| A43 | Correct Sealer Tool Settings | 76 |
| A5 | Retort Product | 78 |
| A51 | Check Initial Temperature | 83 |
| A52 | Retort Package | 85 |
| A53 | Test Quality of Retort Packages | 88 |
| A54 | Hold and Evaluate Variances | 90 |
| A55 | Destroy Product | 92 |


Control Production Process

This case describes the routing of material in a highly automated factory. The activity illustrates the case of beef chunks in gravy in which cooking of meats is done separately in an air impingement oven. Material handling, filling, sealing, retorting, and testing are automated and computer integrated.

There are five subactivities: "Prepare Ingredients", "Mix and Cook Ingredients", "Fill Trays", "Seal Trays", and "Retort Product". The product is being packaged on a traypack line.



| | | | | | |
|---------|-----------------------------|-----------------|-------------|------|----------|
| Use At: | Author: PUT YOUR NAME HERE | Date: 1/27/1992 | Reader: | DATE | Contact: |
| | Project: Appendix | Rev: | Working | | |
| | Notes: 1 2 3 4 5 6 7 8 9 10 | | Draft | | |
| | | | Recommended | | |
| | | | Publication | | |



GLOSSARY

Attached Concepts

Completed Cook Sheets (DB)

The record of the actual raw ingredients prepared on a specific day and shift. Also serves as one of the records of ingredients consumed.

Completed Subassembly Report (DB)

A report which indicates the number of subassemblies, typically spice mixes, made during a production shift in conformance with the cook sheet specification.

Contractor Inspection Plan

A document written by the contractor in conformance with MIL-I-45208A. It contains all the contractor's procedures in assuring the quality of foodstuffs offered for sale to the government. It includes indicators to assure the quality and inspection of raw material, the calibration of instruments used in inspection, the quality assurance organization, in-process inspection, and the final inspection.

Cook Sheet (DB)

A description of the ingredients and their quantities required for a batch of product. Also includes parameters for precooking the batch.

Cooked Ingredients

Ingredients after precooking but before filling.

Daily Process Information (DB)

Retort parameters provided to retort operators for particular products to be produced during a production shift.

Data Logging (DB)

Automatic storage of data from sensors to PLC and, subsequently, to factory database.

Day Production Schedule (DB)

The schedule of which products are to be produced on which production equipment for a specific day. This is a firm schedule released the afternoon before the day's production.

Incubation Sample

A sample of product drawn from each retort basket after retorting. Held for ten days and examined for container swelling. Part of the process of insuring that the package contents are properly sealed and sterilized.

Ingredients

Components used to produce a food product.

Lids

Covers to be sealed on tray-cans.

Materials Released to Production

Ingredients, trays, and supplies that are released from inventory to be consumed into work-in-process inventory.

Materials Returned From Production

Ingredients, trays, and supplies that were released into work-in-process but not consumed during the period of production.

Prepared Ingredients

Ingredients that are combined into a subassembly at a step prior to mixing and precooking.

Retort Record (DB)

A log of the actual retort operating conditions by retort cook. Includes the initial temperature of the product placed in the retort.

Retorted Product

The product after retorting but before palletizing.

Sealed Trays

A tray after leaving the sealing operation but prior to retorting

Trays

Traycans to be filled.

Trays for Sealing


Trays that have been filled and are ready for sealing.

USDA, FDA, and Other Requirements


Includes requirements imposed on the manufacture of food products by federal and state agencies, for example, the USDA meat and poultry inspection regulations.

Prepare Ingredients

This activity provides prepared ingredients and subassemblies for the mixing and cooking operations. There are two subactivities: "Draw Ingredients from Inventory" and "Prepare Subassemblies". The subassembly is a spice mix that is used in the sauce preparation.



| | | | | | |
|----------|-----------------------------|-----------------|-------------|------|----------|
| Used At: | Author: PUT YOUR NAME HERE | Date: 1/22/1992 | Reader: | DATE | Comments |
| | Project: Appendix | Rev: | Working | | |
| | Notes: 1 2 3 4 5 6 7 8 9 10 | | Draft | | |
| | | | Recommended | | |
| | | | Publication | | |



GLOSSARY

Attached Concepts

Completed Subassembly Report (DB)

A report which indicates the number of subassemblies, typically spice mixes, made during a production shift in conformance with the cook sheet specification.

Contractor Inspection Plan

A document written by the contractor in conformance with MIL-I-45208A. It contains all the contractor's procedures in assuring the quality of foodstuffs offered for sale to the government. It includes indicators to assure the quality and inspection of raw material, the calibration of instruments used in inspection, the quality assurance organization, in-process inspection, and the final inspection.

Cook Sheet (DB)

A description of the ingredients and their quantities required for a batch of product. Also includes parameters for precooking the batch.

Day Production Schedule (DB)

The schedule of which products are to be produced on which production equipment for a specific day. This is a firm schedule released the afternoon before the day's production.

Forklift Operator

A person who performs material handling using a forklift.

Ingredients

Components used to produce a food product.

Material Move Schedule and Report (DB)

A shop floor schedule issued with the "Day Production Schedule" describing what vendor lots (raw material) should be moved from inventory to shop floor locations to accommodate the "Day Production Schedule". Also used to report depletion of raw material.

Materials Released to Production

Ingredients, trays, and supplies that are released from inventory to be consumed into

work-in-process inventory.

Materials Returned From Production

Ingredients, trays, and supplies that were released into work-in-process but not consumed during the period of production.

Prepared Ingredients

Ingredients that are combined into a subassembly at a step prior to mixing and precooking.

Production Worker

Individual employed by the enterprise as production labor.

USDA, FDA, and Other Requirements

Includes requirements imposed on the manufacture of food products by federal and state agencies, for example, the USDA meat and poultry inspection regulations.

COMBAT RATION ADVANCED MANUFACTURING TECHNOLOGY DEMONSTRATION (CRAMTD)

**Technical Report:
Informational Architecture for Packaged Food Manufacturing
Technical Working Paper (TWP) 52**

**Nabil R. Adam, Thomas O. Boucher, Timothy Chamberlin, and John Weber
Department of Industrial Engineering**

**Rutgers, The State University of New Jersey
April 1992**

**Sponsored by:
DEFENSE LOGISTICS AGENCY
Cameron Station
Alexandria, VA 22304-6145**

**Contractor:
Rutgers, The State University of New Jersey
THE CENTER FOR ADVANCED FOOD TECHNOLOGY*
Cook College
N.J. Agricultural Experiment Station
New Brunswick, New Jersey 08903**

**DR. JACK L. ROSSEN
Program Director, CRAMTD
DR. JOHN F. COBURN
Associate Director, CRAMTD**

**TEL: 908-932-7985/8307
FAX: 908-932-8690**

1.0 Introduction

This report addresses the requirements of Task Items 3.6.4 of STP #4, requiring a technical report on the design of an Informational Architecture for the Packaged Food Industry. Phase II of STP #4 required studying the procedures by which coalition companies operated their enterprises in the manufacture of shelf stable food products. Based on these studies the research team abstracted the common features of the coalition companies studied, thus, developing a generic set of operating procedures. This generic model is referred to as a "Functional Architecture". A Functional Architecture is a description of the functions performed in operating the enterprise and the relationship among these functions as given by the information flows and material flows linking them. The results of this study was published as Technical Working Paper (TWP)#37, "Technical Report: Functional Architecture for Packaged Food Manufacture".

Phase III of STP #4 requires identifying the data requirements necessary to support the processes modeled by the functional architecture. The data requirements are used as a basis for designing a logical relational database model using the IDEF1X methodology. This methodology was developed under funding from the US Airforce. It is an entity - attribute - relationship methodology that has evolved from earlier work by Chen (1976) and Nijssen (1979).

In the next section we present an overview of the IDEF1X modeling methodology. This will be followed by a description of the organization of the IDEF1X documentation.

2.0 IDEF1X Methodology

IDEF1X is a semantic data modeling methodology that defines the meaning of data within the context of its interrelationship with other data. A completed IDEF1X diagram is a static structure that defines information groupings and relationships among these groupings. IDEF1X uses the entity-relationship approach to semantic data modeling. That is, an IDEF1X model has three basic components: Entities, attributes, and relationships.

An Entity is an element (Part) of the system that is of relevance to our study. It can be something abstract such as "Contract Number" or something tangible, e.g. " vendor lot", which refers to the lots of raw ingredients or materials supplied by vendors. Entities can be classified into different entity types, e.g. equipment, products, and purchase orders. A collection of entities of the same type make up an entity set whose members are referred to as instances of that entity set. For example, a products entity set has several instances, each representing a given product.

In IDEF1X, an entity set is represented by a Box. Figure 1 shows the basic diagrammatic structure of IDEF1X.

An entity set has properties (characteristics) called Attributes, e.g. Name and Address of the "Vendor" entity set. All entities in a given entity set have the same attributes but, clearly, the values may differ from one instance to another.

An attribute of an entity set, for which each instance must have a unique value is called a "key attribute" for that entity set. For example, each instance of the vendor lot entity class

has a unique material lot number.

In the IDEF1X diagram, entity attributes are listed within the box representing that entity. The primary key(s) of a given entity are separated from the rest of the attributes by a line that goes across the box.

Relationships may exist between entities. For example, the "vendor lot" entity set is related to the quality "tests" entity set in the sense that each vendor lot is inspected according to one or more quality tests. At the same time a given quality test is used to inspect more than one vendor lot. The result of applying a specific quality test (whose primary key is TEST ID) on a specific vendor lot (whose primary key is the MATERIAL LOT No) is represented by a quality report. There are several instances of quality reports, each corresponding to a given combination of a vendor lot and a quality test. A key attribute that provides the linkage between entities is called a "foreign key" (FK). For example, the foreign key that relates vendor lot with quality report is "material lot no".

A relationship has a Cardinality, which specifies the number of instances of an entity with which a given entity is associated through that relationship. There are three possible cardinalities: one to one (1:1), one to many (1:N), and many to many (M:N). For example, "Vendor" and "Vendor Lot" have a one to many relationship, i.e. a vendor supplies several vendor lots and a given vendor lot is supplied by only one vendor.

IDEF1X allows the cardinality of a relationship to be indicated by the arc joining the entities. For example, a

specific material lot no. may be inspected using one, two, or more quality tests and, therefore, has one, two, or more quality reports associated with it. A solid arc with a dot, as shown in Figure 1, denotes zero, one, or many. By attaching a specific number to a dot, the cardinality can be made specific. Where there are no dots, the relationship is one to one. An entity that relates to zero, one, or many instances of another entity is a "parent" entity to that "child entity". "Vendor lot" is a parent entity to the child entity "quality report".

Figure 1 can be simply described using an english syntax: "Each vendor lot is inspected by zero, one, or many quality tests and the result of each test performed on a given vendor lot is recorded in a given quality report".

An IDEF1X model can be easily read by business professionals without any special computer training. As in the case of IDEFO, the graphical representation allows CIM system engineers, management, and those who work within the manufacturing enterprise to communicate ideas with each other as the design process proceeds.

Given this brief introduction to the basic concepts of the IDEF1X methodology, the reader should be able to understand the diagrams included in this document. For a more detailed discussion related to IDEF1X, the reader is referred to reference (3).

3.0 Organization of IDEF1X Documentation

This document is organized into five sections entitled:

1. Manage Contracts, Orders and Bidding Process

2. Plan for Manufacture,
3. Manufacture Product,
4. Control Manufactured Products, and
5. Summary.

In the first four sections, the IDEF1X diagrams are based on the IDEFO functional model published as Technical Working Paper (TWP) 37. For relevant functions in which data is being used or created, the IDEF1X models in this document show the Entities that are being accessed by the decision maker. The particular function is identified with the identifying number and name that is used in the IDEFO Documentation, (TWP) 37. Therefore, the reader can examine the IDEF1X model for a particular function and then go to the IDEFO Document (TWP) 37 to obtain more details concerning what the function does. Thus, both models are traceable to each other.

It should be noted that, when an entity is used in a particular function, the entire entity is shown. In fact, in most cases only a subset of the attributes of the entity is being used. That particular subset is not explicitly identified, although it will be fairly obvious to the reader as to what attributes are relevant.

Section 5, the Summary IDEF1X diagram, is a foldout of the complete IDEF1X structure. It shows the relationship among all entities of the model. It also includes a glossary of definitions for all attributes used in the model.

It should be noted that an IDEF1X model is a logical database design. Thus, each of the entities depicted by a box in the IDEF1X diagram is represented by a table in the database

implementation. Besides the functions explicitly modeled by IDEFO, there are other reports and information that can be generated from the IDEFlX model, such as quality reports and ingredient yields.

The IDEFlX model is the basis for a preliminary database design. This preliminary design will be reported in a future Technical Working paper.

References

1. Boucher, T.O., M.A. Jafari, S. Kim, and J. McPhail, 1991 "Technical Report: Functional Architecture for Packaged Food Manufacturing", TWP 37.
2. Chen, P., 1976, "The Entity-Relationship Model Toward a Unified View of Data", ACM Transactions on Database Systems, 1, 9-36.
3. IDEF1X, 1985, IDEF1X Information Modeling Manual, ICAM Program Office, Wright Patterson Air Force Base.
4. Nijssen, G.M., 1979, "Modeling in Database Management Systems", Proceedings of the Euro IFIP Conference.







Figure 1: Elements of IDEF1X Modeling


Section I


Manage Contracts, Orders,
and Bidding Process














| | |
|-----------------|--|
| Customer | |
| customer id | |
| customer name | |
| customer street | |
| customer city | |
| customer state | |
| customer zip | |
| customer phone | |
| customer fax | |

places

| | |
|------------------------|--|
| Customer Order | |
| order number | |
| customer po no | |
| order date | |
| customer id (FK) | |
| sales.employee id (FK) | |

Label

| | |
|------------|--|
| label id | |
| label name | |

is ordered by


| | |
|-------------------------|--|
| Customer Detail | |
| order number (FK) | |
| customer line item no | |
| cust item qty | |
| cust item status | |
| requested delivery date | |
| effective due date | |
| price | |
| destination | |
| label id (FK) | |
| priority | |
| production qty | |
| last prioritized date | |
| production line id | |
| recipe id | |
| product id | |

has

is taken by

employee


| | |
|-----------------|--|
| employee | |
| employee id | |
| emp last name | |
| emp first name | |
| emp street | |
| emp city | |
| emp state | |
| emp zip | |
| emp phone | |
| emp hourly rate | |
| skill id | |





Node A143 - Review Customer Order Status Report
 Node A144 - Review DSPC Contract Status Report


Section II


Plan for Manufacture





















Section III

Manufacture Product



| Purchase Order | |
|----------------|--|
| po number | |
| po date | |
| po status | |
| vendor id | |

has

PO Item

| | |
|------------------------|--|
| po number (FK) | |
| po line item no | |
| line item qty | |
| line item balance | |
| line item status | |
| promised delivery date | |
| po price | |
| requisition no | |
| material id | |

is paid by


Invoice Payable


| | |
|-----------------------|--|
| po line item no (FK) | |
| material lot no (FK) | |
| po number (FK) | |
| vendor invoice number | |
| invoice qty | |
| authorization date | |
| authorization id | |


generates

Vendor Lot

| | |
|------------------------------|--|
| material lot no | |
| vendor lot no | |
| vendor lot received date | |
| vendor lot status | |
| vendor lot on have qty | |
| vendor lot received quantity | |
| vendor lot location | |
| inspector.employee id | |
| committed to contract no | |
| vendor id | |
| material id | |










Section IV

Control Manufactured Product

| | |
|---------------|----------------------------|
| Retort Record | retort.machine id |
| | cook no |
| | filling line |
| | production date |
| | product id |
| | initial temp |
| | start time |
| | end vent time |
| | end vent temp |
| | end come up time |
| | end come up temp |
| | end cook time |
| | end cook temp |
| | supervisor emp id |
| | retort qty |
| | no of samples |
| | incubation start date |
| | incubation end date |
| | disposition |
| | lead emp id |
| | inspector emp id |
| | first cart start fill time |
| | last cart end fill time |







Section V

Summary

GLOSSARY

Accepted Quantity

The amount of material id that will be purchased from vendor id under the combination solicitation id, product id/recipe id in the Material Purchase Plan.

Actual Production Quantity

The quantity actually produced under the combination schedule id, machine id, order no., order line item no.

Actual Time

The actual time that machine id produced customer line item number of order number under schedule id.

Amount By Unit

The quantity of a specific material id used in a batch of a specific product id as stated by the product formula or recipe.

Amount End Units

The expected number of units of finished products per batch of the recipe or formula.

Authorization Date

The date on which purchasing authorizes accounting to pay the invoice.

Authorization ID

The id number of the purchasing agent who authorized payment of the invoice.

Avail Time

Total time available on machine id for period length.

Batch Quantity

The quantity of material lot number associated with the combination of product id, filling line, production date, batch start time.

Batch Size

The total gallons of ingredients batched.

Batch Start Time

The time of day at which a specific batching process was started.

Begin Effective Period

The starting date of the schedule identified by schedule id.

Break Price

The price per case of product over the range between break quantity limits.

Break Quantity

The sales quantity that defines the upper limit at which a break price applies.

Can Size

A container code, based on the quantity of product it can hold and the design specification of the container.

Can Spec. Material Id

The unique identifier of a particular container.

Committed to Contract Number

The contract or order number, if any, to which this material lot is specifically committed.

Cook Number

A unique identifier of a batch of product sterilized in the same retort at the same time on the same production date.

Cook Temperature

The actual batch processing temperature associated with the combination process id, filling line, production date, batch start time, kettle, machine id.

Cook Time

The actual batch process time associated with the combination process id, filling line, production date, batch start time, kettle, machine id.

Committed Time

The time committed on machine id by schedule id for production of customer line item number of order number.

Customer City

The city associated with customer id.

Customer FAX

The FAX number associated with customer id.

Customer ID

A unique identifier for a specific customer of the enterprise.

Customer Item Quantity

The number of cases of product id associated with the combination of order number, customer line item number.

Customer Item Status

An indicator of whether or not the customer line item number is open or closed.

Customer Line Item No.

A unique identifier of a line item on a customer order.

Customer Name

The name of a customer associated with customer id.

Customer Phone

The phone number associated with customer id.

Customer PO Number

The customer purchase order number associated with the enterprise order number.

Customer State

The state associated with customer id.

Customer Street

The street associated with customer id.

Customer Zip

The zip code associated with customer id.

Date In Service

The date on which the machine was placed in service.

Date Last Done

The last date of preventive maintenance task id on machine id.

Date Last Purchase

The date on the purchase order that was used for the latest purchase of a material.

Date of Work

The date on which employee id worked on customer line item number of order number.

Delivery Date

The desired delivery date on a request for quotation.

Department id

A unique number identifying a department or work unit of the enterprise.

Department Name

The name associated with Department id.

Department Phone

The phone number associated with Department id.

Destination

Shipping destination of customer line item number.

Disposition

An indicator of the final disposition of the cook.

Done By

The author of the most recent schedule revision.

Effective Due Date

The date production has to be completed in order to meet the requested delivery date of customer line item number of order number.

Employee City

The residence city associated with employee id.

Employee First Name

The surname associated with employee id.

Employee Hourly Rate

The rate of pay associated with employee id.

Employee ID

A unique identifier for each employee of the enterprise.

Employee Last Name

The family name associated with employee id.

Employee Phone

The residence phone number associated with employee id.

Employee State

The residence home state associated with employee id.

Employee Street

The residence street address associated with employee id.

Employee Zip

The residence zip code associated with employee id.

End Cook Temp

The temperature of the retort chamber at end cook time.

End Cook Time

The time at which the retort completes the sterilization process.

End Come Up Temp

The temperature of the retort chamber at end come up time.

End Come Up Time

The time at which the retort reaches its start cook temperature.

End Effective Period

The ending date of the schedule identified by schedule id.

End Vent Temp

The temperature of the retort chamber at end vent time.

End Vent Time

The time in the retort cycle at which the water has completely filled the retort chamber.

Filling Line

A unique identifier for a specific filling line in the production area.

Filling Line . Machine Id

A unique identifier for a specific filling line in the production area.

First Cart Start Fill Time

The point in time at which the first package off the filling line was placed in a retort basket for a cook no.

Frequency

The interval between successive preventive maintenance for task id.

High Limit

The high point of the acceptable range associated with a particular test id/material id combination.

Hourly Rate

The production rate, in cases per minute, associated with unique combinations of product id, recipe id, and production line id.

Hours

Employee hours expended by employee id on task id of work order id.

Hours Worked

The number of hours of date of work during which employee id worked on a customer line item number of order number.

Incubation End Date

Date on which incubation test ends.

Incubation Start Date

Date on which incubation test begins.

Initial Temp

The actual initial temperature of product associated with the combination retort.machine id, cook number, production date.

Inspector.Empl ID

The identifier for the individual in Quality Assurance responsible for quality testing.

Invoice Quantity

The amount of the material lot number for which the invoice applies.

Kettle Machine ID

A unique identifier for a specific kettle in the production area.

Label Date

The date on which the label was applied to the container.

Label ID

A unique identifier for a customer label specific to a product id.

Label Name

The description associated with label id.

Labor Quantity

The number of workers associated with the combination machine id, skill id.

Last Cart End Fill Time

The point in time at which the last package off the filling line was placed in a retort basket for a cook number.

Last Price Paid

The latest actual unit price paid for a material id.

Last Prioritized Date

Date on which the customer line item number of order number was last prioritized.

Last Revised Date

The date on which the schedule identified by schedule id was last revised.

Lead.Employee Id

Employee who pulls the samples of a cook number for incubation.

Lid Spec. Material Id

The unique identifier of a particular lid.

Line Item Balance

A quantity indicating the amount of the line item quantity that has not been satisfied by the vendor.

Line Item Quantity

The quantity associated with a unique combination of PO number/PO line item number.

Line Item Status

An indicator of whether a line item is closed out or still open.

Location

The location of pallet id in the finished goods storage area of the factory.

Low Limit

The low point of the acceptable range associated with a particular test id/material id combination.

Machine Description

A description name associated with machine id.

Machine ID

A unique identifier for a specific machine or system of equipment in the enterprise production facility.

Machine Location

The location of the machine in the production area.

Manufacturer

The company that built the machine.

Material Description

A name used to describe a material id.

Material ID

A unique number that identifies a specific material that is inventoried. The material is determined by its description and specification.

Material Lot Number

A unique number that specifies a material lot at the lowest level chosen by management. Ideally, this would be a surrogate for unique combinations of vendor id, material id, vendor lot no, vendor lot received date.

Material Units of Measure

The unit of measure in which material id is purchased and inventoried.

Move Quantity

The amount of the material lot number to be moved on the particular production date.

Move to Location

The location to which the material is to be moved.

Net Weight

Weight of the finished product container and its contents.

Number of Cases

The number of cases associated with the combination pallet id, cook number, retort, filling line, production date.

Number Required

The number of repair parts associated with work order id and material id.

Number of Samples

The number of packages taken from the retort for incubation testing.

Operation Sequence

A unique identifier of the sequence of the operation described by the combination production line id and process id.

Order Date

The date the order was taken.

Order Number

A unique identifier, assigned by the enterprise, for a customer order.

Original Date

The date on which the schedule identified by schedule id was first created.

Pallet ID

A unique identifier for a pallet of finished product.

Pallet Status

An indication of whether or not the pallet holds acceptable finished goods, finished goods on hold awaiting rework or variance, or rejected product awaiting disposition.

Period Length

The length of the schedule.

PO Date

The date of issue associated with PO number.

PO Line Item Number

The number which uniquely identifies a material, order quantity, and promised delivery date on the PO.

PO Number

A number that uniquely describes a specific purchase order.

PO Price

The price per unit associated with the combination PO number/PO line item number.

PO Status

An indicator whether or not the PO number is open or closed.

Price

The price per case of customer line item number of order number.

Price Valid Till

The date after which the current price schedule for the product is no longer valid.

Priority

A scheduling priority number determined by production planning.

Process Description

A description associated with process id.

Process Id

A unique identifier of a food process.

Process Temperature

The target batch temperature associated with a specific product id/recipe id combination.

Process Time

The target batch time associated with a specific product id/recipe id combination.

Product Due Date

The proposed date of start of production of a product id and solicitation id.

Product ID

A unique number that identifies a product, which includes the recipe and the container.

Product Name

A name associated with a unique product id.

Production Date

A date on which production takes place.

Production Line Description

A description associated with production line id.

Production Line ID

A unique identifier of a set of production processes.

Production Quantity

The amount of production required, considering normal reject rates, in order to meet the customer item quantity.

Promised Delivery Date

The date on which the vendor promised delivery of the line item.

Quantity Filled

Number of cases of product id filled on filling line machine id on production date.

Quantity Per Case

The packing quantity per case of the product.

Quote Date

The date the quotation was given.

Quote Expiration Date

The date of expiration associated with quote id.

Quote ID

A unique identifier associated with a quotation given to a customer.

Quote Quantity

The quantity associated with the combination of quote id, customer id, product id.

Quote Ship Date

The promised date of shipment associated with the combination of quote id, customer id, product id.

Quote Unit Price

The price per case of product associated with the combination quote id, customer id, product id.

Recipe ID

A unique identifier for a formulation for a given product id.

Recipe Size

The standard batch size for a particular combination of product id/recipe id.

Recovery Percent

The percent of material yield from raw material inventory to finished product.

Reorder Point

The quantity of on-hand plus on-order inventory by material id at which it is recommended that a replenishment be made.

Reorder Quantity

The recommended quantity of material id order when an order is placed.

Reply Price

The unit price associated with reply quantity.

Reply Quantity

The amount of material id quoted by vendor id as associated with the combination of solicitation id, product id, recipe id.

Request Quantity

The quantity of material id associated with the combination of solicitation id, product id, recipe id, vendor id.

Requested By Department Id

The department requesting the work order id.

Requested Delivery Date

The desired date of delivery of customer line item number of order number.

Requisition Date

The date on which a specific requisition number was prepared.

Requisition Number

A unique identifier for a request to have a material replenished.

Requisition Quantity

The amount of material associated with a specific requisition number.

Result

A conclusion drawn from the examination of a sample of production.

Retort

A unique identifier of a specific retort in the production area.

Retort, Machine ID

A unique identifier of a specific retort in the production area.

Retort Quantity

Number of units of product associated with a specific cook number.

Rework Rate

The percent of production that is non-conforming, but acceptable after rework.

Sales, Employee Id

The identifier of the sales person who took order number.

Sample Hour

The hour on production date at which product id was sampled on filling line machine id for test id.

Sample Minute

The minute on production date at which product id was sampled on filling line machine id for test id.

Schedule ID

A unique identifier for a production schedule.

Schedule Sequence

The position in the production schedule id of the particular customer line item number.

Selected Quantity

The quantity proposed for production of a specific product id by the enterprise in the response to solicitation.

Serial Number

The manufacturer's serial number for the machine.

Shift Number

The shift associated with date of work.

Shipment Date

The date on which shipment actually occurs.

Shipment Number

A unique identifier for a shipment of pallets.

Shipment Trucking Co

The carrier handling the shipment.

Skill Description

A description associated with skill id.

Skill ID

An identifier for skill level associated with employees of the enterprise.

Solicitation Completed By

The individual who completed the response to solicitation.

Solicitation Completed On

The date the response to solicitation is actually submitted.

Solicitation Due Date

The date by which the response to solicitation must be submitted.

Solicitation Due Time

The hour of the due date that the solicitation must be submitted.

Solicitation ID

A unique identifier for a contract solicitation, or request for proposals.

Solicitation Issue Date

The date that solicitation is made public.

Standard Cost

The cost per unit of material currently being used to establish the unit prices of products in which the material is used.

Standard Price

The current quotation price of the product per case.

Standard-Reject-Rate

A reject rate (percent loss) on finished product based on past experience.

Standard Shift Length Per Day

The number of hours of use for machine id in a standard shift.

Start Time

The time at which the retort cycle begins.

Status

An indicator of whether the requisition is open (not acted on) or closed (acted on).

Supervisor.Emp ID

A unique identifier of an employee with supervisory responsibility for an operation.

Target Cook Temperature

The target retort cook temperature associated with a specific product id/recipe id combination.

Target Cook Time

The target retort cook time associated with a specific product id/recipe id combination.

Target Initial Temperature

The minimum required initial temperature of product associated with a specific product id/recipe id combination, at the point in time that it goes into the retort.

Task Description

A description associated with task id.

Task Id

A unique identifier of a task for preventive maintenance or repair.

Test Description

A description of the procedure associated with the identifier test id.

Test ID

A unique number that identifies a specific test procedure for incoming materials.

Test Result

An accept or reject result associated with a unique combination of material lot number/test id/material id.

Transaction Type

An identifier field for each of the following: A movement from raw material into work in process or a movement from work-in process back to raw material.

Type Retort

Type of retort used.

Unit of Measure

The units of measure used for a material in the product formula or recipe.

Variance Date

The date a variable was requested for product on hold.

Variance Status

An indicator of whether or not the variance is granted.

Vendor City

City associated with vendor id.

Vendor Contact Name

The individual salesman normally contacted at the company indicated by vendor id.

Vendor FAX

The FAX number associated with vendor id.

Vendor ID

A unique identifier for each qualified vendor.

Vendor Invoice Number

A number that identifies the vendor's invoice for materials delivered.

Vendor Lot Location

The location in which the material lot no is currently stored.

Vendor Lot No

A number that identifies the vendor production lot from which the material originated; typically the Julian date of production.

Vendor Lot on Hand Quantity

The amount of the material lot number in inventory.

Vendor Lot Received Date

The date on which the material lot no was received at the enterprise.

Vendor Lot Received Quantity

The amount of the material lot originally received into inventory.

Vendor Lot Status

A classification of each material lot into accept, reject, hold based on quality control requirements.

Vendor Name

The company name of an approved supplier of material.

Vendor Phone

The phone number associated with vendor id.

Vendor State

State associated with vendor id.

Vendor Street

The street address associated with vendor id.

Vendor Type

An indicator whether or not the vendor id is a small business.

Vendor Zip

The zip code associated with vendor id.

Viscosity

The viscosity of batched ingredients.

Work Order Due Date

The requested completion date of work order id.

Work Order Id

A unique identifier of a work order to perform either preventive maintenance or repair.

Work Order Type

The type of work order; i.e., preventive maintenance or repair.

**COMBAT RATION
ADVANCED MANUFACTURING
TECHNOLOGY DEMONSTRATION
(CRAMTD)**

**Simulation Model
Software Requirements Specification
Version 1.0
Technical Working Paper (TWP) 15**

**Mohsen A. Jafari
Veenkivarum S. Srinivasan
Industrial Engineering Department
Rutgers University
October, 1990**

**Sponsored by:
DEFENSE LOGISTICS AGENCY
Cameron Station
Alexandria, VA 22304-6145**

**Contractor:
Rutgers, The State University of New Jersey
THE CENTER FOR ADVANCED FOOD TECHNOLOGY*
Cook College
N.J. Agricultural Experiment Station
New Brunswick, New Jersey 08903**

**DR. JACK L. ROSSEN
Program Director, CRAMTD
DR. JOHN F. COBURN
Associate Director, CRAMTD**

**TEL: 908-932-8306
FAX: 908-932-8690**

TABLE OF CONTENTS

| | <u>Page</u> |
|--|-------------|
| 1.0 General..... | 1 |
| 1.1 Purpose of the Software Requirements Specifications..... | 1 |
| 1.2 Project References..... | 1 |
| 1.3 Terms and Abbreviations..... | 2 |
| 2.0 System Summary..... | 2 |
| 2.1 Background..... | 2 |
| 2.2 Objectives..... | 3 |
| 2.3 System Definition..... | 4 |
| 2.4 SIMAN Software Organization Fig. 3..... | 7 |
| 2.4 Software Architecture (User Perspective) Fig. 4.... | 8 |
| 2.5 Computer Program Identification..... | 9 |
| 2.6 Assumptions and Constraints..... | 9 |
| 3.0 Environment..... | 9 |
| 3.1 Equipment Environment..... | 9 |
| 3.2 Support Software Environment..... | 9 |
| 3.3 Interface..... | 9 |
| 3.4 Security and Privacy..... | 9 |
| 4.0 Detailed Characteristics and Requirements..... | 9 |
| 4.1 Specific Performance Requirements..... | 9 |
| 4.2 Computer Program Functions..... | 11 |
| 4.3 Inputs-Outputs..... | 12 |
| 4.4 Data Characteristics..... | 12 |
| 4.5 Failure Contingencies..... | 12 |
| 4.6 Design Requirements..... | 12 |
| 4.7 Computer Security Requirements..... | 12 |
| 4.8 Human Performance Requirements..... | 12 |
| 5.0 Test and Quantification Requirements..... | 13 |
| 6.0 Notes..... | 13 |
| Figures: | |
| 1. STP #1 - Tray Pack Conveyor..... | 15 |
| 2. Form/Fill/Seal Pouch Machine..... | 16 |

1.0 General

1.1 Purpose of the Software Requirements Specifications

STP #4 of Contract DLA 900-88-D-0383 between Rutgers University and the Defense Logistics Agency requires that the contractor design and code a simulation model which will be capable of demonstrating steady-state performance of the projected CRAMTD production system at level 3 automation. The purpose of this document is to provide the software requirements specification to guide the design and coding process. This document is a working document and is subject to revision as the project proceeds.

1.2 Project References

There are two documents which describe the cooking, filling and sealing requirements of an automated tray pack production line.

1. Sigethy, A., Descovich, T., and Boucher, T. O. "Revised Automation Control Strategy for Tray Pack Filling/Sealing Line", CRAMTD Technical Working Paper (TWP)14.

2. Boucher, T. O., Sigethy, A., Bruins, R., and Gursoy, M. "Revised Level 1 Automation Control Strategy for CRAMTD Cooking Operation", CRAMTD Technical Working Paper (TWP)15

There is one document which describes the commercial simulation language being used for this project:

1. Pegden, D. C., Introduction to SIMAN, Systems Modeling Corp., 504 Beaver Street, Sewickley, PA 15143.

Other related documentation are as follows:

a) Technical Proposal: STP #4 Under Contract DLA 900-88-D-0383.

b) Previously developed technical documentation relating to this project: None

c) Significant corresponds related to project: None

d) Documentation concerning related projects: None

e) Manuals or documents that constrain or explain technical factors affecting project development: None

f) Standards or reference documentation:

1) Documentation Standards and Specifications: None

2) Programming conventions: Introduction to SIMAN

3) DoD or Federal Standards: None

4) Hardware Manual: None

1.3 Terms and Abbreviations

CRAMTD - Combat Rations Advanced Manufacturing Technology Demonstration.

2.0 System Summary

2.1 Background

The major task to be performed under the CRAMTD project is to bring together existing advanced food manufacturing technology and to develop new technology that will enable the design of food production systems that are flexible, cost effective, and capable of producing products of high quality. In order to analyze such a system in the design phase as well as in the operational phase, it is important to develop a simulation model of the system. Such a simulation model is capable of analyzing the performance of the system under different production planning/control policies, system layouts, scheduling rules, and so on. As a by-product of this development effort, it is also

possible to determine the benefits of using advanced food manufacturing technology as opposed to labor intensive manufacturing methods.

Two types of food production lines are under consideration for simulation: Tray-pack line (See Figure 1) and MRE pouch line (see Fig. 2). For each line, a simulation model is developed. These models are written in SIMAN (a commercially available simulation language) and are limited to the flow of different materials through different processes that exist in the production lines.

2.2 Objectives

There are three objectives to be satisfied by the simulation models. These objectives are as follows:

1. To compute different performance measures of the system, such as:
 - a. Production rate of tray pack or MRE pouch production line.
 - b. Average system flow time for a tray pack or a MRE pouch.
 - c. Utilization of different stations in the tray pack or MRE pouch production lines.
 - d. Queueing characteristics for each station in the tray pack or MRE pouch production lines.
2. To study different scheduling policies for daily production.
3. To provide a graphical representation of the production line operation.

2.3 System Definition

Since simulation programs are written in SIMAN, it is important that SIMAN Software organization is defined together with the user interface. Figure 3 (ref. Introduction to SIMAN) represents SIMAN Software organization and Figure 4 represents the user perspective. A SIMAN simulation is divided into three distinct activities: System model development, experimental frame development, and data analysis. Within these three activities, the SIMAN Software consists of five individual processors (model, experimental, link, run, output) which interact through four data files:

2.3.1 Model File Generation: The model processor is used to construct a block diagram representing specific process functions. The data file that is generated is called the model file. This file may be generated in an interactive graphics mode through an editor called "BLOCKS".

2.3.2 Model File Compilation: Model file is compiled into an appropriate format to be read by link processor. This is done through "MODEL" compiler.

2.3.3 The Experimental File Generation: The experimental processor is used to define the experimental frame (containing all the input parameters) for the system model. The data file that is generated is called the experiment file. This file may be generated in an interactive graphics mode through an editor called "ELEMENTS".

2.3.4 Data File Compilation: Input data file is compiled into an appropriate format to be read by Link processor. This is

done through "EXMPT" Compiler.

2.3.5 Program Generation: The Link processor combines the model file and the experiment file to produce the program file.

2.3.6 Running Simulation: The program file is input to the run processor which executes the simulation runs and writes the results into an output file.

2.3.7 Processing the simulation Output: the output processor is used to analyze format and display the data contained in the output file.

2.3.8 CINEMA MODEL: This is a graphical simulation. Different entities (work-stations, material, etc.) are represented by different icons and stored in a file through a graphics interface. The dynamics of these icons are governed by SIMAN program. The result will be animation of the system operation on the screen.

2.3.9 The block diagram or model file consists of six overlapping modules:

2.3.9.1 Scheduling Module - This contains the scheduling routine for daily production.

2.3.9.2 Resource Selection Module - The resources (work stations) required to produce a given product are selected in this module, and consequently turned on.

2.3.9.3 Material Transportation Module - This contains the routine for material transportation between resources. It also checks the availability of material at each resource.

2.3.9.4 Filling Line Module - This module contains instructions relating to the simulation of filling and

sealing operations.

2.3.9.5 Packaging/Inspection Module - The instructions relating to the simulation of packaging and inspection stations are included in this module.

2.3.9.6 System Reset Module - All the system parameters are reset and initialized.

SIMAN SOFTWARE ORGANIZATION




Fig 3 SIMAN SOFTWARE ORGANIZATION

2.4 SYSTEM DIAGRAM (USER PERSPECTIVE)




FIG 4: SOFTWARE ARCHITECTURE - USER PERSPECTIVE

2.5 Computer Program Identification

2.5.1 The following programs belong to SIMAN:

- 1 - "BLOCKS" Editor
- 2 - "ELEMENTS" Editor
- 3 - "MODEL" compiler
- 4 - "EXMPT" compiler
- 5 - LINK
- 6 - RUN

2.5.2 A user application program consists of two files:

2.5.2.1 A file containing block diagram.

2.5.2.2 A file containing input parameters.

2.6 Assumptions and Constraints

None identified.

3.0 Environment

3.1 Equipment Environment

- a) IBM PS2, DOS Operating System, 640K RAM
- b) Storage Media 3.5" Floppy disk
- c) Output devices VGA monitor, Printer
- d) Input devices keyboard and mouse
- e) No additional communications requirements

3.2 Support Software Environment

Simulation program is developed in SIMAN Simulation language which requires DOS operating system and MICROSOFT FORTRAN compiler, version 4.0.

3.3 Interfaces

None.

3.4 Security and Privacy

No requirement for security and privacy.

4.0 Detailed Characteristics and Requirements

4.1 Specific Performance Requirements

4.1.1 Accuracy and Validity

a) The accuracy of final results depends on the length of simulation run. As long as the simulation clock does not exceed 1×10^9 time units (time unit is implicitly defined through the input data), the accuracy is up to 5 digits after the decimal point.

b) Since simulation by itself is an approximation, it is necessary to validate the results. There are several validation techniques existing in the simulation literature (ref. Discrete-Event System Simulation by Banks and Carson).

c) User is responsible for insuring the accuracy of input data as required by SIMAN. These requirements are specified in Introduction to SIMAN.

d) No data transmission checks are required.

4.1.2 Timing

a) Throughput time of a simulation program depends on the complexity of the system being simulated as well as the length of the simulation run. The latter may be specified in terms of either the simulation clock or some counter (counting the number of some events taking place in the system).

b) Response time to queries and to updates of data files: in order of seconds.

c) Response time of major functions: for SIMAN function, the response time is in order of seconds.

d) Sequential Relationship of functions: SIMAN functions must be performed in an order as described in ref. Introduction to SIMAN.

4.2 Computer Program Functions

4.2.1 Identification of Computer Program No. 1

Program Name: BLOCKS ["*". MOD].

This program is used for entering, modifying, saving and retrieving model file ["*". MOD] which contains the block diagrams (2.3.1). "*" is a user specified file name.

4.2.2 Identification of Computer Program No. 2

Program Name: ELEMENTS ["*". EXP].

This program is used for entering, modifying, saving and retrieving experiment file. ["*". EXP] which contains input parameters (2.3.3). "*" is a user specified file name.

4.2.3 Identification of Computer Program No. 3

Program Name: MODEL ["*". MOD].

This program is used to compile the model file and create ["*". M] file (2.3.2).

4.2.4 Identification of Computer Program No. 4

Program Name: EXPMT ["*". EXP].

This program is used to compile the experiment files and create ["*". E] file (2.3.4).

4.2.5 Identification of Computer Program No. 5

Program Name: LINK ["*". M] ["*". E].

This program is used to link the compiled model and experiment file to generate program file ["*". P] (2.3.5).

4.2.6 Identification of Computer Program No. 6

Program Name: SIMAN ["*". P].

This program executes the program contained in program file (2.3.6) and generates an output file containing

simulation results.

4.2.7 Identification of Computer Program No. 7

Program Name: OUTPT [output file name].

This program is used to manipulate the simulation output file.

4.3 Inputs-Outputs

Already covered in Section 4.2 of this specification.

4.4 Data Characteristics

Input data must be specified according to the rules given in ref. Introduction to SIMAN. Resulting computations shall be in integers or single precision numbers displayed in decimal format or exponential format.

SIMAN required about 7.9 mega bytes of disk space and about 590K bytes of RAM in order to run. The user defined programs (files) require about 1 mega byte of disk space.

4.5 Failure Contingencies

This software is not critical to other system operations and will not have redundancy or fail safe provisions. Failure during operation will result in the loss of files not saved. Failure will require a restart and lost files will have to be reloaded.

4.6 Design Requirements

The only design requirements are those specified by SIMAN, (ref. Introduction to SIMAN).

4.7 Computer Security Requirements

None.

4.8 Human Performance Requirements

Knowledge of simulation methodologies as well as SIMAN is required.

5.0 Test and Quantification Requirements

There are several techniques in simulation methodology to test the validity of simulation results:

- Face Validity: Simulation results are examined by a person(s) knowledgeable about the system (being modeled).
- Sensitivity Analysis: Simulation outputs are observed by changing the value of input parameters.
- Input/Output Transformation: Under the same values for input parameters, outputs from the simulation model are matched against those obtained from the system (being modeled). This test is possible if the modeled system exists. To the extent possible, the simulation results will be compared against those obtained from the actual system installed in the CRAMTD demonstration site.

6.0 Notes


The following documents are cited in this specification, and can be made available to the reader to assist in understanding this specification.

Reference:

1. Boucher, T. O., Sigethy, A., Bruins, R., and Gursoy, M., "Revised Level 1 Automation Control Strategy for CRAMTD Cooking Operation", CRAMTD Technical Working Paper (TWP)15.
2. Sigethy, A., Descovich, T., and Boucher, T. O., "Revised Automation Control Strategy for Tray Pack Filling/Sealing Line", CRAMTD Technical Working Paper (TWP)14.
3. Pegden, D. C., Introduction to SIMAN, Systems Modeling Corp., 504 Beaver Street, Sewickley, PA, 15143.


4. Banks, J. and Carson, J. S., Discrete-Event System Simulation, Prentice Hall, 1984.

STP#1 -- TRAY PACK CONVEYOR



ELECTRONIC LINE SHAFT

Synchronization Control
of Conveyors





Desovich & Yam

Fig. 1 - Tray Pack Conveyor

9/19/90

"RUTGERS"

3000/440



NO SCALE ,Dimension approximate

COMBAT RATION ADVANCED MANUFACTURING TECHNOLOGY DEMONSTRATION (CRAMTD)

**Report on CRAMTD Tray Pack and
MRE Pouch Simulation Models
Technical Working Paper (TWP) 33**

**M.A. Jafari and V.S. Srinivasan
Industrial Engineering Department
Rutgers University
October 1991**

**Sponsored by:
DEFENSE LOGISTICS AGENCY
Cameron Station
Alexandria, VA 22304-6145**

**Contractor:
Rutgers, The State University of New Jersey
THE CENTER FOR ADVANCED FOOD TECHNOLOGY*
Cook College
N.J. Agricultural Experiment Station
New Brunswick, New Jersey 08903**

**DR. JACK L. ROSSEN
Program Director, CRAMTD
DR. JOHN F. COBURN
Associate Director, CRAMTD**

**TEL: 908-932-7985
FAX: 908-932-8690**

1. Introduction

This technical report responds to task ref. number 3.7.3 of STP #4 under contract No. DLA 900-88-D-0387. It describes the discrete event computer simulation models developed for CRAMTD Advanced Tray-pack and MRE-pouch lines as part of STP#4: Design and Development of CIM Architecture for Food Manufacturing. These simulation models are capable of demonstrating steady-state performance of the projected CRAMTD production system at level 2 automation. They particularly include equipment utilization, production rate, queueing and inventory characteristics of the CRAMTD lines. The simulation models are implemented on a commercially available simulation language, namely SIMAN.

The outline of this report is as follows: In Section 2, we give an overview of simulation modeling, and in Sections 3 and 4, we describe the simulation models for the CRAMTD Advanced Tray-pack and MRE Pouch lines. In Section 5, we give guidelines for using the simulation programs. The simulation codes are given in Appendices I and II.

2. An Overview of Discrete Event Simulation Modeling

Discrete event computer simulation (will be referred to as simulation, hereafter) has been used by many researchers and practitioners to study complex systems. Though simulation can be used for both deterministic and stochastic systems, the common practice has been to use simulation for stochastic systems. In a typical stochastic system there are one or more sources of randomness. For instance, in a production line processing times on different machines can be randomly distributed according to some distribution function. Another example could be random error or noise inherent in almost any mechanical equipment. For instance, a typical filling machine has some degree of inaccuracy which is of a random nature.

One of the main reasons for building a simulation model is to be able to make some

inferences about the system based on the experiments performed on the model. This, however, requires that the model accurately represents the modeled system within some level of abstraction. This means that the simulation model needs to be validated prior to its utilization as a representation of the real system. Facilitation of simulation validation is one among several reasons to use special purpose simulation languages for computer programming. We will discuss simulation validation in more detail later. Next, we briefly describe the steps to simulation modeling. In a subsequent section, we will describe SIMAN.

Simulation Methodology

Computer simulation modeling is performed in several steps (ref. *Discrete-Event System Simulation*). The first step involves problem statement. In this step the system as a whole and its components must be clearly defined and the system boundary be recognized. In the case of CRAMTD lines we performed this step through meetings with the CRAMTD staff knowledgeable about the advanced Tray-pack and MRE Pouch lines. We also made our own observations about these systems.

The second step in simulation modeling is data collection. Two types of data may be collected: One type of data relates to what will be used as input data for the simulation model. The second type of data would serve as reference data for validation. We note that for a new system in the design stage, the data collection may not be possible mainly because the system does not exist and therefore does not have any history. In such a case, it may be possible to use data from a similar existing system. For the CRAMTD lines, we collected the first type of data through different channels: the CRAMTD staff and equipment vendors. We also used some of the historical data provided to us by Tray-pack and MRE pouch manufacturers. The latter was data related to product demand, shipping schedule, and casing line operation.

The third step in simulation modeling is to develop a conceptual model of the system. This model could be an informal model written in English-Like statements, or it could be more structured like a flow chart or block diagrams. In either case, this model would describe the logic behind the system operation and interaction that exist among different components of the system. It is desirable to verify this model. That is to say, compare it with the actual system prior to proceeding to the next step. For the CRAMTD lines, we developed block diagrams.

Given that the conceptual model accurately represents the system under study, the next step is to develop the operational model or the computer code from it. Two types of computer programming languages have been used for simulation: high-level programming languages, such as C, FORTRAN, PASCAL, and special purpose simulation languages, such as GPSS, and SIMAN. Each class of languages has its own advantages and disadvantages. General purpose languages are quite flexible and are easily portable from one hardware platform to another. However, simulation modeling using these type of languages usually requires quite a long development cycle. Because of the built in functions and procedures, the special purpose simulation languages lend themselves to a shorter program development cycle. However, these languages are less flexible and less portable.

There are two general approaches to simulation modeling: process- interaction approach and event-scheduling approach. In the former one, the modeled system is viewed in terms of its entities, the interaction between the entities, and the undergoing processes for each entity. In the event-scheduling approach the system is viewed in terms of its primary events which, when they occur, change the state of the system. The former approach is often employed by the special purpose simulation languages, whereas, the latter approach is more suitable for general purpose high level languages. The process-interaction approach happens to be a more natural modeling approach. It also facilitates

the validation procedure. These are the two major advantages of special purpose simulation languages over the general purpose programming languages.

Despite these advantages, the special purpose simulation languages, particularly, in micro-computer environment have a stringent memory constraint. The problem comes from the modeling approach associated with these languages. Each physical entity of interest in the real system (e.g., trays or pouches) is modeled by a logical entity requiring a computer memory space. Thus, the memory requirement for a simulation program grows very rapidly as the number of concurrent entities in the system grows. Nevertheless, this problem could be contained to a large extent by careful programming.

For the CRAMTD simulation models, we have used a special purpose simulation language, SIMAN, which is also commercially available. SIMAN has gained remarkable popularity, particularly among those who model manufacturing systems. Later in this report we will briefly discuss SIMAN.

Given the simulation code, the next step is to validate the model. There are several different approaches to model validation, some being somewhat subjective and others being more objective. One subjective approach is so called "face validation". Here, the simulation model and its results are examined by somebody who is quite familiar with the real system. One other subjective validation is through visual inspection of the simulation model operation. With the new special purpose simulation languages it is possible to develop a graphical model to animate the system operation. The inspection of this graphical model is another way of validating the simulation model.

A more objective approach for validation is called "input-output transformation". Here, the output of the simulation model is statistically compared to the data collected from the real system. It is, of course, important that the input conditions for the model match those of the real system at the time of data collection. The use of input-output

transformation is possible only in cases where the modeled system exists and output data could be collected. Another objective validation method is "sensitivity analysis" where the simulation outputs are examined by changing the inputs. In sensitivity analysis we are not very much concerned with the absolute values of the simulation output. What matters is the direction by which a simulation output changes as we change one or more simulation inputs. This type of validation is very common and could easily be implemented.

For the CRAMTD simulations we were not able to perform input-output transformation mainly because the actual physical systems do not yet exist in their entirety. The types of validation that we have done are face and visual validation and sensitivity analysis.

In regard to sensitivity analysis, we have tested the sensitivity of the CRAMTD Advanced Tray-pack line production rate as the line speed and failure rate for the seamer change. As for the MRE Pouch line, the sensitivity of the production rate was tested against the line speed.

Having the validation procedure completed successfully, the simulation model may now be utilized for experimentation. One purpose for which the results from the CRAMTD simulation are used is NCIC as part of the CRAMTD base project.

A Brief Description of SIMAN

A SIMAN simulation is divided into three distinct activities: System model development, experimental frame development, and data analysis. Within these three activities, the SIMAN software consists of five individual processors (model, experimental, link, run, output) which interact through four files: model file, experimental file, program file, and output file. The model file is developed by a user and contains the simulation model (also called block diagrams). This model is compiled by the model processor into a format to be read by the link processor. The experimental file contains input data values for the

model. This file is compiled by the experimental processor into a format to be read by the link processor. The model and experimental files are linked together to make the program file. This file is executed using the run processor generating output data which are stored in output files. If desired, this file may be processed by the output processor.

SIMAN also has a graphical simulation capability. Here, different entities (workstations, raw material, packaging material, etc.) in the system are represented by different icons. These icons are stored in a file through a graphics interface. The dynamics of these icons are governed by the SIMAN simulation program. The result will be animation of the system operation on the screen. For more on SIMAN, see ref. *Introduction to SIMAN, and Simulation Model Software Requirements Specification, Version 1.0.*

3. Simulation of the CRAMTD Advanced Tray-Pack Line

First, we give a brief introduction to the CRAMTD Advanced Tray-pack line. Then, we describe the simulation model for this system.

The CRAMTD Advanced Tray-Pack Line

The CRAMTD Advanced Tray-Pack line is a hypothetical production line based on the technology being used in the CRAMTD pilot plant and proposed for use in the CRAMTD phase II. It is composed of four major areas: the cooking area, the filling area, the retort area, and the casing area. A schematic of the CRAMTD Advanced Tray-pack line is shown in Figure 1. The cooking area contains the cooking stations (e.g., oven and kettles) for cooking meat and sauce. The filling area consists of a tray-place station, filling stations, check weighing station, and a Yaguchi seamer. These stations are connected through a power conveyor. For more comprehensive description of the cooking and filling areas see TWP#14: *Revised Automation Control Strategy for Tray Pack Filling/Sealing Line.*

Presently, the casing area is not a part of the CRAMTD facility. In our simulation model, we assume the same technology for casing as in the base tray-pack lines. In the base tray-pack lines, the casing area consists of a tray washing station followed by a dryer, a videojet marker, a casing and, finally, a palletizing station. Here trays are first washed and dried. The videojet inks the trays with all the required labeling information. The trays are then cased into batches of four. Six of these cases make up a carton.

The Simulation Model

The simulation model consists of several modules, each of which is described below. Unless otherwise stated, the input data used in these modules are stored in the experimental file.

The Scheduling Module decides, at the beginning of everyday, the product to be produced on that day. It is assumed that only one product is produced on a given day. The simulation program keeps a list of outstanding orders. The Scheduling Module scans this list and finds the order with the earliest due date. The due dates are inputs to the simulation model. The order with the earliest due date defines the next product to be produced. Once the product is selected, the available inventory is checked. Inventory of any given product may exist because, on any given day, only one product is produced and it is assumed that the production would continue till the end of the day even if the demand is already met. The difference between the actual demand and the available inventory gives the current demand for the product. If the available inventory exceeds the demand, then the order is considered to be satisfied and a new order is selected from the list of outstanding orders. Meanwhile, the inventory data is updated.

Once the product and the demand have been identified, the module routes the required raw materials or ingredients to the cooking area. The program has a record of the ingredients for each of the product types it considers. Presently, the model is set up for

four different product types, namely beef stew, beef tips with gravy, beef chunks, and mixed vegetables. This number can be increased by adding a list of ingredients that are required for any new product. This list is kept within the model itself. No major change would be needed unless the product requires more than two solid filling operations and/or more than two sauce filling operations.

The Scheduling Module also schedules and controls the start and stop of daily production. There are three staggered shifts. The cooking operation is the first to start in the morning. It is assumed that this operation starts 2 hrs prior to the start of other operations. This ensures that packaging (filling) need not be stopped for the lack of any cooked material. An estimate is made of the number of cooks (batches) required for that day and the operation comes to an end once this number is met.

The packaging operation starts at 8:00 a.m. and continues for 8 hours. At the end of the 8-hour shift, the loading of trays to the packaging line stops. The trays that are already in the system are processed all the way to the retorting operation. The retort shift starts when the first load of trays (to be defined later) becomes available. The operation continues until all the filled trays are retorted.

The next module is Inventory Control Module. This module tracks the inventory level of finished goods. The inventory level is updated at the end of each day. The trays which have passed their incubation period but have been rejected due to USDA inspection are included in the inventory records. The rejection of the trays due to USDA inspection is simulated by assigning a rejection probability to a daily production. This probability is input to the model. The trays which passed the USDA inspection are then scheduled for shipping.

There are two activities involved in the cooking operation: pre-cooking and cooling. The Cooking module simulates these two activities. The pre-cooking and cooling times are

inputs to the model.

The next module is the Packaging Module which simulates all the activities taking place in the filling and sealing stations. The packaging starts with the trays being placed on the conveyor. Each tray is modeled by a logical (SIMAN) entity. SIMAN has modeling tools to represent conveyors and physical locations (e.g., filling station or sealing station). A physical conveyor is represented by a SIMAN conveyor and physical locations by SIMAN stations. All the activities associated with a physical location can be accommodated in a SIMAN station.

The module contains SIMAN stations for various filling and sealing operations, and SIMAN conveyors connecting these various stations. The SIMAN entities move on the SIMAN conveyors from one SIMAN station to another. The physical distance between these stations is also accounted for in the simulation model.

In the model there are two solid filling stations (one for meat and one for vegetables) and two sauce filling stations. One of these sauce filling stations may be utilized for gravy pre-filling. The type of filling stations to be used depends on the product. This information is kept as a routing matrix in the experimental model.

The filling operation is assumed to be continuous and synchronized. Trays located on the conveyor move from one station to another. A proper amount of material is deposited to a tray as it passes through a filling station. The time through the station is controlled by the conveyor speed which is an input to the model. The amount of material deposited to a tray is determined according to a probability distribution. For each filling station and each product, we assume a normal distribution with particular mean and standard deviation. These parameters are input to the model. These distribution can be changed if desired.

In the actual system, once the filling is done, the tray passes through a sensor which

checks to see if any mounds are formed. If any such mounds exist the tray is diverted to another station to adjust the mound level. In the simulation model the tray is diverted through this extra operation with a given probability which is a user-input.

The next step is for the tray to go through a check-weighing station. Here, the filling weights are compared to the specifications. A tray falling outside of the specification is diverted out of the line.

Once the trays have been filled and checked, they are ready for sealing. The sealing operation is also assumed to be set to the same speed as the conveyor. After sealing the trays are loaded into racks of 72 trays each. The racks are then transported to the retorting area. This completes the Packaging Module.

The next operation is retorting, which is modeled by the Retort Module. The module takes pallets from the Packaging Module and brings them to the retorts. The number of retorts depend on the conveyor speed. This number should be selected such that the two-hour time limit between the sealing of a tray and start of a retort operation is not violated. The model checks this condition for any sealed tray and reports the violations if any. Presently, we have seven retorts in the model. This number can be changed following some minor modifications in the simulation model. The number of racks that can be accommodated in one retort cycle is dependent on the size of the retort. From the available data it is assumed to be 4 racks per retort. The retorting times are dependent on the product. This number may be changed in the simulation model if desired. The retort cycle time, which is an input to the model, includes the retorting time as well as the loading and unloading time of the retort.

Another module in the simulation model is the Casing Module. Here, the retorted trays go through washing, drying, labeling, and casing in groups of four. Then six cases are placed within a carton. The number of trays in a case and the number of cases in a

cartoon could be changed in the simulation model if desired.

The last module to explain is the Failure Module, which schedules and controls the breakdowns in the system. Any machine breakdown will cause the stoppage of the whole packaging line. Therefore, the breakdown phenomenon is simulated by sampling from a time to failure probability distribution and stopping the line operation according to the sampled time. The line remains down for a period of time, which is sampled from a repair time distribution. This whole procedure could be implemented for any machine on the line. Nevertheless, presently the model only considers the Yaguchi seamer breakdowns, because of the lack of appropriate data. The parameters of time to failure and repair time probability distributions are input to the model.

A copy of the simulation program is given in Appendix I. A copy of the source code and related files for this simulation program are stored on disk. In Section 5 we will describe the procedure for running the program.

4.Simulation of the CRAMTD Advanced MRE Pouch Line

First, we give an introduction to the CRAMTD MRE Pouch line. Then, we describe the simulation model.

The CRAMTD Advanced MRE Pouch Line

The CRAMTD Advanced MRE Pouch line is a hypothetical production line based on the technology used in the CRAMTD pilot plant and proposed for use in the CRAMTD phase II. It is composed of six major areas: the cooking area, the filling (packaging) area, an inspection area, the retort area, another inspection area, and the casing area. A schematic of this line is shown in Figure 2. The cooking area contains the cooking stations (e.g., an oven and kettles) for cooking meat and sauce. The filling area consists of a forming station, where the pouches are formed, filling stations, sealing station,

followed by three cutting stations. The forming station forms six pouches at a time into two rows of three pouches each. These stations are connected by a power conveyor. Every time that the conveyor indexes, it moves through a length of three pouches. The type and number of filling stations for the MRE Pouch line are not yet defined.

As for the sealing operation, it is performed in batches of six pouches. The cutting operation takes place in two stages. First a horizontal cutter cuts the pouches into two rows. Then two vertical cutters separate out the pouches. Following the cutting operation, all the pouches go through an inspection station. The non-defective pouches then are loaded into baskets for retorting.

The casing area is not part of the CRAMTD facility. For the simulation model, we assume a casing area which is similar to what is currently used in the industry. It includes a washing, a drying, and a video jet marker station. This area is followed by an inspection station which includes a conveyor and a number of inspectors. The inspected and accepted pouches then move into cases which are then cartoned.

The Simulation Model

Like the simulation model for traypack line, the MRE pouch model is also divided into several modules. The Scheduling module is identical to the one in traypack line model. It decides the product to be produced at the beginning of each day, routes the ingredients to the cooking area and decides on the start and stop times of the various operations. The Cooking and Inventory modules are also similar to the ones in the tray pack line model.

In the packaging area there are some noticeable differences between the two simulation models. In the tray pack model, the trays continuously move through different stations. But, in the MRE pouch model the pouches are indexed through the system. Six pouches are modeled by a single SIMAN entity as they move through the packaging line. After they come out of the cutting station, a single SIMAN entity is divided into six SIMAN

entities. Every operation in the packaging line is synchronized and executed once at the end of the each index. As in the tray pack line model, each physical station is modeled by a SIMAN station which are connected by SIMAN conveyors. The total length of these conveyors from forming to sealing stations is equivalent to fifteen indexes, that is, slightly more than the breadth of 45 pouches.

The inspection module takes sealed pouches and inspect them 100%. The model assumes that every inspected pouch has a probability of failing the inspection. Following the inspection, the pouches are palletized into batches of 1024. Two of these batch loaded in the retort simultaneously. The retorting operation is similar to that of the tray pack line.

The retorted pouches undergo a 100% inspection after they are washed and dried. This inspection station has been modeled identical to the earlier inspection station. The pouches are then cased and cartoned. The inventory module and the failure module have also been modeled as in the tray-pack line.

A copy of the simulation program is given in Appendix II. A copy of the source code and related files for this simulation program are stored on disk. The description as to how to run this program is given in Section 5.

5. Some Guidelines to Use Simulation Programs

In this section, first we describe the hardware and software requirements for running the simulation programs for the CRAMTD Advanced Tray-pack and MRE Pouch lines. Then we describe the procedure that should be followed to run these programs. Finally, we summarize the input data for these simulation programs.

Hardware and Software Requirements

- IBM PC/PS2 or IBM compatibles with minimum of 640K RAM
- Math co-processor
- DOS operating system version 3.3 or higher
- VGA/EGA monitor
- Keyboard and mouse
- SIMAN/CINEMA software (trademark of SMC)

The Procedure to Run Simulation Programs

The CRAMTD simulation disks contain the source code and the executable files for the tray-pack and MRE pouch line simulation programs. Diskette I contains files: TRAY.MOD, TRAY.EXP, TRAY.BAT, TRAYC.BAT, TRAY.LAY, TRAY.TRA, and TRAY.ENT. Diskette II contains files: MRE.MOD, MRE.EXP, MRE.BAT, MREC.BAT, MRE.LAY, MRE.TRA, and MRE.ENT. We will assume that the SIMAN software has already been installed in the computer and there exists a subdirectory called SIMAN. The steps to run the programs are as follows:

- Copy all the files in the disk to SIMAN subdirectory.
- To run the tray-pack simulation model without CINEMA animation, type TRAY <filename>, where <filename> is the file to store the output report. This report contains information defined by default in SIMAN.
- The simulation program automatically stores output data about inventory levels, daily production rates, and material usage in output files called OUTPUT.22, OUTPUT.23, OUTPUT.24. These files are in SIMAN specific format and must be processed by the SIMAN output processor prior to be readable. The procedure is as follows:
 - Type OUTPT to start the output processor. Hit "C" for color monitor.

- At the prompt, type EXPORT:<file number>,<file number>; where the first <file number> refers to the input file (e.g., 22, 23, or 24) and the second number defines the file where the processed output will be stored.
- To run the tray-pack simulation model with CINEMA animation, type TRAYC. Once the CINEMA screen is loaded on the screen, click on the "run" button using the mouse. To stop the animation, hit ESC key and click on the "quit button using the mouse.
- To run the MRE pouch simulation program, follow the same steps by replacing "TRAY" with "MRE".

Input Data Used in Simulation Programs

Here, we summarize the input data used in the CRAMTD Advanced Tray-pack and MRE Pouch line simulation programs. The summary data is given in Table 1. In this table, PARA=PARAMETERS, SEG=SEGMENTS, ARR=ARRIVALS, TRANS=TRANSPORTER, INIT=INITIALIZE. These labels refer to headings used in the experimental files: TRAY.EXP and MRE.EXP. N/A refers to "Not Applicable". The first column in Table 1 is the input category. The second and third columns give the file names where the input data are stored for the Tray pack and MRE pouch simulations, respectively.

Table 1: Input Data Used in Simulation Programs

| Input Category | Tray-Pack | MRE Pouch |
|---|--------------------|-------------------|
| Product Type | TRAY.EXP(ARRIVALS) | MRE.EXP(ARRIVALS) |
| Order Size | TRAY.EXP(ARRIVALS) | MRE.EXP(ARRIVALS) |
| Due Date | TRAY.EXP(ARRIVALS) | MRE.EXP(ARRIVALS) |
| Mean and S.D. for solid fill weights | TRAY.EXP(PARA) | N/A |
| Mean and S.D. for liquid fill weights | TRAY.EXP(PARA) | N/A |
| Incubation Period | TRAY.EXP(PARA) | MRE.EXP(PARA) |
| USDA Rejection Probability | TRAY.EXP(PARA) | MRE.EXP(PARA) |
| Conveyor Speed | TRAY.EXP(SEG) | TRAY.EXP(SEG) |
| Probability of Mound Formation | TRAY.EXP(PARA) | N/A |
| Specification Limits for fill Weights | TRAY.EXP(PARA) | N/A |
| Pallet Size | TRAY.EXP(INIT) | MRE.EXP(INIT) |
| Transportation Time from filling to retort | TRAY.EXP(TRANS) | MRE.EXP(TRANS) |
| Retort Time +Load/Unload Time | TRAY.EXP(PARA) | MRE.EXP(PARA) |
| Time to complete a cook | TRAY.EXP(PARA) | MRE.EXP(PARA) |
| Cooling Time | TRAY.EXP(PARA) | MRE.EXP(PARA) |
| Transportation Time from cooking to filling | TRAY.EXP(TRANS) | MRE.EXP(TRANS) |
| Mean Time to Failure of Yaguchi Seamer | TRAY.EXP(PARA) | N/A |
| Mean Time to Repair of Yaguchi Seamer | TRAY.EXP(PARA) | N/A |
| Maintenance Times of Fillers | TRAY.EXP(PARA) | MRE.EXP(PARA) |
| Time Required to Load Trays to Conveyor | TRAY.EXP(PARA) | N/A |
| Time Required to wipe Trays after Washing | TRAY.EXP(PARA) | N/A |
| Time Required for Casing | TRAY.EXP(PARA) | MRE.EXP(PARA) |
| Time Required for Palletizing | TRAY.EXP(PARA) | MRE.EXP(PARA) |
| Cook Size | TRAY.MOD | MRE.MOD |
| Ingredients for each product type | TRAY.MOD | MRE.MOD |

References

Banks, J. and J.S. Carson, II, *Discrete Event System Simulation*, Prentice Hall, 1984.

Jafari, M.A. and V.S. Srinivasan, "Simulation Model Software Requirements Specification, Version 1.0," CRAMTD report, Rutgers University, Spet. 1990.

Pegden, C.D., *Introduction to SIMAN*, System Modeling Corp., State College, PA, 1986.

Sigethy A., T. Descovich, and T.O. Boucher, "Revised Automation Control Strategy for Tray Pack Filling/Sealing Line," Technical Working Paper (TWP) 14, CRAMTD, Rutgers University, Spet. 1990.

**FIGURE 1 - PRODUCTION MODEL BASED
ON CRAMTD TRAYPACK**





FIGURE 2 - PRODUCTION MODEL BASED ON CRAMTD POUCHLINE



APPENDIX_I

CRAMTD_TRAY_LINE_MODEL

1

BEGIN, 1, 1, yes ,TRAY ,NO ;

;

SYNONYMS:

PRODUCT = A(1): ! for trays
 CIN_ATTRB = A(2): ! for trays
 PARTTYPE = A(3): ! for trays
 DEMAND = A(2):
 DUE_DATE = A(3):
 KILL_DATE = A(4):
 INVENTORY = A(2): ! FOR INVENTORY
 PROD_DATE = A(4): ! FOR INVENTORY
 WT = A(4); ! To check weight of tray

FOR ORDERS
 A(1)=PRODUCT
 A(2)=DEMAND
 A(3)=DUE DATE
 A(4)=KILL DATE

FOR TRAYS
 A(1)=PRODUCT
 A(2)=CINEMA ATTRIBUTE
 A(3)=PARTTYPE
 A(4)=WHICH TRAY PLACE/WHICH RETORT/WEIGHT
 A(5)=BATCH SIZE
 A(6)=TIME IN SYSTEM
 A(7)=TIME IN SYSTEM
 FILLINDEX = 42

SCHEDULING MODULE

The input to this routine is the various orders for which the
 the simulation is to be done. These orders are given in the
 arrivals block of the experimental file. The parameters would
 be the Start time of the order, The size of the order, The
 due date and a kill date beyond which the order can be
 assumed to be void. This block also starts/stops the machines.

QUEUE,80:DETACH; queue for oustanding orders
 CREATE,1:86400; create one entity every day

Initailizing System parameters daily

ASSIGN:X(45)=X(45)+1;
 ASSIGN:D(3)=0;
 ASSIGN:D(16)=UN(74,1);
 ASSIGN:X(9)=0;

APPENDIX_I

CRAMTD_TRAY_LINE_MODEL

2

```

ASSIGN:X(30)=4;
ASSIGN:X(47)=72;
ASSIGN:X(49)=4;
ASSIGN:X(1)=0;
ASSIGN:X(22)=1;
ASSIGN:X(10)=4;
ASSIGN:X(11)=36;
startu  BRANCH,1:
          IF,NQ(80).LT.1.AND.NQ(81).LT.1,C24: ! Check for end of simulation
          ELSE,S1;
C24      ASSIGN:P(6,1)=1;
          DELAY:2*60*60:NEXT(PP9);
END2     QUEUE,83;
;        TALLY:4,NC(20);                FOR CUMMULATIVE ORDERS 1
;        TALLY:5,NC(21);                FOR CUMMULATIVE ORDERS 2
;        TALLY:6,NC(22);                FOR CUMMULATIVE ORDERS 3
;        TALLY:7,NC(23);
COUNT:13,1:DISPOSE;                    ENDS SIMULATION
S1       SEARCH,80,1,NQ:(TNOW/86400).GE.'KILL_DATE'; check for cancelled orders
          BRANCH,1:
          IF, J.EQ.0 , C2:
          ELSE, R;
R         DELAY:1;
          REMOVE: J,80,DIS:NEXT(S1);
C2        BRANCH,1:                      !check for filled existing order
          IF,NQ(81).GE.1,R1:
          ELSE, R2;
R1        REMOVE:1,81,CONTTT:DISPOSE;    GET UNFINISHED JOB
R2        SEARCH,80,1,NQ:MIN('DUE_DATE'); FIND JOB WITH MINIMUM DUE DATE
          BRANCH,1:
          IF, J.EQ.0 , C24:
          ELSE, RRR;
RRR        REMOVE:J,80,C3:NEXT(DIS);      GET NEW JOB
C3         ASSIGN:X(21)=X(21)+1;
          ASSIGN:A(4)=X(21);
          BRANCH,1:
          IF, 'DEMAND'.LE. P(63,'PRODUCT'),NOFIL:
          IF, P(63,'PRODUCT').GT.0,RASDE:
          ELSE,CONTTT;
NOFIL     ASSIGN:P(63,'PRODUCT')=P(63,'PRODUCT')-'DEMAND':NEXT(R2);
RASDE     ASSIGN:'DEMAND'='DEMAND'-P(63,'PRODUCT');
          ASSIGN:P(63,'PRODUCT')=0;
CONTTT    ASSIGN:X(46)=0;
          ASSIGN:X(44)=0;
          ASSIGN : P(3,1) = 'PRODUCT';    set parameter for PRODUCT
          ASSIGN : P(3,2) = 'DEMAND';      set parameter for DEMAND
          ASSIGN : P(3,3) = 'DUE_DATE';    set parameter for DUE_DATE
          ASSIGN : 'PRODUCT'='PRODUCT'+4;
          ASSIGN : P(42,1)=TF('PRODUCT',1); filling mean for GF1
          ASSIGN : P(42,2)=TF('PRODUCT',2); filling sigma for GF1
          ASSIGN : P(43,1)=TF('PRODUCT',3); filling mean for VEG FILL 1
          ASSIGN : P(43,2)=TF('PRODUCT',4); filling sigma for VEG FILL 1
          ASSIGN : P(44,1)=TF('PRODUCT',5); filling mean for BEEF FILL
          ASSIGN : P(44,2)=TF('PRODUCT',6); filling sigma for BEEF FILL
          ASSIGN : P(45,1)=TF('PRODUCT',7); filling mean for GF2
          ASSIGN : P(45,2)=TF('PRODUCT',8); filling sigma for GF2
          ASSIGN : 'PRODUCT'='PRODUCT'-4;
          BRANCH,2:

```

APPENDIX_I CRAMTD_TRAY_LINE_MODEL

3

```

STAR    ALWAYS, STAR:
        ALWAYS, MCCONT:
        QUEUE, 82;
        WAIT: 1;
        ASSIGN: 'DEMAND' = 'DEMAND' - X(46) + X(9);
        assign: x(41) = x(5) - x(41);
        BRANCH, 2:
            always, inven:
                IF, 'DEMAND' .LE. 0, INV1:
                    ELSE, Q81;
Q81      QUEUE, 81: DETACH;
INV1     ASSIGN: P(63, 'PRODUCT') - P(63, 'PRODUCT') - 'DEMAND';
DIS      DELAY: 0: DISPOSE;
;
;
;*****
;          MACHINE CONTROL
;          This block turns the machines off & on depending on the
;          signals from other blocks and the time of day.
;          It takes into account the difference in time between
;          the start of the cooking operations and filling.
;*****
;
MCCONT   ASSIGN: P(6, 1) = -1 * P(6, 1);
        BRANCH, 1:
            IF, P(6, 1) .EQ. -1, M2M:
                ELSE, MMM;
MMM      DELAY: 2 * 60 * 60;
        START: FILCON: NEXT (PP1);
M2M      STOP: FILCON;
PP1      ALTER: TR_PL(1), P(6, 1);
        ALTER: TR_PL(2), P(6, 1);
        ALTER: TR_PL(3), P(6, 1);
PP9      ALTER: BASK_UNL, P(6, 1);
        ALTER: TOWEL_WP(1), P(6, 1);
        ALTER: CASING(1), P(6, 1);
        ALTER: PALLETZG(1), P(6, 1);
        ALTER: TOWEL_WP(2), P(6, 1);
        ALTER: CASING(2), P(6, 1);
        ALTER: PALLETZG(2), P(6, 1): DISPOSE;
;
;
;*****
;*****
;
;          END SCHEDULING MODULE
;
;*****
;*****
;
;
;*****
;*****
;
;          INVENTORY MODULE

```

APPENDIX_I CRAMTD_TRAY_LINE_MODEL

4

```
;
;*****
;*****
;
;      This block keeps track of the on-hand inventory. The only input
;      is the probability that a given lot might be rejected by the
;      USDA.
;      It gives as output the on-hand inventory at any time
;*****
;
;
INVEN      ASSIGN:D(15)=0;
           ASSIGN:'INVENTORY'=X(46)-X(9);
           ASSIGN:'PROD_DATE'=X(45)+UN(72,1);
           BRANCH,1:
             WITH,.1,USDREJ:
             ELSE,NOREJ;
USDREJ     ASSIGN:'PROD_DATE'='PROD_DATE'+20+UN(72,1);
NOREJ      ASSIGN:X(33)=X(33)+'INVENTORY';
           ASSIGN:X(27)='PROD_DATE'+10;
           BRANCH,2:
             ALWAYS,STOR:
             ALWAYS,RELE;
STOR       ASSIGN:D(17)=D(17)+'INVENTORY';
STOR1      QUEUE,1:DETACH;
RELE       SEARCH,1,1,NQ:(X(45)-10).GE.'PROD_DATE';
           BRANCH,1:
             IF,J.EQ.0,NORE:
             ELSE,CHEKM;
CHEKM      REMOVE:J,1,Q2;
           DELAY:1:NEXT(rele);           remove entity given by position J
Q2         QUEUE,2;
           ASSIGN:D(15)=D(15)+'INVENTORY';
           ASSIGN:D(14)=D(16);
           QUEUE,3;
           WAIT:12;
           ASSIGN:A(2)=X(22);
           BRANCH,1:
             IF,D(15).LT.D(16),STOR1:
             ELSE,SED14;
SED14      ASSIGN:D(16)=UN(74,1);
           BRANCH,1:
             IF,D(15).LT.(D(16)+D(14)),ESHIP:
             ELSE,SETD;
SETD       ASSIGN:X(39)=D(16);
           ASSIGN:D(14)=D(14)+D(16):NEXT(SED14);
ESHIP      ASSIGN:D(14)=D(14)-'INVENTORY';
           ASSIGN:D(17)=D(17)-'INVENTORY';
           ASSIGN:X(22)=X(22)+1;
           BRANCH,1:
             IF,D(14).GT.0,DIS:
             IF,D(14).LE.0,RET;
RET        ASSIGN:X(33)=D(17)-D(14);
           ASSIGN:D(16)=UN(74,1);
           ASSIGN:'INVENTORY'=-D(14):NEXT(STOR);
NORE       SIGNAL:12:DISPOSE;
;
;
```

APPENDIX_I

CRAMTD_TRAY_LINE_MODEL

5

```

;
;
;
;*****
;*****
;
;
;      END INVENTORY MODULE
;
;*****
;*****
;
;
;*****
;
;      PCKAGING MODULE
;      The trays are filled and sealed in this module
;
;*****
;
;
;
;
;*****
;      The first station here places the trays on the conveyor.
;*****
;
; TRAY
;      CREATE,1, 3600:24*60*60;          CREATE TRAY ONE EVERY DAY
;      ASSIGN:'PARTTYPE'=- 1;
;      ASSIGN:'CIN_ATTRB'=- 1;
;      ASSIGN:'PRODUCT'=- P(3,1);
;      ROUTE:0, 1;          BRANCH TO DOCK
DOCK_STN DELAY:0;
;      STATION, 1;
;      BRANCH,1:          ! Check for days end
;          IF,TNOW-X(45)*24*60*60.GT.36000,DIS:
;          ELSE,COUNT1;
COUNT1 COUNT: 1;
;      QUEUE,30;
;      REQUEST,,3:RUNNER;
;      TRANSPORT:RUNNER,4;
;
;*****
;      This keeps track of the total production and helps the
;      scheduling module decide if the required production is
;      achieved.
;*****
; STOCK
;      STATION, 2;
;      FREE: RUNNER;
;      BRANCH,2:
;          IF,X(5).EQ.X(43).AND.NQ(46).EQ.0.AND.NQ(82).EQ.0,E:
;          ALWAYS,COUNT2;

```


APPENDIX_I

CRAMTD_TRAY_LINE_MODEL

6

```

E      DELAY:1;
      BRANCH,1:
        IF,NQ(18).EQ.0.AND.NQ(47).EQ.0,END2:
        ELSE,DIS;
COUNT2  COUNT:      2: DISPOSE;
;
;
; SCRAP
      STATION,      3;
      EXIT:EXICON,16;
SCRAP    COUNT:      3: DISPOSE;
;
;
;
*****
;
;   The actual filling operations start here. The first station
;   is where the empty trays are placed on the conveyor.
;   At the end of day, the production is stopped by starving this
;   station.
;
*****
;
;
      STATION,      4;
      FREE: RUNNER;
      ASSIGN:X(1)=X(1)+48;
      ASSIGN: 'CIN_ATTRB' = 10;
      ASSIGN: 'PRODUCT' = P(3,1);
      BRANCH,1:
        IF, (TNOW-X(45)*86400 .GE. 10*60*60),DIS:
        ELSE, TRAY_DUP;
TRAY_DUP ASSIGN: NS=P(3,1);
      BRANCH,1:
        IF, TNOW-X(45)*86400 .GE. 10*60*60,DIS:
        ELSE, CO2;
CO2      ASSIGN:X(1)=X(1)-1;
      DUPLICATE: 21;
      BRANCH,1:
        IF, TNOW-X(45)*86400 .GE. 9.5*60*60,DIS:
        ELSE, CO3;
CO3      QUEUE,      4;
      SELECT,RAN:
      TR_PL1:
      TR_PL2:
      TR_PL3:
TR_PL1   SEIZE, 1:TR_PL(1);
      ASSIGN:A(4)=1:NEXT(TRDEL);
TR_PL2   SEIZE, 1:TR_PL(2);
      ASSIGN:A(4)=2:NEXT(TRDEL);
TR_PL3   SEIZE, 1:TR_PL(3);
      ASSIGN:A(4)=3:NEXT(TRDEL);
TRDEL    DELAY:      RN(18,1),4:MARK (6);
NON      BRANCH,2:
      ALWAYS,TURNON:
      IF, X(1) .EQ. 2 .AND. NQ(4).EQ.10, DOCK_STN:
      IF, NQ(4) .LE. 8 .AND. X(1).GT. 0, TRAY_DUP;
TURNON   ASSIGN: X(44)=X(44)+1;

```

change to tray symbol

pallet of tray bodies --> 48 CARTONS

total trays produced per day

APPENDIX_I

CRAMTD_TRAY_LINE_MODEL

7

```

ASSIGN: A(5)=X(44);
ASSIGN:P(52,'PRODUCT')=P(52,'PRODUCT')+1;
BRANCH,1:
    IF, NQ(4).EQ.0 .AND.
        NR(2)+NR(3)+NR(4) .EQ.1, LASTENT:
    ELSE, C11;
LASTENT ASSIGN: X(46)=A(5);
ASSIGN:X(43)=X(43)+X(46);
C11     RELEASE:    TR_PL(A(4)) ;
        queue, 7;
        seize: tr_flip;
        delay: 2;
        release: tr_flip;
        COUNT:    4;
        QUEUE, 24;
        ACCESS: FILCON, 16;
        CONVEY: FILCON, 5;

;
;
;*****
;   The next four stations are the two sauce filling stations and
;   the two solid filling stations. Between them they fill the tray,
;   with required material, while it is in motion. By changing
;   the routing it is possible to use all or any of these stations
;   in the required order.
;   The first station is the Gravy/sauce prefill
;   The second is the vegetable filling station
;   The third is the solid filling station
;   The fourth is the another gravy/sauce filling station.
;*****
;
;
;
        STATION, 5;
        QUEUE,77;
        SCAN:NQ(61).LT.3;
        EXIT:FILCON,16;
        ASSIGN:'WT'-RN(42,1);
        BRANCH,2:
            ALWAYS,GF1:
            ALWAYS,CON2;
GF1     ASSIGN:'CIN_ATTRB'=-18;
        QUEUE,5;
        SEIZE,1:GRAVFL1;
        DELAY:2.5;
        RELEASE:GRAVFL1:DISPOSE;
CON2    QUEUE,61;
        ACCESS:CON2,16;
        CONVEY:CON2,6;

;
;
;
        STATION,6;
        EXIT:CON2,16;
CON3    BRANCH,1:
            IF,'PRODUCT'.EQ.4,NOMEAT:
            ELSE,MEAT;

```

```

MEAT      QUEUE, 67;
          ACCESS:CON3, 16;
          CONVEY:CON3, 7;
NOMEAT    ASSIGN: 'WT' = 'WT' + RN(43, 1);
          BRANCH, 2:
            ALWAYS, Q68:
            ALWAYS, VEGFIL;
VEGFIL    QUEUE, 11;
          SEIZE, 1:VEGFIL;
          DELAY:2.5;
          RELEASE:VEGFIL:DISPOSE;
Q68        QUEUE, 68;
          ACCESS:CON4, 16;
          CONVEY:CON4, 8;
;
;
;
;
          STATION, 7;
          EXIT:CON3, 16;
          BRANCH, 1:
            WITH, 0.05, CDATA:
            WITH, 0.95, NDATA;
CDATA      ASSIGN:X(19)=RN(44, 1);
          ASSIGN: 'WT' = 'WT' + X(19):NEXT(BEEFBR);
NDATA      ASSIGN: 'WT' = 'WT' + RN(44, 1);
BEEFBR     BRANCH, 2:
            ALWAYS, BEEF:
            ALWAYS, CON5;
BEEF       ASSIGN: 'CIN_ATTRB' = 18;
          QUEUE, 6;
          SEIZE, 1:BEEF;
          DELAY:2.5;
          RELEASE:BEEF:DISPOSE;
CON5        QUEUE, 8;
          ACCESS:CON5, 16;
          CONVEY:CON5, 8;
;
;
;
;
          STATION, 8;
          BRANCH, 1:
            IF, 'PRODUCT' .EQ. 4, EXCON4:
            ELSE, EXCON5;
;EXCON4     EXIT:CON4, 16:NEXT(BRANCH);
EXCON5      EXIT:CON5, 16;
          ASSIGN: 'WT' = 'WT' + P(45, 1);
BRANCH      BRANCH, 2:
            ALWAYS, GF2:
            ALWAYS, CON8;
GF2         ASSIGN: 'CIN_ATTRB' = 18;
          QUEUE, 9;
          SEIZE, 1:GRAVYFL2;
          DELAY:2.5;
          RELEASE:GRAVYFL2:DISPOSE;
CON8        QUEUE, 66;

```

9

```
;
;*****
;
;   After the tray has been filled the mounds have to be
;   crushed to avoid the possiblity of bad seal.
;*****
;
;
;      STATION,    22;
;      EXIT: CON8,16;
;      BRANCH,    2:
;          ALWAYS, MCRUSH:
;              ALWAYS, CON6;
MCRUSH QUEUE, 48;
        SEIZE,1: M_CRUSHER;
        DELAY:2.5;
        RELEASE: M_CRUSHER:DISPOSE;
CON6    QUEUE, 49;
        ACCESS:CON6,16;
        CONVEY:CON6,9;
;
;
;*****
;   The tray at this point is checked for its weight.
;   If Specs provided decide is the tray should be rejected or
;   not.
;*****
;
;
;      STATION,    9;
;      EXIT: CON6,16;
;      ASSIGN:'PRODUCT'='PRODUCT'+7;
;      TALLY:'PRODUCT',A(8);
;      ASSIGN:'PRODUCT'='PRODUCT'-7;
;      BRANCH,1:
;          IF,A(5).EQ.X(46),RELAST:
;          IF,P(46,'PRODUCT') .GT. 'WT', REJECT:
;          ELSE,PRREJ;
;RELAST ASSIGN:X(43)=X(43):NEXT(COUNT11);
;REJECT ASSIGN:X(9)=X(9)+1;
;      QUEUE,10;
;      ACCESS:EXICON,16;
;      CONVEY:EXICON,3;
;PRREJ  BRANCH,1:
;
;      WITH,P(47,'PRODUCT'), REJECT:
;      ELSE, COUNT11;
;COUNT11 COUNT:    5;
;      QUEUE,62;
;      ACCESS:CON7,16;
;      CONVEY:CON7,12;
```

APPENDIX_I

CRAMTD_TRAY_LINE_MODEL

10

```

;
;
;*****
;*****
;
;
;      END PACKAGING MODULE
;
;*****
;*****
;
;
;
;*****
;*****
;
;
;      RETORTING MODULE
;
;*****
;*****
;*****
;      At this point the trays are sealed and loaded into
;      pallets for loading into the retort.
;*****
;
;      STATION,      12;
;      EXIT:CON7,16;
;      QUEUE,        12;
;      SEIZE, 1:      BASK_LDR ;
;      DELAY:         RN( 26,2 ),12;
;      RELEASE:       BASK_LDR ;
;      TALLY:         'PRODUCT',INT(6);
;      COUNT:         6;
;      BRANCH,1:
;          IF, A(5).EQ.X(46), ALTCOM:
;          ELSE, COM;
ALTCOM  SIGNAL:1;
;      BRANCH,2:
;          ALWAYS,CCC:
;          ALWAYS,MCCONT;
CCC     ASSIGN:X(47)=NQ(26)+1:NEXT(COM);
COM     QUEUE,        26;
;      COMBINE: X(47), LAST;
;      ASSIGN:      'CIN_ATTRB' = 8;
;      ASSIGN:      'PARTTYPE' = 1;
;      QUEUE,        27;
;      REQUEST,,32: RET_LDR;
;      TRANSPORT : RET_LDR,13;
;      STATION,      13;
;      FREE:         RET_LDR;
;      BRANCH,1:
;          IF,A(5).EQ.X(46),LAST:
;          ELSE,CCCC;
LAST    ASSIGN:A(5)=X(47);
;      ASSIGN:X(47)=72;
;      ASSIGN:X(30)=NQ(43)+1:NEXT(Q43);
CCCC    ASSIGN:A(5)=72:NEXT(Q43);

```

change to basket symbol

APPENDIX_I CRAMTD_TRAY_LINE_MODEL

11

```

Q43      QUEUE,          43;
        GROUP:X(30),LAST;
        QUEUE,          13;
        SELECT,RAN:
          RETORT1:
          RETORT2:
          RETORT3:
          RETORT4:
          RETORT5:
          RETORT6:
          RETORT7;
RETORT1  SEIZE, 1:      RETORT(1);
        ASSIGN:A(4)-1:NEXT(RETREL);
RETORT2  SEIZE, 1:      RETORT(2);
        ASSIGN:A(4)-2:NEXT(RETREL);
RETORT3  SEIZE, 1:      RETORT(3);
        ASSIGN:A(4)-3:NEXT(RETREL);
RETORT4  SEIZE, 1:      RETORT(4);
        ASSIGN:A(4)-4:NEXT(RETREL);
RETORT5  SEIZE, 1:      RETORT(5);
        ASSIGN:A(4)-5:NEXT(RETREL);
RETORT6  SEIZE, 1:      RETORT(6);
        ASSIGN:A(4)-6:NEXT(RETREL);
RETORT7  SEIZE, 1:      RETORT(7);
        ASSIGN:A(4)-7:NEXT(RETREL);
RETREL   ASSIGN:      'CIN_ATTRB'= 9;           change to 4 basket symbol
        DELAY:        120*60,13;
        RELEASE:      RETORT(A(4)) ;
        COUNT:        7;
        SPLIT;
        ASSIGN:      'CIN_ATTRB'= 8;           change to basket symbol
        QUEUE,        28;
        REQUEST,,33: RET_LDR;
        TRANSPORT:RET_LDR,14;

;
;
;
;
;
;*****
;*****
;
;
;      END RETORTING MODULE
;
;*****
;*****
;
;
;
;*****
;*****
;
;
;      CASING MODULE
;
;*****
;*****
;

```

APPENDIX_I CRAMTD_TRAY_LINE_MODEL

12

```

;
;
;*****
;   The pallets are removed from the retort and sent over to this
;   module. Here the trays are removed from the pallets and cased.
;   The various operations involved are washing, drying, labeling
;   and cartooning;
;*****
;
;*****
;   This station unloads the trays from the pallet and places it
;   on the conveyor where it is washed.
;*****

STN14      STATION,      14;
FREE:      RET_LDR;
BRANCH,1:
    IF, NQ(14) .EQ. 0,DUPA5:
    ELSE,Q72;
Q72        QUEUE, 72;
WAIT:2,1;
DUPA5      DUPLICATE:A(5)-1;
ASSIGN:    'CIN_ATTRB' = 10: MARK (6);           change to tray symbol
QUEUE,     14;
SEIZE, 1:   BASK_UNL ;
BRANCH,1:
    IF, NQ(14) .EQ. 0, SIG2:
    ELSE,CONTIU2;
SIG2       SIGNAL:2;
CONTIU2    DELAY:      RN(28,4),14;
RELEASE:    BASK_UNL ;
COUNT:     8;
QUEUE,      44;
ACCESS: WASH_DRY, 16;
CONVEY: WASH_DRY, 15;
;
;
;*****
;   Once the trays have been washed they have to dried clean.
;   This operation is modeled in the this station.
;*****
;
;
STATION,    15;
EXIT:  WASH_DRY, 16;
QUEUE,    15;
SELECT, RAN:
TW1:
TW2;
TW1        SEIZE, 1:   TOWEL_WP (1) ;
ASSIGN:A(4)-1:NEXT(TWDEL);
TW2        SEIZE, 1:   TOWEL_WP (2) ;
ASSIGN:A(4)-2;
TWDEL      DELAY:      RN(29,5),15;
RELEASE:    TOWEL_WP (A(4)) ;
COUNT:     9;

```

APPENDIX_I CRAMTD_TRAY_LINE_MODEL

13

```

ROUTE: P(10,7), 16;
;
;
*****
; The trays are then labled and cartooned in groups
; four. Six of these cartoons are then put into a cardboard box.
; These operatins have been modeled in the following few blocks.
*****
STATION, 16;
COUNT: 10;
ASSIGN: 'PRODUCT'='PRODUCT'+13;
COUNT: 'PRODUCT';
ASSIGN: 'PRODUCT'='PRODUCT'-13;
ROUTE: P(10,8), 17;
;
;
STATION, 17;
QUEUE, 17;
SELECT ,RAN:
CAS1:
CAS2;
CAS1 SEIZE, 1: CASING(1) ;
ASSIGN:A(4)=1:NEXT(CASDEL);
CAS2 SEIZE, 1: CASING(2) ;
ASSIGN:A(4)=2:NEXT(CASDEL);
CASDEL ASSIGN: 'CIN_ATTRB' = 12; change to case symbol
DELAY: RN(31,7),17;
RELEASE: CASING(A(4)) ;
ASSIGN:X(37)=X(37)+1;
ASSIGN:X(6)=X(6)+1;
BRANCH,1:
IF,X(43).EQ.X(6).AND.NQ(82).EQ.0,N3:
IF,A(1).EQ.P(8,1).OR.NQ(45).EQ.0,N1:
ELSE,N2;
N3 ASSIGN:X(10)=NQ(45)+1:NEXT(N1);
N2 ASSIGN:X(10)=NQ(45);
REMOVE:NQ,45,Q45;
DELAY:1;
N1 ASSIGN:P(8,1)=A(1);
Q45 QUEUE, 45;
COMBINE: X(10),LAST;
ASSIGN:A(2)=X(10);
ASSIGN:X(10)=4;
ASSIGN: 'PARTTYPE' = 1;
COUNT: 11;
ROUTE: P(10,9), 18;
;
;
STATION, 18;
ASSIGN:X(5)=X(5)+A(2);
QUEUE, 18;
SELECT ,RAN:
PALL1:
PALL2;
PALL1 SEIZE, 1: PALLETZG(1);
ASSIGN:A(4)=1:NEXT(PADEL);
PALL2 SEIZE, 1: PALLETZG(2);
ASSIGN:A(4)=2:NEXT(PADEL);

```


APPENDIX_I

CRAMTD_TRAY_LINE_MODEL

14

```

PADEL  ASSIGN:      'CIN_ATTRB' = 13;          change to pallet symbol
        DELAY:      RN(32,8),18;
        RELEASE:    PALLETZG(A(4)) ;
        BRANCH,1:
            IF,X(5).EQ.X(43).AND.NQ(82).EQ.0,NN3:
            IF,A(1).EQ.P(8,3).OR.NQ(46).EQ.0,NN1:
            ELSE,NN2;
NN3     ASSIGN:X(11)-NQ(46)+1:NEXT(NN1);
NN2     ASSIGN:X(11)-NQ(46);
        REMOVE:NQ,46,Q46;
        DELAY:1;
NN1     ASSIGN:P(8,3)-A(1);
Q46     QUEUE,      46;
        COMBINE:    X(11),LAST;
        ASSIGN:X(11)-36;
OP      COUNT:      12;
        QUEUE,      47;
        REQUEST,,30:RUNNER,      3.0000;
        TRANSPORT:  RUNNER,2;

;
*****
*****
;
;
END CASING MODULE
;
*****
*****
;
;
*****
*****
;
;
COOKING MODULE
;
*****
*****
;
;
*****
*****
;
This is the first operation to start on any given day.
It can be divided into two activites Cooking/Cooling
*****
;
;
STATION,      19;
FREE:         RUNNER;
BRANCH,1:
    IF, X(48) .LT. 4, X49:
    ELSE, BEEF_DUP;
X49          ASSIGN:X(49)-X(48);
BEEF_DUP     DUPLICATE:  X(49);          2000 # beef pallet --> 4 beef kettle batches
            ASSIGN:X(48)-X(48)-1;
            QUEUE,      19;
            SEIZE, 1:    BEEF_KET ;
            DELAY:      RN(33,9),19;
            BRANCH,2:
                ALWAYS,CONREL:

```

15

```

IF, NQ(19) .EQ. 2 .AND. X(48).GE.0, DOCK_STN;
CONREL RELEASE: BEEF_KET ;
      BRANCH, 2:
        ALWAYS, BEEFPART:
        ALWAYS, BROTHPRT;
BEEFPART ASSIGN:'CIN_ATTRB'-11;          change to meat tote symbol
      QUEUE, 20;
      REQUEST,,31: K_ASSIST;
      TRANSPORT : K_ASSIST, 20;
;
;
      STATION, 20;
      BRANCH,1:
        IF,'PRODUCT'.NE.4,FR1:
        ELSE,FR2;
FR1 FREE: K_ASSIST;
    ASSIGN: X(12) = X(12) + P(4,2):DISPOSE ;
FR2 FREE: RUNNER;
    ASSIGN:D(1)=0;
    ASSIGN: X(49) = X(49) + P(4,2):DISPOSE ;
;
;
BROTHPRT DELAY:0;
      STATION, 21;
      QUEUE, 21;
      SEIZE, 1: GRAVY_K ;
      ASSIGN: X(14) = X(14) - 1;          decrement starch supply counter
      ASSIGN: X(13) = X(13) - 1;          decrement peas supply counter
      BRANCH,1:
        IF, X(13) .LE. P(5,3),SIG3:
        ELSE,CONTIU3;
SIG3 SIGNAL:3;
CONTIU3 BRANCH,1:
        IF, X(14) .LE. P(5,4),SIG4:
        ELSE,CONTIU4;
SIG4 SIGNAL:4;
CONTIU4 DELAY: RN(35,2);
      RELEASE: GRAVY_K ;
      ASSIGN: X(18) = X(18) + P(4,8):DISPOSE;
;
;
*****
*****
;
;
END COOKING MODULE
;
;
*****
*****
;
;
*****
*****
;
;
FAILURE MODULE
;
;
*****
*****

```

APPENDIX_I

CRAMTD_TRAY_LINE_MODEL

16

```
;
;
;*****
;   This module schedules the failures and when it occurs stops
;   system. It also decides the repair times by sampling a
;   distribution. After this period of time it starts the system.
;*****
;
;
FAIL      ALTER:TR_PL(1),-1;
          ALTER:TR_PL(2),-1;
          ALTER:TR_PL(3),-1;
          ALTER:BASK_UNL,-1;
          STOP:FILCON;
          STOP:CON2;
          STOP:CON3;
          STOP:CON4;
          STOP:CON5;
          STOP:CON6;
          STOP:EXICON;
          STOP:CON7;
          STOP:CON8;
          DELAY:D(40);
          START:FILCON;
          START:CON2;
          START:CON3;
          START:CON4;
          START:CON5;
          START:CON6;
          START:EXICON;
          START:CON7;
          START:CON8;
          ALTER:TR_PL(1),+1;
          ALTER:TR_PL(2),+1;
          ALTER:TR_PL(3),+1;
          ALTER:BASK_UNL,+1;
          DELAY:0:DISPOSE;

          CREATE,1,EX(65,1):EX(65,1);      YAGUCHI
          BRANCH,1:
            IF,TNOW .gt. X(45)*86400+34200
              .OR. MR(2).EQ.0, DIS:
                ELSE, MVEG;
MVEG      ASSIGN:D(40)=EX(69,1);
          BRANCH,1:
            IF, TNOW+D(40) .GT. X(45)*86400+34200,
              SETD401:
                ELSE, FAIL;
SETD401    ASSIGN:D(40)=X(45)*86400+34200 - TNOW:NEXT(FAIL);
END;
;
;
;*****
;*****
;
;
;
;*****
END FAILURE MODULE
;*****
```

17

```
;*****  
;  
;  
;  
;*****  
;*****  
;  
;  
END OF THE MODEL FILE  
;  
;*****  
;*****;  
;  
;  
;  
;  
;*****  
;*****  
;  
EXPERIMENTAL FILE  
;  
;*****  
;*****  
;  
;  
;*****  
;*****  
;  
;  
;*****  
; This file contains the data required to run the model.  
; Some of this data is user input but a good part of it  
; is the data required by siman. It also has the definition  
; of the various stations, resources etc used in the model.  
;*****  
;  
BEGIN, 1, 1,YES,NO ;  
PROJECT, TRAY PACK PRODUCTION,XXXXXXX , 5/15/1990 ;  
;  
DISCRETE, 700, 8, 90, 35, 2;  
;  
;*****  
; The block intialises certain variables like pallet size  
;*****  
INITIALIZE , X(47)=72, ! Palet size  
X(45)=-1;  
;  
;  
;  
;*****  
; The arrivals block stores the various orders that have to  
; be processed.  
; 1(order #),QUEUE(80)(queue #),0(Time when orders is to be created)  
; 1(batch size of the orders),2( product type),21856(order size)  
; ,1(due date, in days),9999(kill date , in days):  
;*****  
;  
;
```

```

;*****
;   The following decide the information that is to be put in
;   the siman output report. Most of this information is to
;   ensure that the model went through its noraml execution.
;*****

```

```
TALLIES          :1,SYS_TIME_P1:
                  2,SYS_TIME_P2:
                  3,SYS_TIME_P3:
                  4,SYS_TIME_P4:
                  5,BEEF_PRODUCT_1:
                  6,BEEF_PRODUCT_2,2:
                  7,BEEF_PRODUCT_3,3:
                  8,VEG_PRODUCT_1:
                  9,VEG_PRODUCT_2:
                 10,VEG_PRODUCT_3:
                 11,VEG_PRODUCT_4;
```

```

1, DOCK:
2, STOK:
3, SCRAP:
4, TR_PLACE:
5, FCW:
6, BL:
7, RET:
8, BUNL:
9, TW:
10, VJ:
11, CAS:
12, PAL:
13, end, 1:
14, PRODUCT 1:
15, PRODUCT 2:
16, PRODUCT 3:
17, PRODUCT 4:

```

APPENDIX I

CRAMTD_TRAY_LINE_MODEL

19

; This gives a list of resources used in the model.
;*****

RESOURCES: 1,DOCK , 0:
2-4,TR_PL, 0,0,0:
5,TR_FLIP , 1:
6,MATL2, 0:
7,beef, 1:
8,vegfil, 1:
9,GRAVFL1, 1:
10,CHKWEIGH, 1:
11,FINAL_CW, 1:
12,BASK_LDR, 1:
13,RETORTS , 0:
14,BASK_UNL, 0:
15-16,TOWEL_WP, 0,0:
17-18,CASING , 0,0:
19,BEEF_KET, 0:
20,MT_DOCK , 0:
21,GRAVY_K , 0:
22,MATL4, 0:
23,MATL5, 0:
24,GRAVYFL2, 1:
25-31,RETORT, 1, 1, 1, 1, 1, 1, 1:
32-33,PALLETZG, 0,0:
34,M_CRUSHER 1;

;*****

; This section gives the parameters for the various activities.
; A lot of parameters here can be called SIMAN overhead since
; they are not involved with the system understudy.
; The Mean and SD for the filling activities, incubation period,
; Cook times, cook size, cooling times, failure times etc are
; given here.
; The filling parameters are parameter # 43-48
; The first parameter is the mean and the second the SD.
; The incubation period is parameter # 73
; The weight specifications can be given in parameter #52,53
; The retort cycle time is parameter # 27
; The cooking and cooling times are parameter #33 & #35
; The mean time to failure of the yaguchi seamer #68
; The mean time to repair of the yaguchi seamer #69
; The time to place trays on conveyor #18
; Time required to wipe trays #29
; Time required for casing #30
; Time required for paletizing #32

;*****

PARAMETERS:
1, ! MTF
10000000.0, ! gfl
10000000.0, ! vegfil
10000000.0, ! gf2
10000000.0, ! beef
1000000.0, ! 5,TR_FLIP
300.0, ! 6,POTATOES
1000000.0, ! 7,MEAT_FIL
1000000.0, ! 8,CARROTS
1000000.0, ! 9,GRAVYFL1
1000000.0, ! 10,CHKWEIGH

APPENDIX_I CRAMTD_TRAY_LINE_MODEL

20

```

1000000.0, ! 11,FINAL_CW
1000000.0, ! 12,BASK_LDR
1000000.0, ! 13,RETORTS
1000000.0, ! 14,BASK_UNL
1000000.0, ! 15,TOWEL_WP
1000000.0, ! 16,VIDEOJET
1000000.0, ! 17,CASING
1000000.0, ! 18,PALLETZG
1000000.0, ! 19,BEEF_KET
1000000.0, ! 20,MT_DOCK
1000000.0, ! 21,GRAVY_K
1000000.0, ! 22,MAT4
1000000.0, ! 23,MAT5
1000000.0, ! 24,MAT6
1000000.0: ! 25,GRAVYFL2

2, ! MTRR
900.0, ! GF1
900.0, ! VEG
900.0, ! BEEF
900.0, ! GF2
000000.0, ! 5,TR_FLIP
30.0, ! 6,POTATOES
000000.0, ! 7,MEAT_FIL
000000.0, ! 8,CARROTS
000000.0, ! 9,GRAVYFIL
000000.0, ! 10,CHKWEIGH
000000.0, ! 11,FINAL_CW
000000.0, ! 12,BASK_LDR
000000.0, ! 13,RETORTS
000000.0, ! 14,BASK_UNL
000000.0, ! 15,TOWEL_WP
000000.0, ! 16,VIDEOJET
000000.0, ! 17,CASING
000000.0, ! 18,PALLETZG
000000.0, ! 19,BEEF_KET
000000.0, ! 20,MT_DOCK
000000.0, ! 21,GRAVY_K
000000.0, ! 22,MAT4
000000.0, ! 23,MAT5
000000.0, ! 24,MAT6
000000.0: ! 25,GRAVYFL2

3, 0,
0,
0:

4, 0, ! 1 *** INCREMENTAL SUPPLY ***
190, ! 2 BEEF TRAY PORTIONS / BEEF KETTLE BATCH
8, ! 3 PEAS GRAVY KETTLE BATCHES / PALLET
38, ! 4 STARCH GRAVY KETTLE BATCHES / PALLET
926, ! 5 POTATOES TRAY PORTIONS / PALLET
909, ! 6 CARROTS TRAY PORTIONS / PALLET
4800, ! 7 LIDS TRAY LIDS / PALLET
211: ! 8 GRAVY TRAY PORTIONS / GRAVY KETTLE BATCH

5, 4, ! TRAYS FROM PALLET *** REORDER COUNTER VALUES ***
1, ! BEEF BEEF KETTLE PORTIONS
1, ! PEAS GRAVY KETTLE PORTIONS
2, ! STARCH GRAVY KETTLE PORTIONS
120, ! POTATOES TRAY PORTIONS
120, ! CARROTS TRAY PORTIONS

```

APPENDIX_I CRAMTD_TRAY_LINE_MODEL

21

```

240, ! LIDS      TRAY LIDS
2, ! TRAYS      FROM CARTON
1: ! TRAYS      FROM RETORTS

6, -1:
7, 0:
8, 0,
0,
0,
0:
9, 0:
10, 5, ! 1 TR_FLIP TO GRAVYFL1 ***** ROUTE TIMES *****
5, ! 2 GRAVYFL1 TO MAT1
5, ! 3 MAT4 TO MAT2
5, ! 4 MAT5 TO LIQ2
5, ! 5 LIQ2 TO CHKWEIGH
5, ! 6 FINAL_CW TO BASK_LDR
5, ! 7 TOWEL_WP TO VIDEOJET
5, ! 8 VIDEOJET TO CASING
5, ! 9 CASING TO PALLETZG
5, ! 10 PALLETZG TO DOCK
5, ! 11 BK_DOCK TO BEEF_K
5, ! 12 MT_DOCK TO DOCK
5, ! 13 GK_DOCK TO GRAVY_K
5, ! 14 PEA_DOCK TO DOCK
5, ! 15 STR_DOCK TO DOCK
5, ! 16 PO_DOCK TO DOCK
5, ! 17 CA_DOCK TO DOCK
5, ! 18 LD_DOCK TO DOCK
5, ! 19 MATL4_D TO DOCK
5, ! 20 TO DOCK
5: ! 21 MATL5_D TO DOCK
11, 0, ! 1 DOCK ***** STATION DELAY TIMES *****
0, ! 2 STOCK
0, ! 3 SCRAP
12, ! 4 TR_PLACE
4, ! 5 TR_FLIP
4, ! 6 POTATOES
4, ! 7 MEAT_FIL
4, ! 8 CARROTS
4, ! 9 GRAVYFIL
4, ! 10 CHKWEIGH
4, ! 11 FINAL_CW
4, ! 12 BASK_LDR
7200, ! 13 RETORTS
4, ! 14 BASK_UNL
4, ! 15 TOWEL_WP
4, ! 16 VIDEOJET
4, ! 17 CASING
4, ! 18 PALLETZG
1800, ! 19 BEEF_KET
4, ! 20 MT_DOCK
1800, ! 21 GRAVY_K
4, ! 22 GF_DOCK
4, ! 23 PEA_DOCK
4, ! 24 STR_DOCK
4, ! 25 PO_DOCK
4, ! 26 CA_DOCK
4: ! 27 LD_DOCK

```


CRAMTD_TRAY_LINE_MODEL

```

12, 0, ! 1 ***** BUFFER LIMITS *****
  4, ! 2 maximum seamer queue
844, ! 3 maximum X(18), gravy supply counter
  4, ! 4 maximum tray_fl queue
  4, ! 5 maximum tray_pl queue
  4, ! 6 maximum mat4 queue
  4, ! 7 maximum mat1 fill queue
  4, ! 8 maximum mat5 queue
  4, ! 9 maximum gravy fill 1 queue
  4, ! 10 maximum checkweigh queue
  4, ! 11 maximum final_cw queue

13,0:
14,0:
15,    0, 0: ! 1 DOCK          ***** STATION DELAY TIMES *****
16,    0, 0: ! 2 STOCK
17,    0, 0: ! 3 SCRAP
18, 11.25, 0: ! 4 TR_PLACE
19,    15, 1: ! 5 TR_FLIP
20,    15, 1: ! 6 POTATOES
21,    15, 1: ! 7 MEAT_FIL
22,    15, 1: ! 8 CARROTS
23,    15, 1: ! 9 GRAVYFIL
24,    3, 0: ! 10 CHKWEIGH
25,    3, 0: ! 11 FINAL_CW
26,    3, 0: ! 12 BASK_LDR
27, 7200, 1: ! 13 RETORTS
28,    3, 0: ! 14 BASK_UNL
29,    3, 0: ! 15 TOWEL_WP
30,    3, 0: ! 16 VIDEOJET
31,    3, 0: ! 17 CASING
32,    3, 0: ! 18 PALLETZG
33, 1800, 1: ! 19 BEEF_KET
34,    15, 1: ! 20 MT_DOCK
35, 1800, 1: ! 21 GRAVY_K
36,    15, 1: ! 22 GF_DOCK
37,    15, 1: ! 23 PEA_DOCK
38,    15, 1: ! 24 STR_DOCK
39,    15, 1: ! 25 PO_DOCK
40,    15, 1: ! 26 CA_DOCK
41,    15, 1: ! 27 LD_DOCK

42,    5, 1: ! GF1          ***** FILLING AMOUNT PARAMETERS*****
43,    5, 1: ! VEG FILL 1
44, 82.0, .39: ! BEEF FILL
45,    5, 1: ! GF2
46, 0, 0, 0, 0: ! MIN WT FOR TRAYS PRODUCT 1 TO 4
47, 0, 0, 0, 0: ! PROBABLISTIC REJECT FOR THE VARIOUS PROD
48,    5, 1: ! FILLING STATION # 7
49,    5, 1: ! GRAVYFIL 2 DELAY
50,    5, 1: ! MATL4 DELAY
51,    15, 1: ! MATL5 DELAY
52, 2000, 2000: !wt specs
53, 2000, 2000: !wt specs
54, 0, 0, 0, 0: !MATL4
55, 0, 0, 0, 0: !MATL5
56, 0, 0, 0, 0: !MATL2
57, 0, 0, 0, 0: !MATL3
58, 0, 0, 0, 0: !GF2
59, 0, 0, 0, 0: !

```

[illegible]

```

0,0,0,0, 0, 0, 0, 0, 0,
0, 0, 0, 0, 0/! PALLETZ
0,0,0, 0, 0, 0, 0, 0,
0, 0, 0, 0, 0/! BEEF_KE
0,0, 0, 0, 0, 0, 0,
0, 0, 0, 0, 0/! MT_DOCK
0, 0, 0, 0, 0, 0, 0, 0, 0/! GRAVY_K
0, 0, 0, 0, 0, 0, 0, 0, 0/! GF_DOCK
0, 0, 0, 0, 0, 0, 0, 0, 0/! PEA_DOC
0, 0, 0, 0, 0, 0, 0, 0, 0/! STR_DOCK
0, 0, 0, 0, 0, 0, 0, 0, 0/! PO_DOCK
0, 0, 0, 0, 0, 0, 0, 0, 0/! CA_DOCK
0, 0, 0, 0, 0, 0, 0, 0, 0/! MATL4_D
0, 0, 0, 0/!
0, 0/!
0:!! MATL5_D

```

```

2, 19-20, ! from
20 :! BEEF_KET
3, 12-14, ! from
30,40/ ! BASK_LDR
30; ! RETORTS

```

KETTLE ASSISTANT TRANSPORT

RETORT LOADER TRANSPORT

```

;
TABLES :1,1,1,2,3,4,5,6,0,0: !Product 1 Beef Stew
2,1,1,2,8,4,0,0,0,0: !Product 2 Beef Tips
3,1,1,2,0,4,0,9,0,0: !Product 3 Beef with Peppers
4,1,1,10,0,11,12,6,3,13: !Product 4 Vegetables
5,1,1,39,.65,17.3,.29,8.8,.15,0,0,0,0,12.6,.2,25.3,4: !PROD 1 FILL
6,1,1,2.62,1,0,0,0,0,0,0,0,5,1,5,1: !PRODUCT 2 FILLING AMOUNT
7,1,1,2.62,1,0,0,5,1,0,0,0,5,1,5,1: !PRODUCT 3 FILLING AMOUNT
8,1,1,5,1,5,1,5,1,5,1,5,1,5,1,5,1: PRODUCT 4 FILLING AMOUNT
;
;*****
; The conveyor speeds are outlined here
;*****
conveyers: !in/sec in/section
1,TRAYWASH, 1, 24.0000, 12:
2,GRAVYLIN, 2, 48.0000, 6:
3,SEAMER, 3, 24.0000, 1:
4,WASH_DRY, 4, 5.4, 1:
5,filcon, 5, 5.4, 1:
6,con2, 6, 5.4, 1:
7,CON3, 7, 5.4, 1:
8,CON4, 8, 5.4, 1:
9,CON5, 9, 5.4, 1:
10,CON6, 10, 5.4, 1:
11,EXICON, 11, 5.4, 1:
12,CON7, 12, 5.4, 1:
13,CON8, 13, 5.4, 1;
;
segments: !inches
1, 4, 5 - 120.0:
2, 21,22 - 300.0:
3, 10,11 - 180.0:
4, 14,15 - 180.0:
5, 4,5 - 64.0:
6, 5,6 - 64.0:
7, 6,7 - 64.0:

```

APPENDIX_I CRAMTD_TRAY_LINE_MODEL

25

8, 6,8 - 112.0:
9, 7,8 - 64.0:
10, 22,9 - 64.0:
11, 9,3 - 96.0:
12, 9,12 - 64.0:
13, 8,22 - 64.0;

;
;
REPLICATE, 1, .0000, ,YES ,YES,3600.0;
;

DSTATS: 1,NR(1),DOCK:
2,NR(2),STOCK:
3,NR(3),SCRAP:
4,NR(4),TR_PLACE:
5,NR(5),TR_FLIP:
6,NR(6),POTATOES:
7,NR(7),MEAT_FIL:
8,NR(8),CARROTS:
9,NR(9),GRAVYFIL:
10,NR(10),CHKWEIGH:
11,NR(11),FINAL_CW:
12,NR(12),BASK_LDR:
13,NR(13),RETORTS:
14,NR(14),BASK_UNL:
15,NR(15),TOWEL_WP:
16,NR(16),VIDEOJET:
17,NR(17),CASING :
18,NR(18),PALLETZG:
19,NR(19),BEEF_KET:
20,NR(20),MT_DOCK:
21,NR(21),GRAVY_K:
22,NR(22),MATL4:
23,NR(23),MATL5:
24,NR(24),GRAVYFL2:
25,NR(25),RETORT1:
26,NR(26),RETORT2:
27,NR(27),RETORT3:
28,X(2),TOP_L:
29,X(3),BOTTOM_L:
30,X(4),RETORTS:
31,NQ(4),TR_PLACE:
32,NQ(5),TR_FLIP:
33,NQ(66),GF1:
34,NQ(7),MAT1:
35,NQ(67),MAT4:
36,NQ(68),MAT5:
37,NQ(6),MAT2:
38,NQ(8),MAT3:
39,NQ(9),GF2:
40,NQ(10),CHK_W:
41,NQ(11),F_CW:
42,NQ(12),BL:
43,x(33),INVEN,22:
44,x(46),prod,23:
45,x(41),bot,24:
46,X(27),SHIPDA,25:
47,x(43),total,26:
48,X(19),MATU,27:

49,X(39),shipq,28;

;
;
END;

APPENDIX II

CRAMTD_POUCH_LINE_MODEL

1

```

BEGIN,1,1,YES,prouc,NOIN;
    CREATE,1,10:86450;      Initiate Bottom line
    SIGNAL:3;               with cartoons
    ASSIGN:A(1)=X(50);
    QUEUE,38;
    WAIT:1;
    ROUTE:0,2;
DISP    DELAY:0:DISPOSE;
;
;
;*****
;*****
;
;
;               SCHEDULING MODULE
;
;*****
;*****
;
; The input to this routine is the various orders for which the
; the simulation is to be done. These orders are given in the
; arrivals block of the experimental file. The parameters would
; be the Start time of the order, The size of the order, The
; due date and the kill date beyond which the order can be
; assumed to be void. This block also starts/stops the machines.
;*****
;
;
;
ORDER    QUEUE,48:DETACH;
        QUEUE,1:DETACH;
        CREATE,1:86400;      start daily production
        ASSIGN:X(20)=0;
        ASSIGN:X(17)=0;
        ASSIGN:X(19)=0;
        ASSIGN:X(47)=X(47)+1;
        BRANCH,1:
            IF,NQ(48).NE.0,RE48:
            ELSE,RE1;
RE48    REMOVE:1,48,GETMAT:DISPOSE; Decide product and get material
RE1      BRANCH,1:           ;required.
            IF,NQ(1).NE.0,REM:
            ELSE,END;
REM      REMOVE:1,1,CHKORD;
        DELAY:0.001:DISPOSE;
END      ASSIGN:X(20)=0;
        COUNT:9:DISPOSE;
CHKORD   BRANCH,1:
            IF,TNOW/86400.GE.A(4),REMDIS:
            ELSE,GETMAT;
REMDIS   REMOVE:1,1,CHKORD:DISPOSE;
GETMAT   ASSIGN:X(1)=A(2);
        ASSIGN:X(50)=A(1);
        ASSIGN:X(48)=A(3);
        ASSIGN:X(46)=A(4);
        BRANCH,1:

```

APPENDIX II CRAMTD_POUCH_LINE_MODEL

2

```

        IF,X(1).EQ.-1,FINUP:
        ELSE,BRTYPE;
FINUP    SIGNAL:3:DISPOSE;
BRTYPE   BRANCH,1:
        IF,A(1).EQ.1,TYPE1:
        IF,A(1).EQ.2,TYPE2:
        IF,A(1).EQ.3,TYPE3:
        IF,A(1).EQ.4,TYPE4;
BEEF     ASSIGN:X(2)-X(2)+20;
        ROUTE:0,1;
POTATOES ASSIGN:X(3)-20+X(3);
        ROUTE:0,1;
CARROTS  ASSIGN:X(4)-X(4)+20;
        ROUTE:0,1;
STARCH   ASSIGN:X(5)-X(5)+20;
        ROUTE:0,1;
PEAS     ASSIGN:X(6)-X(6)+20;
        ROUTE:0,1;
MUSHROOM ASSIGN:X(7)-X(7)+20;
        ROUTE:0,1;
BEANS    ASSIGN:X(8)-X(8)+20;
        ROUTE:0,1;
BRINE    ASSIGN:X(9)-X(9)+20;
        ROUTE:0,1;
PEPPER   ASSIGN:X(10)-X(10)+20;
        ROUTE:0,1;
TYPE1    ASSIGN:X(16)=5;
        BRANCH,5:
        ALWAYS,BEEF:
        ALWAYS,POTATOES:
        ALWAYS,CARROTS:
        ALWAYS,PEAS:
        ALWAYS,STARCH;
TYPE2    ASSIGN:X(16)=3;
        BRANCH,3:
        ALWAYS,BEEF:
        ALWAYS,MUSHROOM:
        ALWAYS,STARCH;
TYPE3    ASSIGN:X(16)=3;
        BRANCH,3:
        ALWAYS,BEEF:
        ALWAYS,PEPPER:
        ALWAYS,STARCH;
TYPE4    ASSIGN:X(16)=4;
        BRANCH,4:
        ALWAYS,BRINE:
        ALWAYS,BEANS:
        ALWAYS,PEAS:
        ALWAYS,CARROTS;
;
;
;*****
;
;          MACHINE CONTROL
;
;    This block turns the machines off & on depending on the
;    signals from other blocks and the time of day.
;
;    It takes into account the difference in time between
;    the start of the cooking operations and filling.
;*****

```

APPENDIX II

CRAMTD_POUCH_LINE_MODEL

3

```

;
CREATE,1,100:86400;
QUEUE,88;
WAIT:3;
BRANCH,2:
    ALWAYS,CON:
        ALWAYS,INVEN;
CON    ASSIGN:X(33)=0;
        ALTER:FORMER,-1;
        ALTER:SEALER,-1;
        ALTER:CUTTING1,-1;
        ALTER:CUTTING2,-1;
        ALTER:CUTTING3,-1;
        ALTER:SPLITTER,-1;
        ALTER:INSPECT1,-1;
        ALTER:INSPECT2,-1;
        ALTER:INSPECT3,-1;
        ALTER:INSPECT4,-1;
        ALTER:INSPECT5,-1;
        ALTER:INSPECT6,-1;
        ALTER:INSPECT7,-1;
        ALTER:INSPECT8,-1;
        ALTER:LOADMEN(1),-1;
        ALTER:LOADMEN(2),-1;
        ALTER:BLOAD1,-1;
        ALTER:BLOAD2,-1;
        ALTER:INS1,-1;
        ALTER:INS2,-1;
        ALTER:INS3,-1;
        ALTER:INS4,-1;
        ALTER:INS5,-1;
        ALTER:INS6,-1;
        ALTER:INS7,-1;
        ALTER:INS8,-1;
        ALTER:INS9,-1;
        ALTER:INS10,-1;
        ALTER:INS11,-1;
        ALTER:INS12,-1;
        ALTER:INS13,-1;
        ALTER:INS14,-1;
        ALTER:INS15,-1;
        ALTER:INS16,-1;
        ALTER:PACKER1,-1;
        ALTER:PACKER2,-1;
        ALTER:PACKER3,-1;
        ALTER:PACKER4,-1;
    BRANCH,3:
        ALWAYS,Q50:
        ALWAYS,Q96:
        ALWAYS,Q95;
Q50    QUEUE,50;
        SEIZE,2:RETORT(1);
        RELEASE:RETORT(1);
        ALTER:RETORT(1),-1:NEXT(Q94);
Q95    QUEUE,95;
        SEIZE,2:RETORT(2);
        RELEASE:RETORT(2);
        ALTER:RETORT(2),-1:NEXT(Q94);

```


APPENDIX II
CRAMTD_POUCH_LINE_MODEL

4

Q96 QUEUE, 96;
 SEIZE, 2:RETORT(3);
 RELEASE:RETORT(3);
 ALTER:RETORT(3), -1:NEXT(Q94);

Q94 QUEUE, 94;
 GROUP:3;
 ASSIGN:X(35)=0;
 QUEUE, 47;
 WAIT:1;
 ASSIGN:X(33)=1;
 ASSIGN:X(34)=1;
 ALTER:FORMER, 1;
 ALTER:SEALER, 1;
 ALTER:CUTTING1, 1;
 ALTER:CUTTING2, 1;
 ALTER:CUTTING3, 1;
 ALTER:SPLITTER, 1;
 ALTER:INSPECT1, 1;
 ALTER:INSPECT2, 1;
 ALTER:INSPECT3, 1;
 ALTER:INSPECT4, 1;
 ALTER:INSPECT5, 1;
 ALTER:INSPECT6, 1;
 ALTER:INSPECT7, 1;
 ALTER:INSPECT8, 1;
 ALTER:LOADMEN(1), 1;
 ALTER:LOADMEN(2), 1;
 ALTER:BLOAD1, 1;
 ALTER:BLOAD2, 1;
 ALTER:INS1, 1;
 ALTER:INS2, 1;
 ALTER:INS3, 1;
 ALTER:INS4, 1;
 ALTER:INS5, 1;
 ALTER:INS6, 1;
 ALTER:INS7, 1;
 ALTER:INS8, 1;
 ALTER:INS9, 1;
 ALTER:INS10, 1;
 ALTER:INS11, 1;
 ALTER:INS12, 1;
 ALTER:INS13, 1;
 ALTER:INS14, 1;
 ALTER:INS15, 1;
 ALTER:INS16, 1;
 ALTER:PACKER1, 1;
 ALTER:PACKER2, 1;
 ALTER:PACKER3, 1;
 ALTER:PACKER4, 1;
 ASSIGN:X(35)=1;
 ALTER:RETORT(1), 1;
 ALTER:RETORT(2), 1;
 ALTER:RETORT(3), 1;
 SPLIT;
 DELAY:0:DISPOSE;

;
;*****
;*****

APPENDIX II
CRAMTD_POUCH_LINE_MODEL

5

END SCHEDULING MODULE

INVENTORY MODULE

```
;
;
; *****
; *****
;
; *****
; *****
;
;
; This block keeps track of the on-hand inventory. The only input
; is the probability that a given lot might be rejected by the
; USDA.
; It gives as output the on-hand inventory at any time
; *****;
;
INVEN  ASSIGN:A(1)=D(1);
        ASSIGN:D(2)=D(2)+D(1);
        ASSIGN:D(1)=0;
        ASSIGN:A(2)=X(47);
        BRANCH,1:
            WITH,0.1,USDREJ:
            ELASE,NOREJ
USREJ  ASSIGN:A(2)=A(2)+25;
BR11   BRANCH,1:
        IF,NQ(89) .EQ. 0, SIG9:
        ELSE, REM89;
REM89  REMOVE:1,89,CINVEN;
        QUEUE,87;
        WAIT:9;
        ASSIGN:D(3)=D(2);
Q89    QUEUE,89:DETACH;
CINVEN BRANCH,1:
        IF, A(2)-X(47) .GE. 10 ,DINV:
        ELSE,BR11;
DINV   ASSIGN:D(2)=D(2)-A(1):DISPOSE;
SIG9   SIGNAL:9:NEXT(Q89);
;
;
; *****
; *****
;
;
; *****
; *****
```

END INVENTORY MODULE

APPENDIX II
CRAMTD_POUCH_LINE_MODEL

6

COOKING MODULE

```
;
;
;
;
;*****
;*****
;
;
;*****
;   This is the first operation to start on any given day.
;   It can be divided into two activites Cooking/Cooling
;*****
;
;   STATION,1;
;   QUEUE,2;
;   COMBINE:X(16),LAST;
;   DUPLICATE:8;
;   BRANCH,3:
;       ALWAYS,Q37:
;       ALWAYS,Q84:
;       ALWAYS,Q82:
Q37  QUEUE,37;
;   SEIZE:KETTLE;
;   DELAY:CO(1);
;   RELEASE:KETTLE;
;   QUEUE,3;
;   SEIZE:COOLER;
;   DELAY:CO(2);
;   RELEASE:COOLER;
;   SIGNAL:1:DISPOSE;
Q84  QUEUE,84;
;   SEIZE:KETTLE2;
;   DELAY:CO(1);
;   RELEASE:KETTLE2;
;   QUEUE,83;
;   SEIZE:COOLER2;
;   DELAY:CO(2);
;   RELEASE:COOLER2:DISPOSE;
Q82  QUEUE,82;
;   SEIZE:KETTLE3;
;   DELAY:CO(1);
;   RELEASE:KETTLE3;
;   QUEUE,81;
;   SEIZE:COOLER3;
;   DELAY:CO(2);
;   RELEASE:COOLER3:DISPOSE;
;   STATION,2;
;
;
;
;*****
;*****
;
;
;   END COOKING MODULE
;
;*****
;*****
;
```

```
;*****  
;  
;                                     PACKAGING MODULE  
;   The Pouches are formed, filled, sealed and cut in this  
;   module  
;*****  
;  
;  
;  
;*****  
;   The first station here forms the pouches. They are formed in  
;   batches of six and move through the packaging module in a group.  
;   The group is split only after it reaches the cutting stations  
;*****  
;  
;  
;  
DUP      DUPLICATE:9;  
          ASSIGN:X(19)=X(19)+6;  
          ASSIGN:A(2)=X(19);  
          ASSIGN:A(5)=1;  
          DELAY:0.001;  
          BRANCH,1:  
            IF,TNOW-X(47)*86400.GE.36000.AND.  
              X(20).EQ.0,SP:  
                ELSE,Q4;  
SP        ASSIGN:X(20)=X(19);  
          BRANCH,2:  
            ALWAYS,Q4:  
              IF,X(19).LE.X(1),RET:  
                IF,NQ(1).EQ.0.AND.X(1).NE.-1,  
                  RET1;  
RET       ASSIGN:A(2)=X(1)-X(19);  
          ASSIGN:A(3)=X(48);  
          ASSIGN:A(4)=X(46):NEXT(ORDER);  
RET1     ASSIGN:A(2)=-1;  
          ASSIGN:A(3)=X(48);  
          ASSIGN:A(4)=X(46):NEXT(ORDER);  
Q4        COUNT:11;  
          QUEUE,49;  
          ROUTE:0,3;  
          STATION,3;  
Q7        QUEUE,4;  
          SEIZE:FORMER;  
          DELAY:CO(3):MARK(4);  
          BRANCH:  
            ALWAYS,CONT:  
              IF,NQ(4).LE.5.AND.X(20).EQ.0,DUP;  
CONT      RELEASE:FORMER;  
          ASSIGN:M=4;  
          ROUTE:0,4;  
;  
;  
;*****  
;   Once the pouches are formed they are indexed through the  
;   system. The distance between the former and the sealing
```

```
; station is 12 indexes. This is achieved by the next block.
; Any number of filling station that can be accomodated
; in this distance have no bearing on the results since
; the pouches will be indexed any ways.
;*****
;
;
; STATION,4-16;
; DELAY:CO(3),M;
; ASSIGN:M=M+1;
; ROUTE:0,M;
;
;
;*****
; The sealing operationis modeled in the next station.
; This operation also, is synchronized with rest of the line.
;*****
;
;
; STATION,17;
; QUEUE,5;
; SEIZE:SEALER;
; DELAY:CO(3);
; RELEASE:SEALER;
; ROUTE:0,18;
;
;
;*****
; The next three stations model the cutting/spliting operations.
; The pouches are in two rows and continues. These operations cut
; them into individual pouches.
;*****
;
;
; STATION,18;
; QUEUE,6;
; SEIZE:CUTTING1;
; ASSIGN:A(5)=10;
; DELAY:CO(3);
; RELEASE:CUTTING1;
; ROUTE:0,19;
; STATION,19;
; QUEUE,7;
; SEIZE:CUTTING2;
; DELAY:CO(3);
; RELEASE:CUTTING2;
; ROUTE:0,20;
; STATION,20;
; QUEUE,8;
; SEIZE:CUTTING3;
; DELAY:CO(3);
; RELEASE:CUTTING3;
; ROUTE:0,21;
; STATION,21;
; QUEUE,9;
; SEIZE:SPLITTER;
; DELAY:CO(3);
; RELEASE:SPLITTER;
```

APPENDIX II CRAMTD_POUCH_LINE_MODEL

9

DUPLICATE:6;
ASSIGN:A(5)-2;
ROUTE:0,22;

END PACKAGING MODULE

INSPECTION MODULE

; In this module the pouches are inspected 100% for bad seals.
; Only pouches which pass this inspection are retorted.

;

STATION,22;

QUEUE,10;

BRANCH,1:

WITH,.125,INS1:

WITH,.125,INS2:

WITH,.125,INS3:

WITH,.125,INS4:

WITH,.125,INS5:

WITH,.125,INS6:

WITH,.125,INS7:

WITH,.125,INS8;

INS1

QUEUE,11;

SEIZE:INSPECT1;

DELAY:RN(4,1);

RELEASE:INSPECT1:NEXT(QUE);

INS2

QUEUE,12;

SEIZE:INSPECT2;

DELAY:RN(4,2);

RELEASE:INSPECT2:NEXT(QUE);

INS3

QUEUE,13;

SEIZE:INSPECT3;

DELAY:RN(4,3);

RELEASE:INSPECT3:NEXT(QUE);

INS4

QUEUE,14;

SEIZE:INSPECT4;

DELAY:RN(4,4);

RELEASE:INSPECT4:NEXT(QUE);

INS5

QUEUE,41;

SEIZE:INSPECT5;

DELAY:RN(4,1);

RELEASE:INSPECT5:NEXT(QUE);

APPENDIX II CRAMTD_POUCH_LINE_MODEL

10

```

INS6    QUEUE, 42;
        SEIZE: INSPECT6;
        DELAY: RN(4, 2);
        RELEASE: INSPECT6: NEXT (QUE);
INS7    QUEUE, 43;
        SEIZE: INSPECT7;
        DELAY: RN(4, 3);
        RELEASE: INSPECT7: NEXT (QUE);
INS8    QUEUE, 44;
        SEIZE: INSPECT8;
        DELAY: RN(4, 4);
        RELEASE: INSPECT8: NEXT (QUE);
QUE     TALLY: A(1), INT(4);
        COUNT: A(1);
        BRANCH, 1:
            WITH, 0.5, Q93;
            WITH, 0.5, Q92;
Q93     QUEUE, 93;
        SEIZE: BLOAD1;
        DELAY: RN(8, 1);
        RELEASE: BLOAD1: NEXT (EL);
Q92     QUEUE, 92;
        SEIZE: BLOAD2;
        DELAY: RN(8, 1);
        RELEASE: BLOAD2: NEXT (EL);
EL      ASSIGN: X(30) = X(30) + 1;
        BRANCH, 1:
            IF, X(30).EQ.X(20), SETX22:
            ELSE, Q15;
SETX22  ASSIGN: X(22) = NQ(15) + 1;
        ASSIGN: A(2) = X(20);
        ASSIGN: X(30) = 0;
Q15     QUEUE, 15;
        COMBINE: X(22), LAST;
        BRANCH, 1:
            IF, A(2).EQ.X(20), SETX23:
            ELSE, Q16;
SETX23  ASSIGN: X(23) = NQ(16) + 1;
Q16     ASSIGN: A(5) = 4;
        QUEUE, 16;
        COMBINE: X(23), LAST;
        BRANCH, 1:
            IF, A(2).EQ.X(20), SETX24:
            ELSE, Q17;
SETX24  ASSIGN: X(24) = NQ(17) + 1;
Q17     ASSIGN: A(5) = 5;
        QUEUE, 17;
        COMBINE: X(24), LAST;
        ASSIGN:
            A(3) = X(22) + (X(23) - 1) * 8 + (X(24) - 1) *
            64;
        ASSIGN: X(22) = 8;
        ASSIGN: X(23) = 8;
        ASSIGN: X(24) = 16;
        ASSIGN: A(5) = 6;
;
;
; *****

```

APPENDIX II

CRAMTD_POUCH_LINE_MODEL

11

```

;*****
;
;               END INSPECTION MODULE
;
;*****
;*****
;
;
;*****
;*****
;
;               RETORTING MODULE
;
;*****
;*****
;
;
;*****
;
;   The pouches are grouped in batches of 1024. Two of these
;   batches can be loaded in a retort at a time.
;*****

      STATION,23;
      QUEUE,59;
      REQUEST,1,1:CART;
      TRANSPORT:CART,24;
      STATION,24;
      FREE:CART;
      BRANCH,1:
        IF,A(2).EQ.X(20),SETX25:
        ELSE,SETA33;
SETX25  ASSIGN:X(25)=NQ(18)+1;
        SIGNAL:3;
SETA33  ASSIGN:A(3)=A(3)+NQ(18)*1024;
        QUEUE,18;
        COMBINE:X(25),LAST;
        ASSIGN:X(25)=2;
        COUNT:13;
        QUEUE,19;
        SELECT,RAN:
          RETORT1:
          RETORT2:
          RETORT3:
RETORT1 SEIZE, 1:  RETORT(1);
        ASSIGN:A(4)=1:NEXT(RETREL);
RETORT2 SEIZE, 1:  RETORT(2);
        ASSIGN:A(4)=2:NEXT(RETREL);
RETORT3 SEIZE, 1:  RETORT(3);
        ASSIGN:A(4)=3:NEXT(RETREL);
RETREL  ASSIGN:    A(5)= 9;           change to 4 basket symbol
        DELAY:     CO(5);
        RELEASE:    RETORT(A(4)) ;
        QUEUE,40;
        SCAN:TNOW-X(47)*86400.LT.36000;
        QUEUE,60;
        REQUEST,1:CART;

```


APPENDIX II CRAMTD_POUCH_LINE_MODEL

12

TRANSPORT: CART, 25;

END RETORTING MODULE

CASING MODULE

The pallets are removed from the retort and sent over to this module. The pouches are removed from the pallets and cased. The various operations involved are washed, inspected, labeling and cartooning;

This station unloads the pouches from the pallet and places them on the conveyor where it is washed.

```

STATION, 25;
FREE: CART;
ASSIGN: X(18) - X(18) + A(3);
DUP1  DUPLICATE: 9;
      ASSIGN: A(5) - 7;
      ASSIGN: X(18) - X(18) - 1;
      BRANCH, 1:
        IF, X(18) .LT. 0, DIS:
          ELSE, QUEUP;
DIS  ASSIGN: X(18) - X(18) + 1: DISPOSE;
QUEUP QUEUE, 20;
      SELECT, CYC:
        L1:
        L2;
L1  SEIZE, 2: LOADMEN(1);
    ASSIGN: A(5) - 2;
    ASSIGN: A(4) - 1: NEXT(LREL);
L2  SEIZE, 2: LOADMEN(2);
  
```

APPENDIX II CRAMTD_POUCH_LINE_MODEL

13

```

ASSIGN:A(5)-2;
ASSIGN:A(4)-2:NEXT(LREL);
LREL    COUNT:14;
        DELAY:RN(8,1);
        BRANCH:
            ALWAYS,CONTI1:
            IF,NQ(20).LE.2.AND.X(18).GT.0,
            DUP1;
CONTI1   RELEASE:LOADMEN(A(4));
        QUEUE,21;
        ACCESS:CONV3;
        CONVEY:CONV3,26;
;
;
;*****
;   This is the final inspection station. The pouches are
;   inspected for any possible defect. This is also a 100%
;   inspection.
;*****
        STATION,26;
        EXIT:CONV3:MARK(4);
        BRANCH,8:
            WITH,1/16,IN1:
            WITH,1/16,IN2:
            WITH,1/16,IN3:
            WITH,1/16,IN4:
            WITH,1/16,IN5:
            WITH,1/16,IN6:
            WITH,1/16,IN7:
            WITH,1/16,IN8:
            WITH,1/16,IN9:
            WITH,1/16,IN10:
            WITH,1/16,IN11:
            WITH,1/16,IN12:
            WITH,1/16,IN13:
            WITH,1/16,IN14:
            WITH,1/16,IN15:
            WITH,1/16,IN16;
IN1      QUEUE,22;
        SEIZE,2:INS1;
        DELAY:RN(7,7);
        RELEASE:INS1:NEXT(QUE3);
IN2      QUEUE,23;
        SEIZE,2:INS2;
        DELAY:RN(7,8);
        RELEASE:INS2:NEXT(QUE3);
IN3      QUEUE,24;
        SEIZE,2:INS3;
        DELAY:RN(7,7);
        RELEASE:INS3:NEXT(QUE3);
IN4      QUEUE,25;
        SEIZE,2:INS4;
        DELAY:RN(7,9);
        RELEASE:INS4:NEXT(QUE3);
IN5      QUEUE,26;
        SEIZE,2:INS5;
        DELAY:RN(7,1);
        RELEASE:INS5:NEXT(QUE3);

```

APPENDIX II CRAMTD_POUCH_LINE_MODEL

14

```

IN6      QUEUE,27;
          SEIZE,2:INS6;
          DELAY:RN(7,2);
          RELEASE:INS6:NEXT(QUE3);
IN7      QUEUE,28;
          SEIZE,2:INS7;
          DELAY:RN(7,3);
          RELEASE:INS7:NEXT(QUE3);
IN8      QUEUE,29;
          SEIZE,2:INS8;
          DELAY:RN(7,7);
          RELEASE:INS8:NEXT(QUE3);
IN9      QUEUE,31;
          SEIZE,2:INS9;
          DELAY:RN(7,7);
          RELEASE:INS9:NEXT(QUE3);
IN10     QUEUE,32;
          SEIZE,2:INS10;
          DELAY:RN(7,8);
          RELEASE:INS10:NEXT(QUE3);
IN11     QUEUE,33;
          SEIZE,2:INS11;
          DELAY:RN(7,7);
          RELEASE:INS11:NEXT(QUE3);
IN12     QUEUE,35;
          SEIZE,2:INS12;
          DELAY:RN(7,9);
          RELEASE:INS12:NEXT(QUE3);
IN13     QUEUE,90;
          SEIZE,2:INS13;
          DELAY:RN(7,1);
          RELEASE:INS13:NEXT(QUE3);
IN14     QUEUE,39;
          SEIZE,2:INS14;
          DELAY:RN(7,2);
          RELEASE:INS14:NEXT(QUE3);
IN15     QUEUE,45;
          SEIZE,2:INS15;
          DELAY:RN(7,3);
          RELEASE:INS15:NEXT(QUE3);
IN16     QUEUE,46;
          SEIZE,2:INS16;
          DELAY:RN(7,7);
          RELEASE:INS16:NEXT(QUE3);
QUE3     QUEUE,30;
          ACCESS:CONV4;
          ASSIGN:X(49)=A(1);
          CONVEY:CONV4,27;

```

```

;
;
;*****
;   The pouches are individually packed and then cartooned.
;   These operations are modeled in the next two stations.
;*****
;
;   STATION,27;
;   EXIT:CONV4;
;   BRANCH,1:

```

```

        WITH, .25, PACKER1;
        WITH, .25, PACKER2;
        WITH, .25, PACKER3;
        WITH, .25, PACKER4;
PACKER1  QUEUE, 34;
        SEIZE:PACKER1;
        ASSIGN:A(5)-10;
        DELAY:RN(8, 1);
        RELEASE:PACKER1:NEXT(QUE56);
PACKER2  QUEUE, 72;
        SEIZE:PACKER2;
        ASSIGN:A(5)-10;
        DELAY:RN(8, 2);
        RELEASE:PACKER2:NEXT(QUE56);
PACKER3  QUEUE, 85;
        SEIZE:PACKER3;
        ASSIGN:A(5)-10;
        DELAY:RN(8, 1);
        RELEASE:PACKER3:NEXT(QUE56);
PACKER4  QUEUE, 86;
        SEIZE:PACKER4;
        ASSIGN:A(5)-10;
        DELAY:RN(8, 2);
        RELEASE:PACKER4;
QUE56    QUEUE, 56;
        ACCESS:CONV6;
        ASSIGN:A(5)-15;
        CONVEY:CONV6, 28;
;
;
        STATION, 28;
        EXIT:CONV6;
        ASSIGN:D(1)=D(1)+1;
        ASSIGN:A(1)=A(1)+4;
        TALLY:A(1), INT(4);
        COUNT:A(1);
        ASSIGN:A(1)=A(1)-4;
        BRANCH, 1:
            IF, A(1).EQ.X(40).OR.NQ(36).EQ.0,
                CON12:
                ELSE, SETX26;
SETX26    ASSIGN:X(26)=NQ(36);
CON12     ASSIGN:X(40)=A(1);
        QUEUE, 36;
        COMBINE:X(26), LAST;
        ASSIGN:X(26)=20:DISPOSE;

```

```

END;

```

```

;*****
;*****
;
;
;*****
;*****
;
;
;*****
;*****
;
;
;

```

```

END CASING MODULE

```

APPENDIX II
CRAMTD_POUCH_LINE_MODEL

16

```
;
;*****
;*****
;
;      END OF THE MODEL FILE
;
;*****
;*****;
```

EXPERIMENTAL FILE

```
;*****
;*****
;
;*****
;*****
;
;*****
;      This file contains the data required to run the model.
;      Some of this data is user input but a good part of it
;      is the data required by siman. It also has the definition
;      of the various stations, resources etc used in the model.
;*****
```

BEGIN ,10,10,NO,NO;

PROJECT ,POUCH,JAFARI.M,1/25/1990;

DISCRETE ,650,5,99,30,5;

```
;*****
;      The arrivals block stores the various orders that have to
;      be processed.
;      1(order #),QUEUE(80)(queue #),0(Time when orders is to be created)
;      1(batch size of the orders),2( product type),21856(order size)
;      ,1(due date, in days),9999(kill date , in days):
;*****
```

ARRIVALS :1,QUEUE(88),0.00,1:
 2,QUEUE(1),0.00,1,1,50000,0.00,100000;

```
;*****
;      The block intializes certain variables like pallet size
;*****
INITIALIZE ,X(17)=0,
          X(19)=0,
          X(20)=0,
```

APPENDIX II

CRAMTD_POUCH_LINE_MODEL

17

```

X(47)--1,
X(21)=8,
X(22)=8,
X(23)=8,
X(24)=16,
X(25)=2,
X(26)=20,
X(18)=0;

;
PARAMETERS :1,1800: !CO>Cook time
            2,1800: !CO>Cooling time
            3,4: !CO>casing & paletizing

            4,4,.25: !RN>
            5,3600: !CO>Retort Cycle time
            6,20: !CO>
            7,7,0: !RN>
            8,1,0: !RN>
            9,10: !co> Incubation period
            10,0.1: !co> USDA rejection

;
RANKINGS :1-1,LVF(3):
          2-40,FIFO;
;*****
; This gives a list of resources used in the model.
;*****
RESOURCES :1-1,KETTLE,1:
          2-2,COOLER,1:
          3-3,FORMER,1:
          4-4,SEALER,1:
          5-5,CUTTING1,1:
          6-6,CUTTING2,1:
          7-7,CUTTING3,1:
          8-8,SPLITTER,1:
          9-9,INSPECT5,1:
          10-10,INSPECT6,1:
          11-11,INSPECT7,1:
          12-12,INSPECT8,1:
          13-13,INS9,1:
          14-14,INS10,1:
          15-15,INSPECT1:
          16-16,INSPECT2:
          17-17,EMPTY:
          18-18,INSPECT3:
          19-19,INSPECT4:
          20-20,EMPTY:
          21-21,INS11,1:
          22-22,INS1:
          23-23,INS2:
          24-24,INS3:
          25-25,INS4:
          26-26,INS5,1:
          27-27,INS6,1:
          28-28,INS7,1:
          29-29,INS8,1:
          30-30,INS12,1:
          31-31,PACKER1,1:
          32-32,PACKER2,1:

```

APPENDIX II

CRAMTD_POUCH_LINE_MODEL

18

```

33-33,INS13:
34-34,INS14:
35-35,INS15:
36-36,INS16:
37-39,RETORT,1,1,1:
40-40,BLOAD1:
41-41,BLOAD2,1:
42-43,LOADMEN,1,1:
44-44,PACKER3,1:
45-45,PACKER4,1:
46-46,RETOP,1:
47-47,KETTLE2,1:
48-48,KETTLE3,1:
49-49,COOLER2,1:
50-50,COOLER3,1:
;
;*****
;   The speed of the transporter is given in this block
;*****
TRANSPORTERS:1,CART,1,1,1.00,23-A;
;
DISTANCES   :1,23-25,
              10,   10/
              10;
;*****
;   The conveyor speeds are outlined here
;*****
CONVEYORS    :1,CONV3,1,24,6,ACTIVE:
              2,CONV4,2,24,6,ACTIVE:
              3,CONV6,3,24,6,ACTIVE;
;
SEGMENTS     :1,25,26-72:
              2,26,27-60:
              3,27,28-80;
;*****
;   The following decide the information that is to be put in
;   the siman output report. Most of this information is to
;   ensure that the model went through its noraml execution.
;*****
DSTAT        :1,NR(3),UTIL OF FEEDER:
              2,NR(4),YTIL OF FILLER:
              3,NR(5),UTIL OF SEALMAN:
              4,NR(6),YTIL OF SEALING:
              5,NR(7),UTIL OF INSPECT1:
              6,NR(8),YTIL OF INSPECT2:
              7,NR(9),UTIL OF INSPECT3:
              8,NR(10),YTIL OF INSPECT4:
              9,X(33),TOPLINE:
              10,X(34),BEEFFEED:
              11,X(35),RETORT;
;
TALLIES      :1,T BEFORE RET P1:
              2,T BEFORE RET P2:
              3,T BEFORE RET P3:
              4,T BEFORE RET P4:
              5,T PACKING P1:
              6,T PACKING P2:
              7,T PACKING P3:

```

APPENDIX II
CRAMTD_POUCH_LINE_MODEL

19

8,T PACKING P4;

;
COUNTERS :1,NO FILLED P1,,YES:
2,NO FILLED P2,,YES:
3,NO FILLED P3,,YES:
4,NO FILLED P4,,YES:
5,NO PACKED P1,,YES:
6,NO PACKED P2,,YES:
7,NO PACKED P3,,YES:
8,NO PACKED P4,,YES:
9,END SIMU,1,YES:
10,BEEFFEED,,YES:
11,FEEDER,,YES:
12,SEALMAN,,YES:
13,RETORT,,YES:
14,LOADMAN,,YES;

;
OUTPUT :1,D(3),10,INVENTORY;

;
REPLICATE ,1,0.0,,Y,Y,0.0;

;
END;

COMBAT RATION ADVANCED MANUFACTURING TECHNOLOGY DEMONSTRATION (CRAMTD)

**Preliminary Database Design for the
CRAMTD Demonstration Plant
Technical Working Paper (TWP) 56**

**N.R. Adam, T.O. Boucher, T. Chamberlin, J. McPhail, and J.M. Weber
CRAMTD, Food Science Building
Rutgers, The State University of New Jersey
July 1992**

**Sponsored by:
DEFENSE LOGISTICS AGENCY
Cameron Station
Alexandria, VA 22304-6145**

**Contractor:
Rutgers, The State University of New Jersey
THE CENTER FOR ADVANCED FOOD TECHNOLOGY*
Cook College
N.J. Agricultural Experiment Station
New Brunswick, New Jersey 08903**

**DR. JACK L. ROSSEN
Program Director, CRAMTD
DR. JOHN F. COBURN
Associate Director, CRAMTD**

**TEL: 908-932-7985/8307
FAX: 908-932-8690**

"Preliminary Database Design for the
CRAMTD Demonstration Plant"

Technical Working Paper (TWP) 56

N.R. Adam, T.O. Boucher, T. Chamberlin, J. McPhail, and J. Weber

Abstract

This technical report summarizes the work on the database selected (ORACLE) to implement the Informational Architecture for Packaged Food Manufacture. The report Appendices include: the database tables showing the correspondence between the ORACLE database management system and the IDEF1X Informational Architecture, SQL forms both fully and partially implemented (forms are related to the Functional Architecture), and SQL reports with the identification of supported functions.

1.0 Introduction

This report addresses the requirements of Task Item 3.7.5 of STP #4, requiring a Technical Report on the design of a preliminary database for the CRAMTD Plant. Phase II of STP #4 required studying the procedures which coalition companies operated their enterprises in the manufacture of shelf stable food products. Based on these studies the research team abstracted the common features of the coalition companies studied, developing a generic set of operating procedures. This generic set is referred to as a "Functional Architecture". A Functional Architecture is a description of the functions performed in operating the enterprise and the relationship among those functions as given by the information flows and material flows linking them. The Functional Architecture was published as Technical Working Paper (TWP)37, "Technical Report: Functional Architecture for Packaged Food Manufacture".

Phase III of STP #4 required identifying the data requirements necessary to support the activities modeled by the Functional Architecture. These data requirements are modeled using an entity-attribute-relationship methodology developed under sponsorship of the U.S. Air Force. This methodology, called IDEFlX (Integrated Computer-Aided Manufacturing Definition 1, Extended), allows the user to create a logical relational database design that is easily understood by business professionals without computer training. This model of the data requirements and their relationships is called an "Informational Architecture". The

Informational Architecture was published as Technical Working Paper (TWP)52, "Technical Report: Informational Architecture for Packaged for Food Manufacture".

Phase IV of STP #4 required implementing the Informational Architecture in a physical database system. This database was to be preliminary in nature thus providing a basis for experimental prototyping and testing of screens and reports that could be implemented in the CRAMTD Phase II demonstration facility. The preliminary database that was developed has established the foundation for final database design and implementation in CRAMTD Phase II. It is the purpose of this report to summarize the work completed on this Task Item in STP #4.

2. Relational Databases and the ORACLE Database Management System

The preliminary database has been implemented on an ORACLE database running on an IBM PS2/70. ORACLE is a database management system (DBMS) that is based on the relational model. According to this model, the relational database is made up of a set of interrelated two-dimensional tables where atomic values are stored in any table cell. A DBMS that is based on the relational model should provide a query language that is based on relational algebra or relational calculus. ORACLE uses SQL (Structured Query Language) as its query language. SQL is considered the standard relational query language in the database industry.

In addition to the SQL, ORACLE provides additional tools including the following:

1. SQL*Plus. Enables users who are familiar with SQL to query the database and perform data definition, manipulation, and control operations.
2. SQL*Forms. Enables application developers to develop a user-friendly forms-driven interface to an ORACLE application. Sophisticated forms can be easily developed by including SQL statements in the form of Triggers.
3. SQL*Menu. Enables application developers to integrate various ORACLE forms, reports and other ORACLE functions into a menu-driven application.
4. SQL*ReportWriter. Enables application developers to use a menu-driven tool for generating complex reports using SQL statements.
5. SQL*Calc and SQL*Graph. Provide spreadsheet and graphics interface to an ORACLE database.
6. ProC. Provides the user an interface for applications programs written in the C programming language.

In this report we will show the current status of development work using ORACLE DBMS. For more specific information on the ORACLE tool set, the reader is referred to the references at the end of the text of this report.

3. Tables and Their Relationship to IDEF1X

The basic record keeping element in a relational database is the Table. A table is created for each element of the enterprise about which we want to keep information. The table may be defined

for something tangible; e.g., an employee, or for something abstract; e.g., a production schedule.

The Table of a database corresponds exactly to the concept of an Entity in an IDEF1X model. In fact, database tables are created by implementing IDEF1X entities in software. Exhibit A.1, Appendix A, is a list showing the correspondence between the table names in the ORACLE DBMS and the IDEF1X Entity names reported in reference [1].

Tables have attributes, which are the characteristics of the entity about which information is to be kept. So, for example, a Table of Employees will contain attributes of Employee-id, Employee-Name, Employee Hourly Rate, etc. Each record, or instance of an employee will be described by those attributes. At least one attribute of the table should be unique for each record. So, for example, Employee-id uniquely identifies a particular employee.

In Appendix A, Exhibit A.2, we have summarized all the tables existing in the preliminary database. The reader will note the correspondence between the attributes of the tables and the attributes of their corresponding Entities of the IDEF1X model. There are some additional tables implemented in the database that are system tables used for database management purposes. These have no corresponding entities in IDEF1X.

4. User Screens and SQL Forms

This brief description will assist the reader in understanding

the tables in Appendix A. For further information, the reader is referred to references [4] and [6].

One purpose of database design is to provide a user friendly interface for entering and retrieving data. The user should be able to query the database regarding the status of the enterprise operations; for example, the status of a customer order or the status of the raw ingredient inventory. The user should also be able to incorporate status changes into the database; for example, changes in finished product inventory due to recent shipments or new finished production. SQL Forms provides a "window" to the database tables that allows the user to query or update the tables.

Forms must be designed by the system designers. Several forms have been designed for the preliminary database and are shown in Appendix B. There are two categories of forms in that Appendix: 1) forms that are fully implemented and 2) forms that are partially implemented. A fully implemented form has been designed in considerable detail and usually includes "triggers" that query multiple tables and often run validity checks on a data entry. For example, if a user is entering a new delivery of raw material, the system should check outstanding purchase orders to insure that this raw material has been ordered. The system should also close out the purchase order. Some SQL forms have been implemented at this level of detail.

Partially implemented forms provide a screen for displaying records from tables, but do not have the level of detailed implementation as a fully implemented form.

The forms of Appendix B are displayed in two formats. The first format is shown in Exhibit B.1. The upper left hand corner displays the information that allows the user to relate the form to the Functional Architecture of reference [2]. The Functional Architecture describes the functions that are performed in operating the enterprise. The database is used to support those functions. The entry at the upper left allows the user to relate the screen to the functions described in reference [2].

Below the functional context is the screen itself as it would appear to the user. No data is presented on these example screens.

Finally, below the screen is detail concerning SQL code used in the implementation of the screen. The purpose of the SQL code is shown on the left hand side of the page; the SQL code itself is shown on the right hand side of the page. For further interpretation the reader is referred to reference [3].

The second kind of format is illustrated by Exhibit B.2. Here we do not define a relationship to the Functional Architecture, nor do we define SQL codes for Triggers. These are not user screens. These forms are used by the Database Administrator to enter data directly and are used by the system development team to put test data into the database.

The process of creating user screens using SQL forms will continue through Phase II of CRAMTD as the preliminary database design evolves into a final database implementation.

5. User Reports

Another vehicle for obtaining information from the database is the use of SQL ReportWriter. Whereas SQL Forms allows user interaction in both an input and query mode, SQL ReportWriter only provides fixed format output. When it is desirable to generate hard copy reports, SQL ReportWriter is used.

The SQL reports developed under this task item are shown in Appendix C. As in the case of SQL forms we have formatted the pages to indicate the functions the report is intended to support in the upper left hand corner. This is followed by the report format and, finally, by the SQL routine that queries the tables and formats the data. For further information on SQL ReportWriter, the reader is referred to reference [5].

Summary

In this technical report we have outlined the work performed under STP #4 in designing a preliminary database for CRAMTD. This work is ongoing and represents a starting point for Phase II prototyping and implementation. The task of database development and validity testing will not be complete until all user screens are implemented and the software has been tested by a structured walk through that simulates the actual operation of the enterprise, as outlined in the Functional Architecture. These tasks will be undertaken in CRAMTD Phase II.

References:

1. Adam, N.R., T.O. Boucher, T. Chamberlin and J. Weber,
"Technical Report: Informational Architecture for Packaged
Food Manufacturing", Technical Working Paper (TWP) 52.
2. Boucher, T.O., M.A. Jafari, S. Kim and J. McPhail, "Technical
Report: Functional Architecture for Packaged Food
Manufacturing", Technical Working Paper (TWP) 37.
3. "SQL Forms Designers Reference", Version 2.3, Oracle
Corporation, 1988.
4. "SQL Language Reference Manual; Version 5.1, Oracle
Corporation, 1988.
5. "SQL ReportWriter Reference Manual", Version 1'.0, Oracle
Corporation, 1990.
6. "SQL Plus Reference Manual", Version 2.1, Oracle Corporation,
1988.

APPENDIX A
DATABASE TABLES

Exhibit A.1

| <u>TABLE NAME</u> | <u>CORRESPONDING IDEFIX BLOCK</u> |
|-------------------|-----------------------------------|
| ACCOUNT_R | ACCOUNTS RECEIVABLE |
| BATCH_D | BATCH DETAIL |
| BATCH_RECORD | BATCH RECORD |
| CUSTOMER | CUSTOMER |
| CUSTOMER_ORDER | CUSTOMER ORDER |
| CUSTOMER_ORDER_D | CUSTOMER DETAIL |
| DEPARTMENT | DEPARTMENT |
| EMPLOYEE | EMPLOYEE |
| FILLING_RECORD | FILLING RECORD |
| INVOICE_PAY | INVOICE PAYABLE |
| LABEL | LABEL |
| LABOR_TICKET | LABOR TICKET |
| LINE_PROCESS | PROD LINE/PROCESS XREF |
| MACHINE | MACHINE |
| MACHINE_AVAIL | MACHINE AVAILABLE |
| MACHINE_PROCESS | MACHINE/PROCESS XREF |
| MACHINE_SKILL | MACHIN/SKILL |
| MATERIAL | MATERIAL |
| MATERIAL_LIST | MATERIAL LIST |
| MATERIAL_MOVE | MATERIAL MOVE |
| MAT_PURPLAN | MATERIAL PURCHASE PLAN |
| MATERIAL_SPEC | MATERIAL SPEC |
| PALLET_CARD | PALLET CARD |
| PALLET_D | PALLET DETAIL |
| PM_HISTORY | PM HISTORY |
| PO | PURCHASE ORDER |
| PO_ITEM | PO ITEM |
| PRICE_BREAK | PRICE BREAK |
| PROCESS | PROCESS |
| PRODSEL | APPROVED PRODUCT LIST |
| PRODUCT | PRODUCT |
| PRODUCTION_LINE | PRODUCTION LINE |
| QUALITY_REPORT | QUALITY REPORT |
| QUOTE | QUOTE |
| QUOTE_D | QUOTE DETAIL |
| RECIPE | RECIPE |
| RECIPE_LINE | RECIPE/LINE XREF |
| RECIPE_MASTER | RECIPE MASTER |
| REQUISITION | REQUISITION |
| RETORT | RETORT |
| RFQ | REQUEST FOR QUOTATION |
| SCHEDULE_D | SCHEDULE DETAIL |
| SCHEDULE_M | SCHEDULE MASTER |
| SHIPMENT | SHIPMENT |
| SHIP_CROSS_REF | SHIPMENT CROSS REF |
| SKILL | SKILL |
| SOLICIT | SOLICITATION |
| TASK | TASK |
| TEST | TESTS |
| TEST_SAMPLE | TEST SAMPLE |
| VENDOR | VENDOR |
| VENDOR_LOT | VENDOR LOT |
| VENDOR_QUOTE | VENDOR QUOTE |
| VENXREF | VENDOR CROSS REF |
| WO_PARTS | WO PARTS DETAIL |
| WO_TASK_EMP | WO TASK/EMP DETAIL |
| WORK_ORDER | WORK ORDER |

| <u>TABLE_NAME</u> | <u>ATTRIBUTE_NAME</u> |
|-------------------|---|
| ACCOUNT_R | CUST_INV_NO CUST_LINE_NO ORDER_NO SHIPMENT_NO |
| BATCH_D | BATCH_QTY BATCH_START_HOUR BATCH_START_MIN FILLING_LINE MATERIAL_LOT_NO PRODUCTION_DATE PRODUCT_ID |
| BATCH_RECORD | BATCH_SIZE BATCH_START_HOUR BATCH_START_MIN COOK_TEMP COOK_TIME_HOUR COOK_TIME_MIN FILLING_LINE KETTLE_ID PRODUCTION_DATE PRODUCT_ID RECIPE_ID SUPERVISOR_EMP_ID |
| CUSTOMER | CUST_ADDR1 CUST_ADDR2 CUST_CITY CUST_EXT CUST_ID CUST_NAME CUST_PHONE CUST_STATE CUST_ZIP |
| CUSTOMER_ORDER | CUST_ID CUST_PO EMP_ID ORDER_DATE ORDER_NO |

CUSTOMER_ORDER_D

CUST_LINE_NO
CUST_LINE_STATUS
CUST_QTY
CUST_REQUEST_DATE
DUMMY
EFFECTIVE_DUE_DATE
LABEL_ID
LAST_PRIORITIZED_DATE
ORDER_NO
PACKING_QTY
PRICE
PRIORITY
PRODUCTION_LINE_ID
PRODUCTION_QTY
PRODUCT_ID
RECIPE_ID

DEPARTMENT

DEPT_ID
DEPT_NAME
DEPT_PHONE

EMPLOYEE

EMP_CITY
EMP_FNAME
EMP_ID
EMP_LNAME
EMP_PHONE
EMP_RATE
EMP_STATE
EMP_STREET
EMP_ZIP
SKILL_ID

FILLING_RECORD

FILLING_LINE
MATERIAL_LOT_NO
PRODUCT_ID
PRODUCTION_DATE
QTY_FILLED

INVOICE_PAY

INVOICE_NO
INVOICE_QTY
MATERIAL_LOT_NO
PO_ITEM
PO_NO

| | |
|-----------------|---|
| LABEL | LABEL_ID LABEL_NAME |
| LABOR_TICKET | CUST_LINE_NO EMP_ID ORDER_NO SHIFT_NO WORK_DATE WORK_HOURS |
| LINE_PROCESS | OPERATION_SEQ PROCESS_ID PRODUCTION_LINE_ID |
| MACHINE | MACHINE_DESC MACHINE_ID MACHINE_LABOR MACHINE_LOCATION |
| MACHINE_AVAIL | AVAIL_TIME MACHINE_ID PERIOD_LENGTH |
| MACHINE_PROCESS | MACHINE_ID PROCESS_ID |
| MACHINE_SKILL | LABOR_QTY MACHINE_ID SKILL_ID |
| MATERIAL | LAST_BUY LAST_PAID MATERIAL_DESC MATERIAL_ID MATERIAL_UOM REORDER_POINT REORDER_QTY STD_COST |
| MATERIAL_LIST | AMT_BY_UNIT MATERIAL_ID PRODUCT_ID RECOVERY_PERCENT UNIT_OF_MEASURE |

MATERIAL_MOVE

FILLING_LINE
MATERIAL_LOT_NO
MOVE_QTY
MOVE_TO_LOCATION
PRODUCTION_DATE
PRODUCT_ID
TRANSACTION_TYPE

MATERIAL_SPEC

AQL
HIGH_LIMIT
INSPECTION_PROCEDURE
LOW_LIMIT
MATERIAL_ID

MAT_PURPLAN

ACCEPT_QTY
MATERIAL_ID
PRODUCT_ID
RECIPE_ID
SOLICIT_ID
VENDOR_ID

PALLET_CARD

CUST_LINE_NO
LABEL_ID
LOCATION
ORDER_NO
ORIG_CUST_LINE_NO
ORIG_ORDER_NO
PALLET_ID
PALLET_STATUS
PRODUCT_ID
VAR_DATE
VAR_STATUS
VAR_UNITS

PALLET_D

COOK_NO
FILLING_LINE
LABEL_DATE
PALLET_ID
PRODUCTION_DATE
QTY_CASES
RETORT_ID

PM_HISTORY

FREQ
LAST_DATE
MACHINE_ID
TASK_ID

PO

PO_DATE
PO_NUMBER
PO_QUANTITY
PO_STATUS
REQUISITION_NO
VENDOR_ID

PO_ITEM

MATERIAL_ID
PO_ITEM
PO_ITEM_BAL
PO_ITEM_DELIVER
PO_ITEM_PRICE
PO_ITEM_QTY
PO_ITEM_STATUS
PO_NO

PRICE_BREAK

BREAK_PRICE
BREAK_QTY
PRODUCT_ID

PROCESS

PROCESS_CLASS
PROCESS_DESC
PROCESS_ID

PRODSEL

PRODSEL_DUE
PRODUCT_ID
SELECT_QTY
SOLICIT_ID

PRODUCT

CAN_SIZE
CAN_SPEC
LID_SPEC
NET_WEIGHT
PRODUCT_ID
PRODUCT_NAME
QTY_PER_CASE
REJECT_RATE
REWORK_RATE
VALID_TILL

| | |
|-----------------|---|
| PRODUCTION_LINE | PRODUCTION_LINE_DESC PRODUCTION_LINE_ID |
| QUALITY_REPORT | MATERIAL_ID MATERIAL_LOT_NO TEST_ID TEST_RESULT |
| QUOTE | CUST_ID EXPERATION_DATE QUOTE_DATE QUOTE_ID |
| QUOTE_D | PRODUCT_ID QUOTE_ID QUOTE_LINE QUOTE_PRICE QUOTE_QTY QUOTE_SHIP_DATE |
| RECIPE | MATERIAL_ID PRODUCT_ID RECIPE_ID |
| RECIPE_LINE | PRODUCTION_LINE_ID PRODUCT_ID RATE RECIPE_ID |
| RECIPE_MASTER | AMT_END_UNITS CSIZE GALLONS PROCESS_TEMP PROCESS_TIME PRODUCT_ID RECIPE_ID TARGET_COOK_TEMP TARGET_COOK_TIME TARGET_INIT_TEMP TYPE_COOK |

REQUISITION

DEPT
MATERIAL_ID
REQ_DATE
REQ_ID
REQ_QTY
REQ_STATUS
UNIT_OF_MEASURE

RETORT

COOK_NO
DISPOSITION
END_COMEUP_HOUR
END_COMEUP_MIN
END_COMEUP_TEMP
END_COOK_HOUR
END_COOK_MIN
END_COOK_TEMP
END_FILL_HOUR
END_FILL_MIN
END_VENT_HOUR
END_VENT_MIN
END_VENT_TEMP
FILLING_LINE
INCUBATION_END
INCUBATION_START
INITIAL_TEMP
INSPECTOR_EMP_ID
LEAD_EMP_ID
NO_CARTS
NO_SAMPLES
PRODUCTION_DATE
PRODUCT_ID
RETORT_ID
RETORT_QTY
RETORT_START_HOUR
RETORT_START_MIN
START_FILL_HOUR
START_FILL_MIN
SUPERVISOR_EMP_ID

| | |
|----------------|--|
| RFQ | ACCEPT_QTY MATERIAL_ID PRODUCT_ID PROMISE_DATE RECIPE_ID REPLY_PRICE REPLY_QTY REQUESTED_DATE REQUEST_QTY SOLICIT_ID VENDOR_ID |
| SCHEDULE_D | ACTUAL_PROD_QTY ACTUAL_TIME COMMITED_TIME CUST_LINE_NO ESTIMATED_PROD_QTY MACHINE_ID ORDER_NO SCHEDULE_ID SCHEDULE_SEQ |
| SCHEDULE_M | BEGIN_PERIOD EMPLOYEE_ID END_PERIOD LAST_REVISID ORIGINAL_DATE SCHEDULE_ID |
| SHIPMENT | SHIPMENT_DATE SHIPMENT_NO SHIPMENT_TRUCK |
| SHIP_CROSS_REF | ORDER_NO ORDER_NO_LINE PALLET_ID SHIPMENT_NO |
| SKILL | HI_WAGE LO_WAGE SKILL_DESC SKILL_ID |

| | |
|-------------|---|
| SOLICIT | SOLICIT_BY SOLICIT_DONE SOLICIT_DUE SOLICIT_DUE_TIME SOLICIT_ID SOLICIT_ISSUE SOLICIT_REQ_NO SOLICIT_TYPE |
| TASK | TASK_DESC TASK_ID |
| TEST | TEST_DESC TEST_ID |
| TEST_SAMPLE | FILLING_LINE INSPECTOR_EMP_ID PRODUCTION_DATE PRODUCT_ID RESULT_1 RESULT_2 SAMPLE_HOUR SAMPLE_MIN TEST_ID |
| VENDOR | VENDOR_CITY VENDOR_CONTACT VENDOR_COUNTRY VENDOR_FAX VENDOR_ID VENDOR_NAME VENDOR_PHONE VENDOR_STATE VENDOR_STREET VENDOR_STREET2 VENDOR_TYPE VENDOR_ZIP |

| | |
|--------------|---|
| VENDOR_LOT | EMP_ID LOCATION MATERIAL_ID MATERIAL_LOT_NO VENDOR_ID VLOT_NO VLOT_ON_HAND VLOT_RECEIVE VLOT_RECEIVE_QTY VLOT_STATUS |
| VENDOR_QUOTE | ACCPY_QTY MATERIAL_ID PRODUCT_ID RECIPE_ID SOLICIT_ID VENDOR_ID |
| VENXREF | MATERIAL_ID VENDOR_ID VEN_X_NUM |
| WORK_ORDER | DUE_DATE MACHINE_ID REQ_DEP_ID WORK_ID WO_TYPE |
| WO_PART | MATERIAL_ID REQ_NO TASK_ID WORK_ID |
| WO_TASK_EMP | EMP_ID HOURS TASK_ID WORK_ID |

APPENDIX B

SQL FORMS

* SALES AND CONTRACT MANAGEMENT
 ** Current Order and Contract Management (A14)
 *** Order Entry (A141)

| Customer Orders | | | | |
|-----------------|----------|---------|----------|--------------------|
| Date | Order No | Cust Id | Name | Customer PO |
| Employee Id | | | | |
| ----- | | | | |
| Item Product | Desc | ID | Qty | Label Pack Request |
| | | Date | Quantity | Price Status |
| ----- | | | | |

| | | | | | | | | | |
|------------|--------|------------|-------------|---|--|--|--|--|--|
| CUST_ORDER | DETAIL | | PRE-INSERT | 1 | <pre> select :cust_request_date - 10 - ((reject_rate*rework_rate) * (:cust_qty/ (avg(rate)*7/100))) from recipe_line r, product p where r.product_id = :product_id and p.product_id = :product_id group by p.product_id, reject_rate, rework_rate select :cust_request_date - 10 - ((reject_rate + rework_rate) * (:cust_qty/ (avg(rate)*7/100))) from recipe_line r, product p where r.product_id = :product_id and p.product_id = r.product_id group by p.product_id, reject_rate, rework_rate </pre> | | | | |
| | | CUST_QTY | POST-CHANGE | 1 | <pre> select :cust_qty into production_qty from customer_order_d </pre> | | | | |
| | | PRODUCT_ID | POST-CHANGE | 1 | <pre> select product_name into desc from product where product_id = :product_id </pre> | | | | |
| | ORDER | CUST_ID | POST-CHANGE | 1 | <pre> select cust_name into name from customer where cust_id = :cust_id </pre> | | | | |
| | | | | | Customer Not In Master File | | | | |

*** Create New or Add Orders to Daily Schedule

2 Machine Is Not For Production Line: Plea

```

execute macro commit; natbtk: execute;

select committed_time
into dummy
from schedule_d

insert into schedule_d (schedule_id, machine_id, order_no, cust_line_no,
committed_time)
select :schedule_m.schedule_id, machine_id, order_no,
cust_line_no, committed_time
from schedule_d where schedule_id=:a schedule_id
and order_no=:customer_order_d.order_no
and cust_line_no=:customer_order_d.cust_line_no

update schedule_d sd
set committed_time = (select sd.committed_time - committed_time
from schedule_d
where schedule_id = :schedule_d.schedule_id
and machine_id = :schedule_d.machine_id)
where schedule_id = :schedule_m.schedule_id
and machine_id = :schedule_d.machine_id

select avail_time
from machine_avail m, schedule_m sm
where sm.schedule_id = :schedule_d.schedule_id
and m.machine_id = :schedule_d.machine_id
and sm.end_period - sm.begin_period = m.period_length
and m.avail_time < (select
invited_d.committed_time, 0) + :schedule_d.committed_time
from schedule_d
where d.schedule_id = :schedule_d.schedule_id
and d.schedule_id = :schedule_d.schedule_id
and sd.order_no = :customer_order_d.order_no
and sd.cust_line_no = :customer_order_d.cust_line_no)

select machine_desc
into desc
from machine
where machine_id=:machine_id

select machine_id
from machine.process
where machine_id=:machine_id
and process_id in (select process_id
from line_production
where production_line_id=:customer_order_d.production_line_id)

```

| | | | | |
|------------|---------------|-------------|---|---|
| schedule_m | END_PERIOD | KEY-NXTFLD | 1 | texmacro nrtblk: seqry; |
| | a_schedule_id | POST-CHANGE | 1 | select begin_period, end_period into a_begin_period, a_end_period from schedule_m where schedule_id = :a_schedule_id |

* MANUFACTURING PLANNING
 ** Aggregate Production Scheduling
 *** View an Aggregate Schedule (A 221)

| Schedule ID | Created on | Begin | End | Revised on | Revised by |
|-------------|------------|-------------|-------------|------------|------------|
| Order No | Machine | Description | Commit time | Start time | |

| | | | | | | |
|----------|------------|-------------|-------------|---|----------------------------|--|
| DAY_LIST | schedule_d | MACHINE_ID | POST-CHANGE | 1 | Machine Not In Master File | select machine_desc into desc from machine where machine_id=:machine_id |
| | schedule_m | SCHEDULE_ID | KEY-NXTFLD | 1 | | hexmacro nrtblk: exeqry; |

* FINISHED GOODS CONTROL
** Quality Management [A 41]
*** Incubation Record [A 411]

| ----- INCUBATION ----- | | | |
|------------------------|------------|--------------|----------|
| Production Date | Filling ID | Retort ID | Cook No. |
| | | | |
| No of Samples | | Disposition | |
| Incubation Start Date | | Lead Emp ID | |
| Incubation End Date | | Inspector ID | |

* MANUFACTURING PLANNING
 ** Purchasing
 *** Receiving Order

Incoming Material

| | | | |
|-----------------------|---------------|-----------------|---------------|
| Material Lot No _____ | | | |
| Material Id | Description | Unit of Measure | |
| Vendor Id | Name | | |
| Vendor Lot No | Received Date | Received Qty | Status Emp Id |

| | | | | | |
|---------|------------|-------------|-------------|---|---|
| WTL_LOT | VENDOR_LOT | MATERIAL_ID | POST-CHANGE | 1 | Material Not In Master File |
| | | | | | <pre> select material_desc,material_uom into desc,uom from material where material_id=:material_id </pre> |
| | | VENDOR_ID | POST-CHANGE | 1 | Vendor Not In Master File |
| | | | | | <pre> select vendor_name into name from vendor where vendor_id=:vendor_id </pre> |

✓

* MANUFACTURING PLANNING
 ** Aggregate Production Scheduling [A221]
 *** Schedule Machines [A2214]

| Schedule ID | Begin Effective | End Effective | Created On | Last Revised | Revised By |
|-------------------|---------------------|---------------|--------------------|---------------------|------------------|
| ----- | | | | | |
| Priority Order no | Product | | Prioritized Orders | | Prod Line Status |
| Process | Process Description | MACHINE | Machine | Machine description | |

| | | | | | |
|----------|------------------|-------------|---|---|--|
| MC_SCHED | customer_order_d | KEY-LISTVAL | 1 | #copy :customer_order_d.recipe_id global.recipe | |
| | | | | #copy :customer_order_d.product_id global.product | |
| | | | | #macro call qry pline query: | |
| | | | | #copy global.line customer_order_d.production_line_id | |
| | machine_PROCESS | KEY-LISTVAL | 1 | #copy :schedule_m.schedule_id global.schedule | |
| | | | | #copy :machine_process.machine_id global.machine | |
| | | | | #copy :customer_order_d.order_no global.order | |
| | | | | #copy :customer_order_d.cust_line_no global.cust_line | |
| | | | | #copy :customer_order_d.production_qty global.qty | |
| | | | | #copy :customer_order_d.production_line_id global.prod_line | |
| | | | | #copy :customer_order_d.product_id global.product | |
| | | | | #copy :customer_order_d.recipe_id global.recipe | |
| | | | | #macro call sched_d: | |
| | MACHINE_ID | POST-CHANGE | 1 | select machine_desc | |
| | | | | into pdesc | |
| | process_id | POST-CHANGE | 1 | from machine | |
| | | | | where machine_id=:machine_id | |
| | | | | select process_desc | |
| | | | | into pdesc | |
| | | | | from process | |
| | | | | where process_id=:process_id | |

* FACTORY FLOOR CONTROL
 ** Raw Material Control (A31)
 *** Material Move Schedule and Report

Move Record

| | |
|------------------|-------|
| Product Id | _____ |
| Filling Line | _____ |
| Material Lot No | _____ |
| Move Qty | _____ |
| Production Date | _____ |
| Move Location | _____ |
| Transaction Type | _____ |

use + qty for moving out of inventory, - for moving back into inventory

| | | | | | |
|-----|-----------------|-------------|---|--|---|
| MMZ | material_move | POST-INSERT | 1 | Exceeded Amount On Hand Or Material Lot | update vendor_lot set vlot_on_hand = vlot_on_hand - :move_qty where material_lot_no = :material_lot_no and vlot_on_hand >= :move_qty |
| | | PRE-DELETE | 1 | | update vendor_lot set vlot_on_hand = vlot_on_hand + :move_qty where material_lot_no = :material_lot_no |
| | | PRE-UPDATE | 1 | Exceeded On Hand Quantity Of This Vendor | select 'nothing' from material_move mm, vendor_lot vl where vlot_on_hand >= (:move_qty - :move_qty) and mm.product_id = :product_id and mm.material_lot_no = :material_lot_no and mm.production_date = :production_date and mm.transaction_type = :transaction_type and vl.material_lot_no = mm.material_lot_no |
| | | | 2 | Update Failed | update vendor_lot set vlot_on_hand = (select vlot_on_hand - (:move_qty - :move_qty) from material_move mm where mm.product_id = :product_id and mm.material_lot_no = :material_lot_no and mm.production_date = :production_date and mm.transaction_type = :transaction_type) where vendor_lot.material_lot_no = :material_lot_no |
| | | | | | select 'nothing' from machine where machine_id = :filling_line |
| | FILLING_LINE | POST-CHANGE | 1 | | |
| | MATERIAL_LOT_NO | POST-CHANGE | 1 | Not A Valid Vendor Lot | select 'nothing' from vendor_lot where material_lot_no = :material_lot_no |
| | PRODUCT_ID | POST-CHANGE | 1 | | select 'nothing' from product where product_id = :product_id |

* FACTORY FLOOR CONTROL
 ** Factory Floor Scheduling (A222)
 *** Enter Material Move

| Schedule | Order no | Line no | Product | Prod Qty | Qty to base Move on |
|----------|----------|---------|---------|----------|------------------------|
|----------|----------|---------|---------|----------|------------------------|

| Material ID | Description | Machine id | Amount to Move | Unit of Measure |
|-------------|-------------|------------|----------------|-----------------|
|-------------|-------------|------------|----------------|-----------------|

| Material | Lot # | Status | Location | Rec. on | Qty on hand |
|----------|-------|--------|----------|---------|-------------|
|----------|-------|--------|----------|---------|-------------|

| | | | | | |
|-------|--------|-------------|---|--|--|
| 40VZ2 | recipe | KEY-NXTBLK | 1 | | |
| | | POST-CHANGE | 1 | | |

| | | | | | |
|--|------------|-------------|---|--|--|
| | schedule_d | KEY-NXTBLK | 1 | | |
| | | POST-CHANGE | 1 | | |

| | | | | | |
|--|--|-------------|---|--|--|
| | | MACHINE_ID | 1 | | |
| | | POST-CHANGE | 1 | | |

| | | | | | |
|--|------------|------------|---|--|--|
| | vendor_lot | KEY-COMMIT | 1 | | |
| | | | 2 | | |
| | | | 3 | | |
| | | | 4 | | |
| | | | 5 | | |

lexemacro nxtblk: exeqry:

```

select material_desc, amt_by_unit=:schedule_d.base_qty,material_uom
into matl_desc,move_qty,uom
from material m, material_list ml
where m.material_id=:recipe.material_id
and ml.material_id=:recipe.material_id
and ml.product_id=:recipe.product_id
  
```

lexemacro nxtblk: exeqry:

```

select product_name,production_qty,recipe_id,p.product_id
into desc, prod_qty, trecipe_id,tproduct_id
from product p, customer_order_d cd
where cd.order_no=:order_no
and cd.cust_line_no=:cust_line_no
and p.product_id=cd.product_id
  
```

```

select begin_period
into begin_period
from schedule_m
where schedule_id=:schedule_id
  
```

```

select machine_desc
into mach_desc
from machine
where machine_id=:machine_id
  
```

```

copy schedule_d.tproduct_id global.product_id
copy schedule_d.machine_id global.machine_id
copy vendor_lot.material_lot_no global.material_lot_no
copy schedule_d.begin_period global.start_date
lexemacro call move_out; exeqry:
  
```


* FACTORY FLOOR CONTROL
 ** Factory Floor Reporting (A223)
 *** Pallet Record (A334, A336)

| | | |
|-----------------|-----------------------|----------------------|
| Pallet Id | | Status |
| Product | | Location |
| Label | Original Order No. | Order No. |
| Production Date | Filler Retort Cook No | Label Date Qty Cases |

| | | | | | |
|--------|-------------|------------|-------------|---|-----------------------------|
| *ALLET | pallet_card | LABEL_ID | POST-CHANGE | 1 | Label Id Not In Master File |
| | | PRODUCT_ID | POST-CHANGE | 1 | Product Not In Master File |

```
select label_name
into label_desc
from label
where label_id=:label_id
```

```
select product_name
into desc
from product
where product_id=:product_id
```

* MANUFACTURING PLANNING
 ** Aggregate Production Scheduling (A221)
 *** Prioritize Orders (A2211)

***** PRODUCT NET REQUIREMENTS *****

| Due Date | Order No. | Line No. | Customer | Product | Priority | Recipe |
|----------|-----------|----------|----------|---------|----------|--------|
|----------|-----------|----------|----------|---------|----------|--------|

| | | | | | | |
|----------|--|--|------------------|-----------|-------------|---------------|
| PRIORITY | | | customer_order_d | ORDER_NO | POST-CHANGE | 1 |
| | | | | | | |
| | | | | PRIORITY | POST-CHANGE | 1 |
| | | | | | | |
| | | | | recipe_id | POST-CHANGE | 1 |
| | | | | | | Not In Recipe |

```

select cust_name
into name from customer,customer_order,customer_order_d
where customer_order.order_no=customer_order_d.order_no
and customer_order.cust_id = customer.cust_id

select distinct sysdate
into customer_order_d.last_prioritized_date
from customer

select recipe_id
into recipe_id
from recipe_id
where recipe_id=customer_order_d.recipe_id
and product_id=customer_order_d.product_id
  
```

* SALES AND CONTRACT MANAGEMENT
 ** Contract Pricing [A13]
 *** Process Plan [A132]

| ***** PROD_LINE ***** | |
|--------------------------|---------------------|
| Line Id | Description |
| ----- | |
| ***** LINE_PROCESS ***** | |
| Process Id | Process Description |
| Sequence | |
| ----- | |

| ***** MACHINE_PROCESS ***** | |
|-----------------------------|-------------|
| Machine ID | Description |
| ----- | |

| | | | | | |
|-----------|-----------------|------------|-------------|---|--|
| PROD_LINE | line_process | PROCESS_ID | POST-CHANGE | 1 | select process_desc into descr from process where process_id = :line_process.process_id |
| | machine_process | MACHINE_ID | POST-CHANGE | 1 | select machine_desc into desc from machine where machine_id = :machine_process.machine_id |

• SALES AND CONTRACT MANAGEMENT

Provide Quotation (A 11)

*** Pricing Information [A llll]

Product Price

| Product Id | Product Name |
|------------|--------------|
|------------|--------------|

| Net Wt | Can Size | Can Spec | Lld Spec |
|--------|----------|----------|----------|
| 100 | 100 | 100 | 100 |
| 200 | 200 | 200 | 200 |
| 300 | 300 | 300 | 300 |
| 400 | 400 | 400 | 400 |
| 500 | 500 | 500 | 500 |
| 600 | 600 | 600 | 600 |
| 700 | 700 | 700 | 700 |
| 800 | 800 | 800 | 800 |
| 900 | 900 | 900 | 900 |
| 1000 | 1000 | 1000 | 1000 |

| Qty/Case | Std Reject Rate | Prices Valid until |
|----------|-----------------|--------------------|
| | | |

| Break Quantity | Price |
|----------------|-------|
| 100 | 1.00 |
| 200 | 0.95 |
| 300 | 0.90 |
| 400 | 0.85 |
| 500 | 0.80 |
| 600 | 0.75 |
| 700 | 0.70 |
| 800 | 0.65 |
| 900 | 0.60 |
| 1000 | 0.55 |
| 1100 | 0.50 |
| 1200 | 0.45 |
| 1300 | 0.40 |
| 1400 | 0.35 |
| 1500 | 0.30 |
| 1600 | 0.25 |
| 1700 | 0.20 |
| 1800 | 0.15 |
| 1900 | 0.10 |
| 2000 | 0.05 |
| 2100 | 0.00 |
| 2200 | 0.05 |
| 2300 | 0.10 |
| 2400 | 0.15 |
| 2500 | 0.20 |
| 2600 | 0.25 |
| 2700 | 0.30 |
| 2800 | 0.35 |
| 2900 | 0.40 |
| 3000 | 0.45 |
| 3100 | 0.50 |
| 3200 | 0.55 |
| 3300 | 0.60 |
| 3400 | 0.65 |
| 3500 | 0.70 |
| 3600 | 0.75 |
| 3700 | 0.80 |
| 3800 | 0.85 |
| 3900 | 0.90 |
| 4000 | 0.95 |
| 4100 | 1.00 |
| 4200 | 1.05 |
| 4300 | 1.10 |
| 4400 | 1.15 |
| 4500 | 1.20 |
| 4600 | 1.25 |
| 4700 | 1.30 |
| 4800 | 1.35 |
| 4900 | 1.40 |
| 5000 | 1.45 |
| 5100 | 1.50 |
| 5200 | 1.55 |
| 5300 | 1.60 |
| 5400 | 1.65 |
| 5500 | 1.70 |
| 5600 | 1.75 |
| 5700 | 1.80 |
| 5800 | 1.85 |
| 5900 | 1.90 |
| 6000 | 1.95 |
| 6100 | 2.00 |
| 6200 | 2.05 |
| 6300 | 2.10 |
| 6400 | 2.15 |
| 6500 | 2.20 |
| 6600 | 2.25 |
| 6700 | 2.30 |
| 6800 | 2.35 |
| 6900 | 2.40 |
| 7000 | 2.45 |
| 7100 | 2.50 |
| 7200 | 2.55 |
| 7300 | 2.60 |
| 7400 | 2.65 |
| 7500 | 2.70 |
| 7600 | 2.75 |
| 7700 | 2.80 |
| 7800 | 2.85 |
| 7900 | 2.90 |
| 8000 | 2.95 |
| 8100 | 3.00 |
| 8200 | 3.05 |
| 8300 | 3.10 |
| 8400 | 3.15 |
| 8500 | 3.20 |
| 8600 | 3.25 |
| 8700 | 3.30 |
| 8800 | 3.35 |
| 8900 | 3.40 |
| 9000 | 3.45 |
| 9100 | 3.50 |
| 9200 | 3.55 |
| 9300 | 3.60 |
| 9400 | 3.65 |
| 9500 | 3.70 |
| 9600 | 3.75 |
| 9700 | 3.80 |
| 9800 | 3.85 |
| 9900 | 3.90 |
| 10000 | 3.95 |

| Break | Quantity | Price |
|-------|----------|-------|
| 1 | 100 | 1.00 |
| 2 | 200 | 2.00 |
| 3 | 300 | 3.00 |
| 4 | 400 | 4.00 |
| 5 | 500 | 5.00 |
| 6 | 600 | 6.00 |
| 7 | 700 | 7.00 |
| 8 | 800 | 8.00 |
| 9 | 900 | 9.00 |
| 10 | 1000 | 10.00 |

* MANUFACTURING PLANNING

** Purchasing

*** Purchase Orders (A312)

PO Number _____ Requisition ID _____
 PO Date _____
 PO Status _____
 Vendor ID _____
 Vendor Name _____
 Vendor Address _____

CRAMTD PURCHASE ORDER
 RUTGERS UNIVERSITY
 CAFT CENTER
 COLLEGE FARM ROAD
 NEW BRUNSWICK, NJ 08903

| Material | | Quantity | | Unit | | Total | | Promised | | Line | |
|----------|----|-------------|-----|---------|------|-------|------|----------|--|------|--|
| Line No. | ID | Description | UOM | Ordered | Cost | Cost | Date | Status | | | |

> _ORDER purchase_order REQ_ID 1 Requisition Id Not In Master File

select req_id
 from requisition
 where requisition.req_id=:purchase_order.req_id

POST-CHANGE POST-CHANGE 1 Vendor Id Not In Master File

select vendor_name
 into purchase_order.v_name
 from vendor
 where vendor.vendor_id=:purchase_order.vendor_id

2

select vendor_street
 into purchase_order.v_street
 from vendorwhere vendor.vendor_id=:purchase_order.vendor_id
 select vendor_city
 into purchase_ord from vendorwhere vendor.vendor_id=:purchase_order.vendor_id

4

select vendor_state
 into purchase_order.v_state
 from vendor
 where vendor.vendor_id=:purchase_order.vendor_id

5

select vendor_zip
 into purchase_order.v_zip
 from vendor
 where vendor.vendor_id=:purchase_order.vendor_id

purchase_order MATERIAL_ID POST-CHANGE 1 Material Id Not In Master File

select material_desc
 into purchase_order_item.mat_desc
 from material
 where material.material_id=:purchase_order_item.material_id

2

select material_uom
 into purchase_order_item.mat_uom
 from material
 where material.material_id=:purchase_order_item.material_id

PO_ITEM_PRICE POST-CHANGE 1
 select :purchase_order_item.po_item_price:purchase_order_item.po_item_qty
 into :purchase_order_item.tot_cost
 from po_item

* FACTORY FLOOR CONTROL
 ** Quality Control
 *** Incoming Material Acceptance Report [A3133, A3136]

| | | |
|---|-------------------------------|------------------|
| Material Lot Number _____ | | Vendor Lot _____ |
| Vendor ID _____ | Received Date _____ | |
| Vendor Name _____ | Quantity Received (lbs) _____ | |
| Material ID _____ | Quantity on Hand (lbs) _____ | |
| Description _____ | Inspector ID _____ | Status _____ |
| Test ID _____ Description _____ Test Result _____ | | |

| | | | | | | |
|----------------|----------------|-------------|-------------|---|--------------------------------|--|
| QUALITY_REPORT | QUALITY | TEST_ID | POST-CHANGE | 1 | Test Id Not In Master File. | select test_desc into test_name from test where test_id=:quality.test_id |
| QUALITY_REPORT | QUALITY_CHANGE | TEST_ID | POST-CHANGE | 1 | Test Not In Master File | select test_desc into desc from test where test_id=:test_id |
| VENDOR_LOT | MATERIAL_ID | POST-CHANGE | 1 | | | select material_desc select material_desc into material_desc into material_desc from material from material where material_id=:vendor_lot.material_id where material_id=:vendor_lot.material_id |
| | Material_desc | POST-CHANGE | 1 | | Material Id Not In Master File | select material_desc select material_desc into vendor_lot.material_desc into vendor_lot.material_desc from material from material where material_id=:vendor_lot.material_id where material_id=:vendor_lot.material_id |
| | VENDOR_ID | POST-CHANGE | 1 | | Vendor Id Not In Master File | select vendor_name select vendor_name into vendor_lot.vendor_name into vendor_lot.vendor_name from vendor from vendor where vendor_id=:vendor_lot.vendor_id where vendor_id=:vendor_lot.vendor_id |

* SALES AND CONTRACT MANAGEMENT
 ** Provide Quotation [All]
 *** Quotation [All]

Quotation

Quotation Id _____ Customer Id _____

Quotation Date _____ Customer Name _____

Valid Until _____

| Line Item | Product | Description | Quantity | Requested Delivery | Unit Price | Total Price |
|-----------|---------|-------------|----------|--------------------|------------|-------------|
|-----------|---------|-------------|----------|--------------------|------------|-------------|

| | | | | | | |
|-------|---------|-------------|-------------|---|-----------------------------|---|
| QUOTE | quote | CUST_ID | POST-CHANGE | 1 | Customer Not In Master File | select cust_name into name from customer where cust_id=:cust_id |
| | quote_d | PRODUCT_ID | POST-CHANGE | 1 | | select product_name into desc from product where product_id=:product_id |
| | | | | 2 | | select least(least(till),:quote.expiration_date) into quote.expiration_date from product where product_id=:product_id |
| | | QUOTE_PRICE | POST-CHANGE | 1 | | select :quote.price * :quote_qty into total_price from quote |
| | | QUOTE_QTY | POST-CHANGE | 1 | | select min(break_price) into quote_price from price_break pb where pb.product_id=:product_id and pb.break_qty <= :quote_qty |

• FACTORY FLOOR CONTROL
 ** Raw Material Control (A31)
 *** Receiving Report (A312, A3131)

----- RECEIVING REPORT -----
 P.O. NUMBER _____ RECEIVED DATE _____
 P.O. STATUS _____

 P.O. LINE NUMBER _____ RECEIVED QTY _____
 MATERIAL ID _____ VENDOR LOT NO _____
 MATERIAL DESC _____ PO ITEM STATUS _____
 P.O. ORIGINAL QTY _____
 P.O. BALANCE QTY _____

 GIVEN THE PREVIOUS DATA A MATERIAL LOT WILL BE CREATED WITH:
 MATERIAL LOT NO _____ VENDOR ID _____
 MATERIAL ID _____ VENDOR LOT NO _____
 QUANTITY RECEIVED _____
 DATE RECEIVED _____

 MATERIAL LOT NO _____ PO_NO _____
 PO_ITEM _____

| | | | | |
|------------------|-------------|-------------|-----------|---|
| RECEIVING_REPORT | INVOICE_PAY | PO_NO | PRE-FIELD | 1 |
| PO_ITEM | MATERIAL_ID | POST-CHANGE | 1 | |
| PO_ITEM | POST-CHANGE | 1 | | |
| VLOT_RECEIVE_QTY | POST-CHANGE | 1 | | |
| PURCHASE_ORDER | PO_NO | POST-CHANGE | 1 | |
| VENDOR_LOT | MATERIAL_ID | POST-CHANGE | 1 | |

```

select max(to_number(vl.material_lot_no))
into :invoice_pay,material_lot_no
from vendor_lot vl

select m.material_desc
into :po_item.material_desc
from material m
where m.material_id = :po_item.material_id

select po.po_item_qty, po.po_item_bal
into :po_item.po_item_qty, :po_item.po_item_bal
from po_item po
where po.po_no = :po_item.po_no and po.po_item = :po_item.po_item

select po.po_item_bal - :po_item.vlot_receive_qty
into :po_item.po_item_bal
from po_item po
where po.po_no = :po_item.po_no
and po.po_item = :po_item.po_item
and po.po_item_bal >= :po_item.vlot_receive_qty

select pu.vendor_id
into :purchase_order.vendor_id
from purchase_order pu
where pu.po_no = :purchase_order.po_no

select max(to_number(vl.material_lot_no)) + 1
into :vendor_lot.material_lot_no
from vendor_lot vl

```


* FINISHED GOODS CONTROL
 ** Lot Tracking/ Traceability
 *** Lot Tracking (Finished Goods -> Raw)

----- RECEIVING REPORT -----
 P.O. NUMBER _____ P.O. STATUS _____
 RECEIVED DATE _____

P.O. LINE NUMBER _____ RECEIVED QTY _____
 MATERIAL ID _____ VENDOR LOT NO _____
 MATERIAL DESC _____ PO ITEM STATUS _____
 P.O. ORIGINAL QTY _____
 P.O. BALANCE QTY _____

GIVEN THE PREVIOUS DATA A MATERIAL LOT WILL BE CREATED WITH:
 MATERIAL LOT NO _____ VENDOR ID _____
 MATERIAL ID _____ VENDOR LOT NO _____
 QUANTITY RECEIVED _____
 DATE RECEIVED _____

MATERIAL LOT NO _____ PO NO _____
 PO ITEM _____

| | | | | |
|--------|---------|-------------------|-------------|---|
| REPORT | RETORT | HOUR RETORT START | POST-CHANGE | 1 |
| | | | | |
| | | RETORT_START_Hour | POST-CHANGE | : |
| | | | | |
| | | product_id | POST-CHANGE | 1 |
| | | | | |
| | batch_d | MATERIAL_ID | POST-CHANGE | 1 |
| | | | | |
| | | VENDOR_ID | POST-CHANGE | 1 |
| | | | | |
| | | material_lot_no | POST-CHANGE | 1 |

```
select trunc(hour_retort_start,min_retort_start/60)-.75,round((round
(hour_retort_start,min_retort_start/60)-.75,2)-trunc((hour_retort_start+
min_retort_start/60)-.75))*60) into hour,min
from retort
where cook_no=:cook_no and production_date=:retort.production_date
```

```
select trunc(hour_retort_start,min_retort_start/60)-.75,round((round
(hour_retort_start,min_retort_start/60)-.75,2)-trunc((hour_retort_start+
min_retort_start/60)-.75))*60) into hour,min
from retort
where cook_no=:cook_no and production_date=:retort.production_date
```

```
select product_name
into desc
from product
where product_id=:retort.product_id
```

```
select material_desc
into description
from material
where material_id=:material_id
```

```
select vendor_name
into name
from vendor
where vendor_id=:vendor_id
```

```
select m.material_id, m.material_desc
into mat_id, desc
from vendor_lot vl, material m
where vl.material_lot_no=:material_lot_no
and m.material_id=vl.material_id
```

* MANUFACTURING PLANNING
 ** Aggregate Production Planning [A221]
 *** Material Requisition [A2213]

| Requisition Id | | | | |
|------------------|-----|-------|----------|------|
| Material Id Desc | Qty | Units | Req Date | Dept |
| | | | | |

| | | | | |
|------|-------------|-------------|---|---|
| REQ2 | requisition | POST-INSERT | 1 | |
| | | | | update req_seq set requisition_no = requisition_no + 1 where dummy_key = '100'; |
| | MATERIAL_ID | POST-CHANGE | 1 | Material Not In Master File |
| | | | | select material_desc, material_uom into desc, unit_of_measure from material where material_id = material_id |
| | | | 2 | select sysdate, requisition_no, 'op' into req_date, req_id, req_status from req_seq where dummy_key = '100'; |

* FACTORY FLOOR CONTROL
 .. Quality Control
 ... Retort Record

-----Actual
 -----Retort-Information-----

Product _____ Description _____
 Production date _____ Filling Line _____ Cook No _____ Start Fill time _____ End Fill time _____

Retort Start Time : _____ Initial Temp _____
 End Vent Time : _____ End Vent Temp _____
 End Come-up Time : _____ End Come-up Temp _____
 End Cook Time : _____ End Cook Temp _____
 Supervisor Id _____ Retort Quantity _____

* MANUFACTURING PLANNING
 ** Aggregate Production Scheduling
 *** Schedule Machines [A2214]

| ----- SCHEDULING OF MATERIALS ----- | | | | |
|-------------------------------------|-------------|--------------|---------------|------------------|
| Priority | Order No. | Product | Prod Qty | Status |
| ----- MATERIAL REQUIREMENTS ----- | | | | |
| Material Id | Description | Net required | Net available | Order Amt. Units |

| | | | | |
|----------|------------------|-------------|-------------|---|
| SCHEDULE | customer_order_d | ORDER_NO | POST-CHANGE | 1 |
| | recipe | | KEY-COMMIT | 1 |
| | | MATERIAL_ID | POST-CHANGE | 2 |
| | | | | 3 |
| | | | | 4 |
| | | | | 5 |
| | | | | 6 |

```

select cell(:production_qty/amt_end_units)
into temp
from recipe_master
where product_id =:customer_order_d.product_id
and recipe_id =:customer_order_d.recipe_id

#copy recipe.material_id global.material
#copy recipe.unit global.unit
#copy recipe.desc global.desc
#copy recipe.avail_req global.amt
#exmacro call requisition:

select material_desc
into :desc
from material
where material_id = :recipe.material_id

select unit_of_measure
into :unit
from material_list
where material_id=:recipe.material_id
and product_id=:recipe.product_id

select (amt by unit*:customer_order_d.temp)/(recovery_percent/100)
into :required
from material_list
where product_id=:recipe.product_id
and material_id=:recipe.material_id

select nvl(sum(c.production_qty/rm.amt_end_units)*
m.amt_by_unit/(m.recovery_percent/100),0) into :committed
from customer_order_d c, recipe_master rm, material_list m
where m.material_id=:recipe.material_id
and c.cust_line_status=:st and c.production_qty > 0
and rm.product_id = c.product_id
and rm.recipe_id = c.recipe_id
and m.material_id in (
select material_id from recipe r
where r.product_id = c.product_id
and r.recipe_id = c.recipe_id)

select nvl(sum(v.vlot_on_hand),0)
into :tv_lot
from vendor_lot v
where :recipe.material_id=v.material_id

select nvl(sum(p.po_item_bal),0)
into :tpo_bal
from po_item p
where :recipe.material_id=p.material_id
  
```

7

```
select nvl(sum(r.req_qty),0)
into :tr_qty
from requisition r
where :recipe.material_id=r.material_id and
       r.req_status = 'Op'
```

8

```
select (:tr_qty - :tr_qty)
into :avail
from recipe
```

9

```
select greatest(0, (:recipe.required - :recipe.avail))
into :avail_req
from material
where material_id=:recipe.material_id
```

* FACTORY FLOOR CONTROL
** Quality Control
*** Test Material

| Test ID | Description |
|---------|-------------|
| | |

| Material Id | Description | Low limit | High limit |
|-------------|-------------|-----------|------------|
| | | | |

| | | | | |
|--------|---------------|-------------|-------------|---|
| TEST_M | material_spec | MATERIAL_ID | post_change | 1 |
|--------|---------------|-------------|-------------|---|

```
select material_desc  
into desc  
from material  
where material_id=:material_id
```

* FACTORY FLOOR CONTROL
 ** Quality Control
 *** Seal Strength / Residual Gas Report

| TEST_SAMPLE | | | |
|-----------------|---------|------------------|--------------------------|
| Production Date | Product | Description | Filling Line Sample Time |
| | Test ID | Test Description | |
| Pouch 1 Result | | Inspector ID | |
| Pouch 2 Result | | | |

| | | | | | |
|-------------|-------------|------------|-------------|---|----------------------------|
| TEST_SAMPLE | Test_sample | TEST_ID | POST-CHANGE | 1 | Test Not In Master File. |
| | | product_id | POST-CHANGE | 1 | Product Not In Master File |


```

select test_desc
into test_sample.test_description
from test_sample
where test_id=:test_sample.test_id

select product_name
into desc
from product
where product_id =:product_id
  
```

* FACTORY FLOOR CONTROL
 ** Factory Floor Scheduling [A222]
 *** Daily Production Schedule [A2221]
 **** Make changes to a Daily Schedule

| Aggregate Schedule ID | | Begin Date | End Date |
|------------------------|---------|----------------|------------|
| Daily Schedule ID | | Created on | Revised By |
| Order No | Line No | Priority | Product |
| Machine ID Description | | Committed time | Start time |

| | | | |
|--------|------------------|---|------------|
| JP_DAY | customer_order_d | 1 | KEY-NXTBLK |
| | schedule_d | 1 | PRE-DELETE |
| | | 1 | PRE-UPDATE |

COMMITTED_TIME POST-FIELD 1 You Have Exceeded Capacity Or No Record

MACHINE_ID POST-CHANGE 1 Machine Not In Master File

2 Machine Is Not For This Production Line:

| | | | |
|---------------|-------------|------------|---|
| schedule_m | END_PERIOD | KEY-NXTFLD | 1 |
| a_schedule_id | POST-CHANGE | | 1 |

flexmacro nxtblk: exeqry:

```
update schedule_d sd
set committed_time = committed_time + :committed_time
where schedule_id=:schedule_m.a_schedule_id
and machine_id=:schedule_d.machine_id

update schedule_d sd
set committed_time = (select sd.committed_time -(:committed_time-comitted_time)
from schedule_d
where schedule_id = :schedule_d.schedule_id
and machine_id = :schedule_d.machine_id)
where schedule_id = :schedule_m.a_schedule_id
and machine_id = :schedule_d.machine_id
```

```
select avail_time
from machine_avail m, schedule_m sm
where sm.schedule_id=:schedule_d.schedule_id
and m.machine_id=:schedule_d.machine_id
and sm.end_period = sm.begin_period + m.period_length
and m.avail_time > (select
(nvl(sum(sd.committed_time),0) + :schedule_d.committed_time)
from schedule_d sd
where sd.schedule_id = :schedule_d.schedule_id
and sd.machine_id = :schedule_d.machine_id
and sd.order_no = :customer_order_d.order_no
and sd.cust_line_no = :customer_order_d.cust_line_no)
```

```
select machine_desc
into desc
from machine
where machine_id=:machine_id

select machine_id
from machine_process
where machine_id=:machine_id
and process_id in (select process_id
from line_process
where production_line_id=:customer_order_d.production_line_id)
```

flexmacro nxtblk: exeqry:

```
select begin_period, end_period
into a_begin_period, a_end_period
from schedule_m
where schedule_id = :a_schedule_id
```


* MANUFACTURING PLANNING
** Purchasing
*** Vendor Information (A312)

Vendor Master File

| | | | |
|-----------|-------|---------|-------|
| Vendor Id | _____ | Name | _____ |
| Address | _____ | | _____ |
| City | _____ | State | _____ |
| | _____ | Country | _____ |
| | _____ | Zip | _____ |

Phone _____ Fax _____

Contact Name _____

Type _____

* MANUFACTURING PLANNING
 ** Purchasing
 *** Vendor Information (A312)

| -----Vendor---Material-Cross-Reference----- | | | |
|---|----------------|--|----------------|
| Material Id Description | Vendor Id Name | | Cross ref. no. |
| | | | |

| | | | | | | |
|---------|---------|-------------|-------------|---|-----------------------------|--|
| VENXREF | venxref | MATERIAL_ID | POST-CHANGE | 1 | Material Not In Master File | select material_desc into desc from material where material_id=:material_id |
| | | VENDOR_ID | POST-CHANGE | 1 | Vendor Not In Master File | select vendor_name into name from vendor where vendor_id=:vendor_id |

* MANUFACTURING PLANNING
 ** Aggregate Production Scheduling
 *** Committed Finished Goods

| ***** PRIORITIZED CUSTOMER ORDERS ***** | | | | |
|---|-------------------|---------------------|---------------------|---------|
| Priority | Order No. | Line No. | Customer | Product |
| Order Quantity | | Production Quantity | | |
| ***** AVAILABLE PALLETES ***** | | | | |
| Production date | Quantity of cases | Label Id | Total cases for day | |

If you wish to commit this pallet to the above customer order enter "C"
 To commit the whole day's production enter "D".
 To see the next available Pallet enter "N".
 To go to the next customer order enter "F".

Enter choice here ----->

| | | | | |
|-----------|-------------|-------------|---|--|
| VPROD_QTY | PALLET_CARD | DAY | 1 | |
| | | KEY-NXTFLD | 1 | |
| | | PALLET | 1 | |
| | | POST-UPDATE | 1 | |
| | PALLET_ID | POST-CHANGE | 1 | |
| | | | 2 | |

```

select :customer_order_d.order_no,:customer_order_d.cust_line_no
into pallet_card.order_no,pallet_card.cust_line_no
from customer

select (:production_qty--total cases)
into customer_order_d.production_qty
from customer

*****macro case choice is
when 'c' then exeqty pallet; commit;
when 'd' then nrtrec;
when 'f' then prtblk; nrtrec; nrtblk; exeqty;
when 'n' then exeqty day; commit;
end case;

select :customer_order_d.order_no,:customer_order_d.cust_line_no
into pallet_card.order_no,pallet_card.cust_line_no
from customer

select (:production_qty--cases)
into customer_order_d.production_qty
from customer

update pallet_card
set order_no=:customer_order_d.order_no,
cust_line_no=:customer_order_d.cust_line_no
where pallet_id in (select pc.pallet_id from pallet_d pd,pallet_card pc
where pc.product_id=pallet_card.product_id
and pc.label_id=shiner or pc.label_id=:customer_order_d.label_id)
and pc.production_date=to_date(:pdate)
and pc.pallet_id=pd.pallet_id
and pc.order_no is null)
and :choice='d'

select qty_cases
into cases
from pallet_d
where pallet_d.pallet_id = :pallet_card.pallet_id

select production_date
into pdate
from pallet_d
  
```

| | | |
|--|------------------------------|---|
| <pre> pc.label_id=customer_order_d.label_id) customer_order_d ORDER_NO customer, customer_order, customer_order_d customer_order.order_no:customer_order_d.order_no </pre> | <pre> 3 POST-CHANGE 1 </pre> | <pre> select sum(qty cases) into total_cases from pallet_card pc, pallet_d pd where pd.production_date = to_date(update) and order_no is null and pc.pallet_id=pd.pallet_id and pc.product_id=pallet_card.product_id and (pc.label_id='shiner' or select cust_name into name from where and customer_order.cust_id = customer.cust_id </pre> |
|--|------------------------------|---|

* FACTORY FLOOR CONTROL
** Factory Floor Reporting
*** Batch Sheet Report (A322,A336)

*****BATCH SHEET RECORD*****

| | | | |
|-----------------|-------|----------------------|-------|
| PRODUCTION DATE | _____ | BATCH START | _____ |
| PRODUCT ID | _____ | BATCH SIZE | _____ |
| KETTLE ID | _____ | COOK TEMP | _____ |
| FILLING LINE | _____ | COOK TIME | _____ |
| ----- | | | |
| MATERIAL LOT NO | _____ | MATERIAL ID | _____ |
| BATCH QTY | _____ | MATERIAL DESCRIPTION | _____ |

[illegible]

SECRET - 1
FIRST-CLASS

FACTORY FLOOR CONTROL
 ** Factory Floor Reporting
 *** Batch Sheet Report (A322,A336)

=====BATCH SHEET RECORD=====

| | | | |
|---------------|-------|-------------|-------|
| RODUTION DATE | _____ | BATCH START | __ __ |
| PRODUCT ID | _____ | BATCH SIZE | _____ |
| | _____ | COOK_TEMP | _____ |
| KETTLE ID | _____ | | |

COOK TIME -- --

FILLING LINE _____

MATERIAL LOT NO _____

MATERIAL ID _____

BATCH QTY _____

MATERIAL
DESCRIPTION _____

Form Name: d_bat_d

| ===== BATCH_D ===== | |
|------------------------|-----------------------|
| PRODUCTION_DATE _____ | PRODUCT_ID _____ |
| MATERIAL_LOT_NO _____ | FILLING_LINE _____ |
| BATCH_START_HOUR _____ | BATCH_START_MIN _____ |
| BATCH_QTY _____ | |

Form Name: d_bat_record

===== BATCH_RECORD =====

| | | | |
|-------------------|-------|------------------|-------|
| PRODUCT_ID | _____ | FILLING_LINE | _____ |
| PRODUCTION_DATE | _____ | BATCH_START_HOUR | _____ |
| BATCH_START_MIN | _____ | KETTLE_ID | _____ |
| BATCH_SIZE | _____ | COOK_TEMP | _____ |
| COOK_TIME_HOUR | _____ | COOK_TIME_MIN | _____ |
| SUPERVISOR_EMP_ID | _____ | RECIPE_ID | _____ |

Form Name: d_cust_d

| | | | |
|------------------|--------------|--------------------|-------|
| ===== | CUST_ORDER_D | ===== | |
| ORDER_NO | _____ | CUST_LINE_NO | _____ |
| PRODUCT_ID | _____ | CUST_QTY | _____ |
| CUST_LINE_STATUS | _____ | CUST_REQUEST_DATE | _____ |
| PRICE | _____ | LABEL_ID | _____ |
| PRIORITY | _____ | LAST_PRIORITIZED_D | _____ |
| RECIPE_ID | _____ | PRODUCTION_QTY | _____ |
| PACKING_QTY | _____ | PRODUCTION_LINE_ID | _____ |
| DUMMY | _____ | EFFECTIVE_DUE_DATE | _____ |

Form Name: d_filling_record

===== FILLING_RECORD =====

PRODUCT_ID _____ PRODUCTION_DATE _____

FILLING_LINE _____ QTY_FILLED _____

MATERIAL_LOT_NO _____

Form Name: d_label

===== LABEL =====

LABEL_ID _____

LABEL_NAME _____

Form Name: d_material_list

| ===== MATERIAL_LIST ===== | |
|---------------------------|------------------------|
| PRODUCT_ID _____ | MATERIAL_ID _____ |
| UNIT_OF_MEASURE _____ | RECOVERY_PERCENT _____ |
| AMT_BY_UNIT _____ | |

Form Name: d_pal_c

| ===== PALLET_CARD ===== | |
|-------------------------|-------------------------|
| PALLET_ID _____ | LOCATION _____ |
| PRODUCT_ID _____ | LABEL_ID _____ |
| ORDER_NO _____ | CUST_LINE_NO _____ |
| ORIG_ORDER_NO _____ | ORIG_CUST_LINE_NO _____ |
| PALLET_STATUS _____ | VAR_UNITS _____ |
| VAR_DATE _____ | VAR_STATUS _____ |

Form Name: d_pal_d

| | | |
|-----------------------|----------------------|--------------------|
| PALLET_ID _____ | ===== PALLET_D ===== | FILLING_LINE _____ |
| PRODUCTION_DATE _____ | | RETORT_ID _____ |
| COOK_NO _____ | | LABEL_DATE _____ |
| QTY_CASES _____ | | |

Form Name: d_product

===== PRODUCT =====

| | | |
|--------------|-------|-------------------|
| PRODUCT_ID | _____ | |
| PRODUCT_NAME | _____ | |
| CAN_SIZE | _____ | CAN_SPEC _____ |
| LID_SPEC | _____ | NET_WEIGHT _____ |
| QTY_PER_CASE | _____ | REJECT_RATE _____ |
| VALID_TILL | _____ | REWORK_RATE _____ |

Form Name: d-recipe_master

| ===== RECIPE_MASTER ===== | |
|---------------------------|------------------------|
| PRODUCT_ID _____ | RECIPE_ID _____ |
| CSIZE _____ | GALLONS _____ |
| AMT_END_UNITS _____ | TYPE_COOK _____ |
| PROCESS_TIME _____ | PROCESS_TEMP _____ |
| TARGET_INIT_TEMP _____ | TARGET_COOK_TIME _____ |
| TARGET_COOK_TEMP _____ | |

Form Name: d_retort

| | | | | | |
|-------------------|-------|--------|-------|-------------------|-------|
| FILLING_LINE | ===== | RETORT | ===== | PRODUCTION_DATE | _____ |
| RETORT_ID | _____ | | | COOK_NO | _____ |
| INITIAL_TEMP | _____ | | | NO_CARTS | _____ |
| RETORT_START_HOUR | _____ | | | RETORT_START_MIN | _____ |
| END_VENT_HOUR | _____ | | | END_VENT_MIN | _____ |
| END_VENT_TEMP | _____ | | | END_COMEUP_HOUR | _____ |
| END_COMEUP_MIN | _____ | | | END_COMEUP_TEMP | _____ |
| END_COOK_HOUR | _____ | | | END_COOK_MIN | _____ |
| END_COOK_TEMP | _____ | | | SUPERVISOR_EMP_ID | _____ |
| RETORT_QTY | _____ | | | NO_SAMPLES | _____ |

Form Name: d_shipment

===== SHIPMENT =====

SHIPMENT_NO _____ SHIPMENT_DATE _____

SHIPMENT_TRUCK _____

Form Name: d_ship_cross_ref

| | | |
|-----------|----------------|---------------|
| ===== | SHIP_CROSS_REF | ===== |
| PALLET_ID | | SHIPMENT_NO |
| ORDER_NO | | ORDER_NO_LINE |

Form Name: d_vendor_lot

| | | | |
|-----------------|-------|------------------|-------|
| MATERIAL_LOT_NO | _____ | VENDOR_ID | _____ |
| MATERIAL_ID | _____ | VLOT_NO | _____ |
| VLOT_RECEIVE | _____ | VLOT_STATUS | _____ |
| VLOT_ON_HAND | _____ | VLOT_RECEIVE_QTY | _____ |
| EMP_ID | _____ | LOCATION | _____ |

Form Name: d_invoice

| | ===== | INVOICE_PAY | ===== | |
|-----------------|-------|-------------|-------|-------------|
| MATERIAL_LOT_NO | _____ | | | PO_NO |
| PO_ITEM | _____ | | | INVOICE_QTY |
| INVOICE_NO | _____ | | | |

Form Name: d_material

===== MATERIAL =====

MATERIAL_ID _____

MATERIAL_DESC _____

MATERIAL_UOM _____ REORDER_POINT _____

REORDER_QTY _____ LAST_PAID _____

LAST_BUY _____ STD_COST _____

Form Name: d_recipe

| | | |
|-------------|--------|-----------|
| ===== | RECIPE | ===== |
| PRODUCT_ID | _____ | RECIPE_ID |
| MATERIAL_ID | _____ | |

Form Name: d_machine

===== MACHINE =====

MACHINE_ID _____

MACHINE_DESC _____

MACHINE_LABOR _____ MACHINE_LOCATION _____

APPENDIX C
SQL REPORTS

* SALES AND CONTRACT MANAGEMENT
 ** Provide Quotation (All)
 *** Current Material Pricing

Report Name: mat_pricing

CURRENT MATERIAL PRICING PER CONTAINER: STANDARD vs. ACTUAL

| Product ID: 1137 | | Product Name: MINESTRONE | |
|---------------------|-------------|--------------------------|-------------------------------|
| | | Unit Price (\$/Unit) | Container Cost (\$/Container) |
| | | At | At |
| | | Std | Std |
| | | Actual | Actual |
| | | Date | |
| | | Last | |
| | | Actual | |
| Material ID: | 61210 | 0.65 | 0.58 |
| Material Desc: | BEANS, CICI | | |
| Unit of Measure: | LBS | | |
| Qty per Container: | 0.0498 | | |
| Recovery Percent: | 90.0% | | |
| Gross Qty per Cont: | 0.0553 | | |
| | | 0.036 | 0.032 |

Query Settings

Query Name: mat

Query 1 of 1

```
select p.product_id, p.product_name, m.material_id, m.material_desc,
       ml.unit_of_measure, (ml.amt by unit/(rm.amt end units*p.qty per cas
       ml.recovery_percent, ((ml.amt by unit/(p.qty per case*rm.amt_end_un
       m.std_cost, m.last_paid, m.last_buy,
       (((ml.amt by unit/(rm.amt end units*p.qty per case))/(ml.recovery_p
       (((ml.amt by unit/(p.qty per case*rm.amt_end_units))/(ml.recovery_p
from material m, material_list ml, product p, recipe_master rm
where p.product_id=:product_id and p.product_id=ml.product_id and
```

Summary Settings 1 of 2

| Summary Name | Field | Function | Data Type | Width | Display Format |
|--------------|-------|----------|-----------|-------|----------------|
| S_SUM | S_TOT | Sum | NUM | 6 | \$BZZ9.99 |
| A_SUM | A_TOT | Sum | NUM | 6 | \$BZZ9.99 |

Summary Settings 2 of 2

| Summary Name | Print Group | Reset Group |
|--------------|-------------|-------------|
| S_SUM | G_info | G_info |
| A_SUM | G_info | G_info |

Report Name: cust5

CUSTOMER ORDER STATUS REPORT

Customer Order No: 123456
Customer Name: Campers International
Customer PO Number: 9A9FD-3

Line Item No: 1
Product ID: 1026
Product Name: CHICKEN BROTH
Order Quantity: 8
Delivery Date: 10-JUN-91
Open/Sched Qty: -64
928

| Schedule Quantity | Inventory | | Shipped | |
|-------------------|-----------------|-----------|---------|-----------|
| | Units | Prod Date | Units | Ship Date |
| | 36 | 02-MAR-91 | | |
| | 36 | 03-MAR-91 | | Total |
| | <u>72</u> Total | | | |

Query Settings

Query Name: cus

Query 1 of 5

```

select cd.order no, co.cust_po, c.cust name, cd.cust_line_no, cd.product_i
p.product_name, cd.cust_qty, cd.cust_request_date
from customer_order d cd, customer_order co, customer c, product p
where ((co.cust_po=:Customer PO Number and c.cust name=:Customer Name) or
cd.order no=:Order Number) and cd.order no=co.order no and
co.cust_id=c.cust_id and cd.product_id=p.product_id
order by cd.cust_line no

```

Query Name: pal

Query 2 of 5

```
select pc.order_no, pc.cust_line_no, (cd.cust_qty - sum(pd.qty_cases))
from customer_order_d cd, pallet_card pc, pallet_d pd
where pd.pallet_id=pc.pallet_id and pc.order_no=cd.order_no and
pc.cust_line_no=cd.cust_line_no
group by pc.order_no, pc.cust_line_no, cd.cust_qty
```

Parent Query 1: cus

Parent Query 2:

Child Columns

Parent 1 Columns

Parent 2 Columns

ORDER_NO
CUST_LINE_NO

ORDER_NO
CUST_LINE_NO

Query Name: sched

Query 3 of 5

```
select order_no, cust_line_no, production_qty
from customer_order_d cd
where order_no IN (select order_no from schedule_d
where order_no=cd.order_no
and cust_line_no = cd.cust_line_no)
```

Parent Query 1: cus

Parent Query 2:

Child Columns

Parent 1 Columns

Parent 2 Columns

ORDER_NO
CUST_LINE_NO

ORDER_NO
CUST_LINE_NO

Query Name: inv

Query 4 of 5

```
select pc.order_no, pc.cust_line_no, sum(pd.qty_cases), pd.production_date
from pallet_card pc, pallet_d pd
where pc.pallet_id NOT IN (select sxr.pallet_id from ship_cross_ref sxr)
and pc.pallet_id=pd.pallet_id
group by pc.order_no, pc.cust_line_no, pd.production_date
order by pd.production_date
```

Parent Query 1: cus

Parent Query 2:

Child Columns

Parent 1 Columns

Parent 2 Columns

ORDER NO
CUST_LINE_NO

ORDER NO
CUST_LINE_NO

Query Name: shp

Query 5 of 5

select sxr.order_no, sxr.order_no_line, s.shipment_date, sum(pd.qty_cases)
from pallet_d_pd, ship_cross_ref_sxr, shipment_s
where sxr.pallet_id=pd.pallet_id and sxr.shipment_no=s.shipment_no
group by sxr.order_no, sxr.order_no_line, s.shipment_date
order by s.shipment_date

Parent Query 1: cus

Parent Query 2:

Child Columns

Parent 1 Columns

Parent 2 Columns

ORDER NO
ORDER_NO_LINE

ORDER NO
CUST_LINE_NO

Summary Settings 1 of 2

| Summary Name | Field | Function | Data Type | Width | Display Format |
|--------------|-------|----------|-----------|-------|----------------|
| INV SUM | INVEN | Sum | NUM | 6 | |
| SHP_SUM | SHIP | Sum | NUM | 6 | |

Summary Settings 2 of 2

| Summary Name | Print Group | Reset Group |
|--------------|-------------|-------------|
| INV SUM | G_opn | G_opn |
| SHP_SUM | G_opn | G_opn |

* SALES AND CONTRACT MANAGEMENT
 ** Current Order and Contract Management (A14)
 *** Contract Status (A141)

Report Name: con_stat

DSPC CONTRACT STATUS REPORT

Customer Order No: 123456 Customer Name: Campers International
 Customer PO Number: 9ADFD-3

Line Item No: 1 Order Quantity: 8
 Product ID: 1026 Delivery Date: 10-JUN-91
 Product Name: CHICKEN BROTH Open/Sched Qty:

| Built, Non-Compliance | | Built, In Compliance | | Shipped | |
|--------------------------|-----------|-------------------------|-----------|---------|-----------|
| Units | Prod Date | Units | Prod Date | Units | Ship Date |
| ----- | ----- | ----- | ----- | ----- | ----- |
| Total | | Total | | Total | |
| ----- | | ----- | | ----- | |

Query Settings

Query Name: cus Query 1 of 5

```
select cd.order_no, co.cust_po, c.cust_name, cd.cust_line_no, cd.product_i
       p.product_name, cd.cust_qty, cd.cust_request_date
from   customer_order d cd, customer_order co, customer c, product p
where  ((co.cust_po=:Customer PO Number and c.cust_name=:Customer Name) or
       cd.order_no=:Order Number) and cd.order_no=co.order_no and
       co.cust_id=c.cust_id and cd.product_id=p.product_id
order by cd.cust_line_no
```


Query Name: pal

Query 2 of 5

```
select pc.order_no, pc.cust_line_no, (cd.cust_qty - sum(pd.qty_cases))
from customer_order d cd, pallet_card pc, pallet_d pd
where pd.pallet_id=pc.pallet_id and pc.order_no=cd.order_no and
pc.cust_line_no=cd.cust_line_no and pc.pallet_status='C'
group by pc.order_no, pc.cust_line_no, cd.cust_qty
```

Parent Query 1: cus

Parent Query 2:

Child Columns Parent 1 Columns Parent 2 Columns

ORDER NO
CUST_LINE_NO ORDER NO
CUST_LINE_NO

Query Name: inv_nc

Query 3 of 5

```
select pc.order_no, pc.cust_line_no, sum(pd.qty_cases), pd.production_date
from pallet_card pc, pallet_d pd
where pc.pallet_id=pd.pallet_id and pc.pallet_status='NC'
group by pc.order_no, pc.cust_line_no, pd.production_date
order by pd.production_date
```

Parent Query 1: cus

Parent Query 2:

Child Columns Parent 1 Columns Parent 2 Columns

ORDER NO
CUST_LINE_NO ORDER NO
CUST_LINE_NO

Query Name: inv

Query 4 of 5

```
select pc.order_no, pc.cust_line_no, sum(pd.qty_cases), pd.production_date
from pallet_card pc, pallet_d pd
where pc.pallet_id NOT IN (select sxr.pallet_id from ship_cross_ref sxr)
and pc.pallet_id=pd.pallet_id and pc.pallet_status='C'
group by pc.order_no, pc.cust_line_no, pd.production_date
order by pd.production_date
```

Parent Query 1: cus

Child Columns

ORDER_NO
CUST_LINE_NO

Parent Query 2:

Parent 1 Columns

ORDER_NO
CUST_LINE_NO

Parent 2 Columns

Query Name: shp

Query 5 of 5

select srx.order_no, srx.order_no_line, s.shipment_date, sum(pd.qty_cases)
from pallet_d_pd, ship_cross_ref srx, shipment_s
where srx.pallet_id=pd.pallet_id and srx.shipment_no=s.shipment_no
group by srx.order_no, srx.order_no_line, s.shipment_date
order by s.shipment_date

Parent Query 1: cus

Child Columns

ORDER_NO
ORDER_NO_LINE
CUST_LINE_NO

Parent Query 2:

Parent 1 Columns

ORDER_NO
CUST_LINE_NO

Parent 2 Columns

Summary Settings 1 of 2

| Summary Name | Field | Function | Type | Width | Format |
|--------------|-------|----------|------|-------|--------|
| INV SUM | INVEN | Sum | NUM | 6 | |
| SHIP SUM | SHIP | Sum | NUM | 6 | |
| NC SUM | NON_C | Sum | NUM | 6 | |

Summary Settings 2 of 2

| Summary Name | Print Group | Reset Group |
|--------------|-------------|-------------|
| INV SUM | G_opn | G_opn |
| SHIP SUM | G_opn | G_opn |
| NC SUM | G_opn | G_opn |

```

select pc.order_no, pc.cust_line_no, pc.product_id, p.product_name,
       sum(pd.qty_cases)
  from pallet_card pc, product p, pallet_d pd
 where pc.order_no=:Contract No and pc.product_id=p.product_id and
       pc.pallet_id=pd.pallet_id and
       (pc.pallet_status='RS' or pc.pallet_status='RR' or
        pc.pallet_status='RV')
 group by pc.order_no, pc.cust_line_no, pc.product_id, p.product name

```

Query Name: rej

Query 2 of 4

```
select pc.order_no, pc.cust_line_no, pc.product_id, pd.production_date,
       sum(pd.qty_cases)
from pallet_card pc, pallet d pd
where pc.pallet_id=pd.pallet_id and pc.pallet_status='RS'
group by pc.order_no, pc.cust_line_no, pc.product_id, pd.production_date
order by pd.production_date
```

Parent Query 1: con

Parent Query 2:

| Child Columns | Parent 1 Columns | Parent 2 Columns |
|---------------|------------------|------------------|
|---------------|------------------|------------------|

| | | |
|--------------|--------------|--|
| ORDER_NO | ORDER_NO | |
| CUST_LINE_NO | CUST_LINE_NO | |

Query Name: rew

Query 3 of 4

```
select pc.order_no, pc.cust_line_no, pc.product_id, pd.production_date,
       sum(pd.qty_cases)
from pallet_card pc, pallet d pd
where pc.pallet_id=pd.pallet_id and pc.pallet_status='RR'
group by pc.order_no, pc.cust_line_no, pc.product_id, pd.production_date
order by pd.production_date
```

Parent Query 1: con

Parent Query 2:

| Child Columns | Parent 1 Columns | Parent 2 Columns |
|---------------|------------------|------------------|
|---------------|------------------|------------------|

| | | |
|--------------|--------------|--|
| ORDER_NO | ORDER_NO | |
| CUST_LINE_NO | CUST_LINE_NO | |

Query Name: var

Query 4 of 4

```
select pc.order_no, pc.cust_line_no, pc.product_id, pd.production_date,
       sum(pd.qty_cases), pc.var_date, pc.var_status
from pallet_card pc, pallet d pd
where pc.pallet_id=pd.pallet_id and pc.pallet_status='RV'
group by pc.order_no, pc.cust_line_no, pc.product_id, pd.production_date,
       pc.var_date, pc.var_status
order by pd.production_date
```

Parent Query 1: con

Child Columns

ORDER NO
CUST_LINE_NO

Parent Query 2:

Parent 1 Columns

Parent 2 Columns

ORDER NO
CUST_LINE_NO

* FACTORY FLOOR CONTROL
 ** Factory Floor Scheduling
 *** Daily Production Schedule
 **** List of Daily Schedule

Report Name: daily_ord

Daily Schedule

Schedule Id 101
 Begin Period 01-JAN-91
 End Period 22-JAN-91

| Order Number | Product | Machine | Start Time | # Hrs |
|-----------------|--------------------|---------|---------------------------|----------|
| 100009-1 | 1026 CHICKEN BROTH | 101 | PUMP STATION # 1, 150 GAL | 1 |
| 100009-1 | 1026 CHICKEN BROTH | 201 | # 5 CAN FILLING LINE | 1 |
| 100009-1 | 1026 CHICKEN BROTH | 301 | STILL RETORTS | 1 |
| 100011-1 | 1026 CHICKEN BROTH | 101 | PUMP STATION # 1, 150 GAL | 80 |
| 100011-1 | 1026 CHICKEN BROTH | 201 | # 5 CAN FILLING LINE | 8 |
| 100011-1 | 1026 CHICKEN BROTH | 301 | STILL RETORTS | 8 |

Query Name: main

Query 1 of 2

```
select schedule_id,begin_period,end_period
from schedule_m
where schedule_id = :Schedule_Id_Number
```

Query Name: sub

Query 2 of 2

```
select sd.schedule_id, sd.order_no, sd.cust_line_no, cd.product_id,
product_name, sd.machine_id, machine_desc, schedule_seq,
committed time
from schedule_d sd, customer_order_d cd, product p, machine m
where sd.order_no=cd.order_no
and sd.cust_line_no=cd.cust_line_no
and cd.product_id=p.product_id
and sd.machine_id=m.machine_id
```

Parent Query 1: main

Child Columns

SCHEDULE_ID

Parent Query 2:

Parent 1 Columns

Parent 2 Columns

SCHEDULE_ID

* MANUFACTURING PLANNING
 ** Contract Planning (A21)
 *** Intermediate Demand Schedule (A21411)

Report Name: int_dmd1

Intermediate Demand Schedule

Contract Number: 123456
 Customer ID : C200

| Product ID | Effective Due Date | Required # Shifts |
|--------------|--------------------|-------------------|
| 1026 | 31-MAY-91 | 10 |
| 1026 | 31-MAY-91 | 10 |
| MIL-B-44059B | 30-APR-91 | 10 |
| MIL-O-44202A | 30-APR-91 | 10 |

Query Settings

Query Name: main

Query 1 of 2

```
select order_no, cust_id
  from customer_order
 where order_no = :Contract_Number
```

Query Name: data

Query 2 of 2

```
select order_no, product_id, effective_due_date,
       cust_request_date - effective_due_date
  from customer_order_d
 order by product_id, effective_due_date
```

Parent Query 1: main

Parent Query 2:

Child Columns

Parent 1 Columns

Parent 2 Columns

ORDER_NO

ORDER_NO

* MANUFACTURING PLANNING
 ** Contract Planning (A21)
 *** Manufacturing Plan (A21412)

Report Name: mfg_pln1

Manufacturing Plan

Process Id 2001 FILL # 5 Avail Time 110

| Month | Order No | Line No | Eff Due Date | No Shifts |
|-----------------|----------|---------|--------------|-----------|
| 31-MAY-91 | 123456 | 1 | 31-MAY-91 | 0.1 |
| | 123456 | 4 | 31-MAY-91 | 0.0 |
| Total for Month | | | | 0.1 |

| | | | | |
|-----------|--------|---|-----------|------|
| 31-AUG-91 | 100009 | 1 | 06-AUG-91 | 26.8 |
| | 100011 | 1 | 07-AUG-91 | 71.4 |
| | 100011 | 2 | 07-AUG-91 | 47.6 |
| | 100012 | 2 | 09-AUG-91 | 47.6 |
| | 100010 | 1 | 10-AUG-91 | 44.6 |

Query Settings

Query Name: main

```
select p.process_id, p.process_desc, sum(avail_time)
from process p, machine_process mp, machine_avail ma
where p.process_class = 'F'
and p.process_id = mp.process_id
and mp.machine_id = ma.machine_id
and ma.period_length = 21
group by p.process_id, p.process_desc
```

Query Name: detail

Query 2 of 2

```
select last_day(effective_due_date), order_no, cust_line_no,
       effective_due_date, process_id, (cust_qty/(avg(rate)*7))
from customer_order_d cd, recipe_line rl, line_process lp
where cd.product_id = rl.product_id
and rl.production_line_id = lp.production_line_id
and cd.cust_line_status <> 'CL'
group by process_id, effective_due_date, order_no, cust_line_no, cust_qty
```

Parent Query 1: main

Parent Query 2:

Child Columns Parent 1 Columns Parent 2 Columns

PROCESS_ID PROCESS_ID

Summary Settings 1 of 2

| Summary Name | Field | Function | Type | Width | Format |
|--------------|-----------|----------|------|-------|---------|
| month_sum | NO_SHIFTS | Sum | NUM | 7 | ZZZZ9.9 |

Summary Settings 2 of 2

| Summary Name | Print Group | Reset Group |
|--------------|-------------|-------------|
| month_sum | G_mid | G_mid |

* MANUFACTURING PLANNING
 ** Contract Planning (A21)
 *** Material Purchase Plan (A2142)

Report Name : mpp_mth1

Material Purchase Plan
 based on orders with recipe's assigned

| Last Day | Material Id | Material Desc | Total Monthly Qty | Units |
|-----------|-------------|---------------------|-------------------|-------|
| 31-MAY-91 | 61232 | CHICKEN FAT | 3.1 | LBS |
| | 61236 | CHICKEN BROTH 8% | 7.8 | LBS |
| | 71154 | 1/4" GROUND CARROT | 2.8 | LBS |
| | 84443 | RIBOTIDE | 0.3 | LBS |
| | 85130 | SALT, DRY OR LIQUID | 2.0 | LBS |

Query Settings

Query Name: main

Query 1 of 1

```
select last_day(effective due date), ml.material_id, material_desc,
       material_uom, sum((cust_qty/amt_end_units)*amt_by_unit)
  from customer_order d cd, recipe_master rm, material_list ml, material m
 where cd.cust_line_status <> 'CL'
    and cd.recipe_id = rm.recipe_id
    and cd.product_id = rm.product_id
    and rm.product_id = ml.product_id
    and ml.material_id = m.material_id
```

* FACTORY FLOOR CONTROL
** Raw Material Control
*** Material Requisition (A21425, A22133, A211)

Report Name: matl_pos

Material position report

Material 61311 CLAMS, QUAHOGS, 3/8" GROUND PL
Units LBS
Reorder Point
Reorder Qty

| Material Lot No | On Hand Qty | Status |
|-----------------|-------------|--------|
| ----- | ----- | ----- |

Total Quantity

Query Settings

Query Name: matl

Query 1 of 2

select material_id, material_desc, material_uom, reorder_point,
reorder_qty
from material

Query Name: matl_lot

Query 2 of 2

select material_lot_no, material_id, vlot_on_hand, vlot_status
from vendor_lot
where vlot_on_hand > 0

Parent Query 1: matl

Parent Query 2:

Child Columns

Parent 1 Columns

Parent 2 Columns

MATERIAL_ID

MATERIAL_ID

Summary Settings 1 of 2

| Summary Name | Field | Function | Data Type | Width | Format | Display |
|--------------|--------------|----------|-----------|-------|--------|---------|
| total_matl | VLOT_ON_HAND | Sum | NUM | 10 | | |

Summary Settings 2 of 2

| Summary Name | Print Group | Reset Group |
|--------------|-------------|-------------|
| total_matl | G_matl | G_matl |

* FACTORY FLOOR CONTROL
 ** Factory Floor Scheduling
 *** Batch Sheet (A2222)

Report Name: batch1

Batch Sheet

Product: 1026 CHICKEN BROTH
 Gallons 300.00
 Target Cook Time: 999.0
 Target Cook Temp: 999.00
 Recipe Id 1

| Material Id | Material Desc | Amount | Units |
|-------------|---------------------|--------|-------|
| 61232 | CHICKEN FAT | 40 | LBS |
| 61236 | CHICKEN BROTH 8% | 100 | LBS |
| 71154 | 1/4" GROUND CARROT | 36 | LBS |
| 84443 | RIBOTIDE | 4 | LBS |
| 85130 | SALT, DRY OR LIQUID | 26 | LBS |

Query Settings

Query Name: recipe_m Query 1 of 2

```
select rm.product_id, product_name, gallons, target_cook_time,
       target_cook_temp, recipe_id
  from recipe_master rm, product p
 where rm.product_id = :product_identification
    and rm.recipe_id = :recipe_identification
    and p.product_id=rm.product_id
```

Query Name: list

Query 2 of 2

```
select ml.material_id, material_desc, unit_of_measure, amt_by_unit,
       r.product_id, r.recipe_id
from recipe r, material_list ml, material m
where r.material_id=ml.material_id
and ml.material_id=m.material_id
and r.product_id=ml.product_id
```

Parent Query 1: recipe_m

Parent Query 2:

Child Columns

Parent 1 Columns

Parent 2 Columns

PRODUCT_ID
RECIPE_ID

PRODUCT_ID
RECIPE_ID

* FACTORY FLOOR CONTROL
** Factory Floor Scheduling
*** Daily Process Information (A2223)

Query Settings

Report Name: process_info

PRODUCT PROCESS INFORMATION

Product ID: 1026 Product Name: CHICKEN BROTH
Recipe ID: 1

Target Initial Temperature: 70 Degrees
Process Time: 22.3 Minutes
Process Temperature: 225 Degrees

Query Settings

Query Name: proc Query 1 of 1

select rm.product_id, rm.recipe_id, p.product_name, rm.process_time,
rm.process_temp, rm.target_init_temp
from recipe_master rm, product p
where rm.product_id=:Product__ID and rm.recipe_id=:Recipe_ID and
rm.product_id=p.product_id

* FINISHED GOODS CONTROL
 ** Inventory Control
 *** View Inventory Status

Report Name: fgood

Finished Goods Inventory Report

Product ID: 1026
 Product Desc: CHICKEN BROTH

| Production Date | Location | Label Id | Label Desc | Order No | Cust Line No | Number of Cases |
|-----------------|----------|----------|------------|----------|--------------|-----------------|
| 01-MAY-91 | WAREHOUS | SHINE | | 100009 | 1 | 25 |
| 01-MAY-91 | WAREHOUS | SHINE | | 100009 | 1 | 25 |
| 01-MAY-91 | WAREHOUS | SHINE | | 100009 | 1 | 25 |
| 01-MAY-91 | WAREHOUS | SHINE | | 100009 | 1 | 25 |
| 01-MAY-91 | WAREHOUS | SHINE | | 100009 | 1 | 25 |
| 01-MAY-91 | WAREHOUS | SHINE | | 100009 | 1 | 25 |
| 01-MAY-91 | WAREHOUS | SHINE | | 100009 | 1 | 25 |
| 01-MAY-91 | WAREHOUS | SHINE | | 100009 | 1 | 25 |
| 01-MAY-91 | WAREHOUS | SHINE | | 100009 | 1 | 25 |
| 01-MAY-91 | WAREHOUS | SHINE | | 100009 | 1 | 25 |
| 01-MAY-91 | WAREHOUS | SHINE | | 100009 | 1 | 25 |
| 01-MAY-91 | WAREHOUS | SHINE | | 100009 | 1 | 25 |
| 01-MAY-91 | WAREHOUS | SHINE | | 100009 | 1 | 25 |
| 01-MAY-91 | WAREHOUS | SHINE | | 100009 | 1 | 25 |

Query Settings

Query Name: inv Query 1 of 1

```

select pc.product_id, p.product_name, pc.pallet_id, pc.location, pc.label_
1.label_name, pc.order_no, pc.cust_line_no, sum(pd.qty_cases),
pd.production_date
from pallet card pc, product p, pallet d pd, label l
where pc.pallet_id NOT IN (select s.pallet_id from ship cross ref s) a
pc.product_id=p.product_id and pc.pallet_id = pd.pallet_id and
pc.label_id=l.label_id (+)
group by pc.product_id, p.product_name, pc.pallet_id, pc.location,
```

Summary Settings 1 of 2

| Summary Name | Field | Function | Type | Width | Format |
|--------------|-----------|----------|------|-------|--------|
| SUM | QTY_CASES | Sum | NUM | 9 | |

Summary Settings 2 of 2

| Summary Name | Print Group | Reset Group |
|--------------|-------------|-------------|
| SUM | G_mil | G_mil |

* FINISHED GOOD CONTROL
 ** Lot Tracking / Trace
 *** Lot Tracking (Raw -> Customer)

Report Name: rtrace

| Customer Name | Production Date | Julian Date | Filling Line | Retort ID | Cook No. |
|---------------|-----------------|-------------|--------------|-----------|----------|
| ----- | ----- | ----- | ----- | ----- | ----- |

Query Settings

Query Name: raw

Query 1 of 1

```

select C.cust_name, R.production_date, TO_CHAR(R.production_date, 'YDDD')
  R.filling_line, R.retort_id, R.cook_no
from batch_d BD, retort R, customer C
where BD.material_lot_no = :Material Lot Number
   and R.production_date=BD.production_date
   and R.filling_line=BD.filling_line
   and ROUND ((R.retort_start_hour+(R.retort_start_min/60) - .75),2) =R
and C.cust_id IN (select cust_id from pallet_card

```

* FINISHED GOODS CONTROL
 ** Lot Tracking / Trace
 *** Lot Tracking (Raw -> Finished Goods)

Report Name: ftrace

| Product Id | Product name | Section |
|------------|------------------|---------|
| 1026 | CHICKEN BROTH | WAR |
| 3011 | RAVIOLI IN SAUCE | WAR |
| 6111 | WHITE CLAM SAUCE | WAR |

Query Settings

Query Name: fin

Query 1 of 1

```

select distinct p.product_id, p.location, pp.product_name
from pallet_card p, pallet_d pd, retort r, batch_d bd, product pp
where bd.material_lot_no = :Material_Lot_Number
and r.production_date=bd.production_date
and r.filling_line=bd.filling_line
and pp.product_id = p.product_id
and ROUND((r.retort_start_hour+(r.retort_start_min/60) - .75),2) = ROUND(
and pd.cook_no=r.cook_no and pd.production_date=r.production_date
  
```

**COMBAT RATION
ADVANCED MANUFACTURING
TECHNOLOGY DEMONSTRATION
(CRAMTD)**

**Report on Quality Assurance Module Implementation
Part I**

**Mr. Richard Holowczak
Graduate School of Management
Rutgers, The State University of New Jersey**

July 1994

1. Introduction

This report describes the development of the Quality Assurance portion of the CRAMTD Preliminary database. The raw material and finished goods testing procedures were implemented for Beef Chunks in Gravy, Tray Pack. The tested raw materials are the beef cubes and the tray pack containers. The finished goods tests are performed on completed tray packs. This report presents the Phase I module developed under STP #4. It will be followed by a report on the final database module developed under STP #16.

2. Raw Materials Inspection (Beef Cubes)

The testing procedures for beef cubes were developed under STP#3 and are described in the CRAMTD SPC Plan, Beef Chunks with Gravy, Half-Stew Table Trays, Approved on October 21, 1991. These consist of a series of Inspection Procedures (IPs) which are in turn made up of Laboratory Procedures (LPs). There are a total of seven IPs for raw beef cubes and three IPs for tray packs. In this document, the layout of the oracle database form for each IP is given.

Raw Materials are sampled according to a Single Sampling Plan (SSP), also outlined in the CRAMTD SPC Plan. Based on lot size, vendor inspection level and acceptable quality level (AQL), the SSP determines the number of samples to be tested and the tolerance for defects from the incoming lot.

The storage and tracking of raw material inspections required adding several tables to the relational database. These included:

| | |
|---------------------|--|
| Lot Quality | An individual vendor's track record supplying a particular raw material. |
| Single Sample Plan | Lookup table for sample sizes based on lot size, vendor inspection level and AQL. |
| Test Procedure | Keeps track of inspection procedure, number of attributes and descriptions of each IP. |
| Test Attribute Spec | Keeps track of each attribute of an IP. |
| Material Test | Holds all of the raw material test results. |
| Lab Proc Detail | Holds all details and descriptions of LPs. |

Using these tables, a series of forms were created as shown in this document. One electronic form for each IP was created along with forms for the SSP, Lot Quality History

by Vendor, Lot Quality History by Material and detailed lot quality history by vendor.

3. Finished Goods Inspection (Beef Cubes with Gravy, Tray Pack)

The testing procedure for finished goods were outlined in the CRAMTD SPC Plan. As with the raw material IPs, this document gave the Inspection Procedures, Lab Procedures and sample forms.

Finished goods are tested according to the Double Sampling Plan (DSP) . The DSP determines the number of finished goods samples to take based on lot size and number of prior defects.

Inspection procedure maintenance forms were also created to allow the creation and modification of IPs as well as association with raw materials or finished products.

4. Database Menu Structure

The menu structure for Raw Material Inspections and Finished Goods Inspections is as follows:

CRAMTD Applications Database Main Menu

Factory Floor Control Menu

Quality Control Menu

Raw Material Inspection Procedures

- * IPBCT0101 Color/Odor/Material Test
- * IPBCT0102 Drain Weight Test
- * IPBCT0103 Size of Beef Cubes
- * IPBCT0104 Beef Cube Surface Fat > 1/8"
- * IPBCT0105 Connective Tissue or Cartilage
- * IPBCT0106 Size of Bones
- * IPBCT0107 Microbiological Inspection

Raw Material Test Results

- * Raw Material Test Results
- * Material Lot History By Material
- * Material Lot History By Vendor

Finished Goods Inspection Procedures

- * IPBCT 2101 Net Weight Inspection
- * IPBCT 2102 Foreign Material
- * IPBCT 2102 Foreign Color
- * IPBCT 2103 Foreign Odor and Flavor
- * IPBCT 2104 Excessive Heating
- * IPBCT 2105 Drain Weight of Beef
- * IPBCT 2106 Gravy Consistency

Finished Goods Test Results

Test Maintenance and Customization Menu

- * Single Sampling Plan
- * Double Sampling Plan
- * Material Inspection / Lab Procedures

Each IP form has been extensively customized for greater ease of use. Whenever possible, "Pop-up" menus were added to aid the user in looking up identification numbers. Some examples of this are the Material Id, Material Lot, Vendor Id and Employee Id pop up menus. On-line help screens were also programmed to allow the user on-line access to IP and LP information during the actual testing. Automatic totals and averages are calculated where applicable and the raw material acceptance decision cycle has been entirely automated based on pre-determined rules in the SSP and DSP.

5. Example Forms

- * Factory Floor Control Menu
 - ** Quality Control Menu
 - *** Test Maintenance and Customization Menu

Double Sampling Plan

| Sequence Number | Lot Size | | Sample Size | Acceptance Level | Rejection Level |
|--------------------|----------|------|-------------|---------------------|--------------------|
| | Low | High | | | |
| 1 | 0 | 3200 | 8 | 0 | 2 |
| 2 | 0 | 3200 | 8 | 1 | 2 |
| | | | | | |
| | | | | | |
| | | | | | |

Related Inspection Procedures

IPBCT2101 Net Weight Inspection
IPBCT2102 Foreign Material
IPBCT2102 Foreign Color
IPBCT2103 Foreign Odor or Flavor
IPBCT2104 Excessive Heating
IPBCT2105 Drain Weigh of Beef
IPBCT2106 Gravy Consistency
IPBCT2107 Viscosity - Brookfield Method
IPBCT2109 Meat Chunk Size

Type the sequence number for this sample. (1 if first sample, 2 if second, etc.)

- * Factory Floor Control Menu
** Quality Control Menu

Finished Goods Inspection Procedure Menu

| Product Id | Product Description |
|------------|---------------------|
|------------|---------------------|

Inspection Procedures

Press Esc to exit

Type_a_Product_Id_(PRxxxx)_or_press_F9_for_a_listing.

- * Factory Floor Control Menu
- ** Quality Control Menu

[illegible]

Type_a_Material_Id_(MAxxxx)_or_press_F9_for_a_listing._____

```
* Factory Floor Control Menu
** Quality Control Menu
*** Test Maintenance and Customization Menu
```

[illegible]

Type_a_Material_Id_(MAxxxx)_or_press_F9_for_a_listing._____

- ** Quality Control Menu
- *** Raw Material Test Results Menu

Material Lot History By Material

[illegible]

- * Factory Floor Control Menu
- ** Quality Control Menu

[illegible]

Type_a_Material_Id_(MAxxxx)_or_press_F9_for_a_listing.

- * Factory Floor Control Menu
- ** Quality Control Menu
- *** Raw Material Test Results

| | | | | | |
|------------------------|------------------------------|-------------------|----|---------------------------|-------|
| Material Lot: NL5000 | | Material: MA51000 | | BEEF, DICED | |
| Rec. Date: 12-DEC-1990 | | Vendor: V1000 | | AAA_PROVISION_COMPANY | |
| Rec. Quant: 1200 | | Cur. Qty: 200 | | Status: A | |
| Lots Accep.: 1 | | Lots Rej.: 0 | | Inspect. Level: Normal | |
| Inspection Procedure | | AQL | | Samples | |
| | | | | Req Taken Defects Acc Rej | |
| IPBCT0101 | Color/Odor/Material Test | .01 % | 20 | 20 | 0 0 1 |
| IPBCT0102 | Drain Weight Test | 1 | 20 | 20 | 0 0 1 |
| IPBCT0103 | Size of Beef Cubes | 1 | 20 | 20 | 0 0 1 |
| IPBCT0104 | Beef Cube Surface Fat > 1/8" | 1 | 20 | 20 | 0 0 1 |
| IPBCT0105 | Connective Tissue or Cartila | 1 | 20 | 20 | 0 0 1 |
| IPBCT0106 | Size of Bones | 1 | 20 | 20 | 0 0 1 |
| IPBCT0107 | Microbiological Inspection | .01 | 20 | 20 | 0 0 1 |
| Recommendation: | | Acc | | Rej | |
| | | [] | | [] | |
| | | | | Con | |
| | | | | [] | |

- * Factory Floor Control Menu
- ** Quality Control Menu
- *** Test Maintenance and Customization Menu

Single Sampling Plan

[illegible]

Type the Acceptable Quality Level you wish to view. (1.0% or 0.01% for testing)

- * Factory Floor Control Menu
- ** Quality Control Menu
- *** Raw Material Test Results

Material Lot History by Vendor

[illegible]

| Color | Odor | Material | Color | Odor | Material | Color | Odor | Material | Foreign Color/Odor and Material Test |
|-----------|------|----------|------------|------|----------|------------|------|----------|---|
| | | | | | | | | | IP #: 1PBCT0101 |
| | | | | | | | | | Lot #: _____ |
| | | | | | | | | | AQL: _____ % |
| | | | | | | | | | Date: 31-MAR-93 |
| | | | | | | | | | Inspect: _____ |
| | | | | | | | | | Samples: _____ |
| | | | | | | | | | Status: _____ |
| | | | | | | | | | |
| | | | | | | | | | DATA ENTRY |
| | | | | | | | | | |
| | | | | | | | | | Total Defects |
| | | | | | | | | | |
| | | | | | | | | | Color: _____ |
| | | | | | | | | | |
| | | | | | | | | | Odor: _____ |
| | | | | | | | | | |
| | | | | | | | | | Material: _____ |
| | | | | | | | | | |
| | | | | | | | | | Total: _____ |
| | | | | | | | | | |
| To: _____ | | | Tot: _____ | | | Tot: _____ | | | |

Type a Material Lot Number (MLxxxx) or press F9 for a listing.

| Wt. % | | | Wt. % | | | Wt. % | | | Drain Weight of Beef Test | |
|--|--------|--|-------|--------|--|-------|--|--|---------------------------|-----------|
| | | | | | | | | | IP #: | IPBCT0102 |
| | | | | | | | | | Lot #: | |
| | | | | | | | | | AQL: | % |
| | | | | | | | | | Date: | 31-MAR-93 |
| | | | | | | | | | Inspect: | |
| | | | | | | | | | Samples: | |
| | | | | | | | | | Status: | |
| | | | | | | | | | DATA ENTRY | |
| | | | | | | | | | Total: | |
| | | | | | | | | | Average: | |
| | | | | | | | | | Largest: | |
| | | | | | | | | | Smallest: | |
| | | | | | | | | | Range: | |
| To: | Total: | | | Total: | | | | | | |
| Type a Material Lot Number (MLxxxx) or press F9 for a listing. | | | | | | | | | | |

| Wt. | % | Def. | Wt. | % | Def. | Wt. | % | Def. | Size of Beef Cubes |
|-----------|---|------|------------|---|------|------------|---|------|--------------------|
| | | | | | | | | | Defect Test |
| | | | | | | | | | IP #: IPBCT0103 |
| | | | | | | | | | Lot #: _____ |
| | | | | | | | | | AQL: _____ % |
| | | | | | | | | | Date: 31-MAR-93 |
| | | | | | | | | | Inspect: _____ |
| | | | | | | | | | Samples: _____ |
| | | | | | | | | | Status: _____ |
| | | | | | | | | | |
| | | | | | | | | | DATA ENTRY |
| | | | | | | | | | Tot. Wt.: _____ |
| | | | | | | | | | Reg. Wt.: _____ |
| | | | | | | | | | |
| | | | | | | | | | Average: _____ |
| | | | | | | | | | Largest: _____ |
| | | | | | | | | | Smallest: _____ |
| | | | | | | | | | Range: _____ |
| | | | | | | | | | |
| | | | | | | | | | Total Def.: _____ |
| To: _____ | | | Tot: _____ | | | Tot: _____ | | | |

Type a Material Lot Number (MLxxxx) or press F9 for a listing.

```

>1/8 Def.      >1/8 Def.      >1/8 Def.      Surface Fat of
_____|_____|_____|_____|_____|_____| Beef Cubes Test
_____|_____|_____|_____|_____|_____| IP #: IFBCT0104
_____|_____|_____|_____|_____|_____| Lot #: _____
_____|_____|_____|_____|_____|_____| AQL: _____
_____|_____|_____|_____|_____|_____| Date: 31-MAR-93
_____|_____|_____|_____|_____|_____| Inspect: _____
_____|_____|_____|_____|_____|_____| Samples: _____
_____|_____|_____|_____|_____|_____| Status: _____
_____|_____|_____|_____|_____|_____|
_____|_____|_____|_____|_____|_____| DATA ENTRY
_____|_____|_____|_____|_____|_____|
_____|_____|_____|_____|_____|_____| Def. Cubes / Sample
_____|_____|_____|_____|_____|_____| Average: _____
_____|_____|_____|_____|_____|_____| Largest: _____
_____|_____|_____|_____|_____|_____| Smallest: _____
_____|_____|_____|_____|_____|_____| Range: _____
_____|_____|_____|_____|_____|_____|
_____|_____|_____|_____|_____|_____| Totals
_____|_____|_____|_____|_____|_____| Def. Cubes: _____
_____|_____|_____|_____|_____|_____| Def. Sampl: _____
_____|_____|_____|_____|_____|_____|
To: _____ Total: _____ Total: _____
Type a Material Lot Number (MLxxxx) or press F9 for a listing.

```

- * Factory Floor Control Menu
- ** Quality Control Menu
- *** Raw Material Inspection Procedures

| Wt. | % | Def. | Wt. | % | Def. | Wt. | % | Def. | Connective Tissue/ Cartilage Defect |
|-----------|---|------|------------|---|------|------------|---|------|--|
| | | | | | | | | | IP #: IPBCT0105_ |
| | | | | | | | | | Lot #: _____ |
| | | | | | | | | | AQL: _____ % |
| | | | | | | | | | Date: 31-MAR-93_ |
| | | | | | | | | | Inspect: _____ |
| | | | | | | | | | Samples: _____ |
| | | | | | | | | | Status: _____ |
| | | | | | | | | | DATA ENTRY |
| | | | | | | | | | Tot. Wt.: _____ |
| | | | | | | | | | Reg. Wt.: _____ |
| | | | | | | | | | Average: _____ |
| | | | | | | | | | Largest: _____ |
| | | | | | | | | | Smallest: _____ |
| | | | | | | | | | Range: _____ |
| | | | | | | | | | Total Def.: _____ |
| To: _____ | | | Tot: _____ | | | Tot: _____ | | | |

Type_a_Material_Lot_Number_(MLxxxx)_or_press_F9_for_a_listing.

- * Factory Floor Control Menu
- ** Quality Control Menu
- *** Raw Material Inspection Procedures

| >0.3 Def. | >0.3 Def. | >0.3 Def. | Beef Bone Size Defect Test |
|-----------|--------------|--------------|-------------------------------|
| | | | IP #: IPBCT0106_ |
| | | | Lot #: _____ |
| | | | AQL: _____ % |
| | | | Date: 31-MAR-93_ |
| | | | Inspect: _____ |
| | | | Samples: _____ |
| | | | Status: _____ |
| | | | DATA ENTRY |
| | | | Def. Bones / Sample |
| | | | Average: _____ |
| | | | Largest: _____ |
| | | | Smallest: _____ |
| | | | Range: _____ |
| | | | Totals |
| | | | Def. Bones: _____ |
| | | | Def. Sampl: _____ |
| To: _____ | Total: _____ | Total: _____ | |

Type_a_Material_Lot_Number_(MLxxxx)_or_press_F9_for_a_listing.

* Factory Floor Control Menu
 ** Quality Control Menu
 *** Raw Material Inspection Procedures

| CFU/g | Def. | CFU/g | Def. | CFU/g | Def. | Microbiological Defect Test |
|-----------|--------------|--------------|--------------|--------------|--------------|--------------------------------|
| _____ | _____ | _____ | _____ | _____ | _____ | IP #: IPBCT0107_ |
| _____ | _____ | _____ | _____ | _____ | _____ | Lot #: _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | AQL: _____ % |
| _____ | _____ | _____ | _____ | _____ | _____ | Date: 31-MAR-93_ |
| _____ | _____ | _____ | _____ | _____ | _____ | Inspect: _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | Samples: _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | Status: _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | DATA ENTRY |
| _____ | _____ | _____ | _____ | _____ | _____ | CFU/g |
| _____ | _____ | _____ | _____ | _____ | _____ | Average: _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | Largest: _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | Smallest: _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | Range: _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | Total: _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | Total |
| _____ | _____ | _____ | _____ | _____ | _____ | Def. Sampl: _____ |
| To: _____ | Total: _____ | Total: _____ | Total: _____ | Total: _____ | Total: _____ | |

Type a Material Lot Number (MLxxxx) or press F9 for a listing.

* Factory Floor Control Menu
 ** Quality Control Menu
 *** Raw Material Inspection Procedures

| Dimen | Dimen | Dimen | Dimen | Dimen | Dimen | Tray Can Dimension Defect Test |
|-----------|-------|-------|-------|-------|-------|-----------------------------------|
| _____ | _____ | _____ | _____ | _____ | _____ | IP #: IPBCT0008_ |
| _____ | _____ | _____ | _____ | _____ | _____ | Lot #: _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | AQL: _____ % |
| _____ | _____ | _____ | _____ | _____ | _____ | Date: 31-MAR-93_ |
| _____ | _____ | _____ | _____ | _____ | _____ | Inspect: _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | Samples: _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | Status: _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | DATA ENTRY |
| _____ | _____ | _____ | _____ | _____ | _____ | Total Defects |
| _____ | _____ | _____ | _____ | _____ | _____ | Dimension: _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | Total Def: _____ |
| _____ | _____ | _____ | _____ | _____ | _____ | Pct. Def: _____ % |
| To: _____ | _____ | _____ | _____ | _____ | _____ | |

Type a Material Lot Number (MLxxxx) or press F9 for a listing.

| Dimen | Dimen | Dimen | Dimen | Dimen | Dimen | Tray Flange Dimension Defect Test |
|-------|-------|-------|-------|-------|-------|-----------------------------------|
| | | | | | | IP #: IPBCT0009 |
| | | | | | | Lot #: _____ |
| | | | | | | AQL: _____ % |
| | | | | | | Date: 31-MAR-93 |
| | | | | | | Inspect: _____ |
| | | | | | | Samples: _____ |
| | | | | | | Status: _____ |
| | | | | | | DATA ENTRY |
| | | | | | | Total Defects |
| | | | | | | Dimension: _____ |
| | | | | | | Total Def: _____ |
| | | | | | | Pct. Def: _____ % |
| To: | | | | | | |

Type a Material Lot Number (MLxxxx) or press F9 for a listing.

| Dimen | Dimen | Dimen | Dimen | Dimen | Dimen | Tray Can Dents Defect Test |
|-----------|-------|-------|-------|-------|-------|-------------------------------|
| | | | | | | IP #: IPBCT0010 |
| | | | | | | Lot #: _____ |
| | | | | | | AQL: _____ % |
| | | | | | | Date: 31-MAR-93 |
| | | | | | | Inspect: _____ |
| | | | | | | Samples: _____ |
| | | | | | | Status: _____ |
| | | | | | | DATA ENTRY |
| | | | | | | Total Defects |
| | | | | | | Can Dents: _____ |
| | | | | | | |
| | | | | | | Total Def: _____ |
| | | | | | | |
| | | | | | | Pct. Def: _____ % |
| To: _____ | | | | | | |

Type a Material Lot Number (MLxxxx) or press F9 for a listing.

**COMBAT RATION
ADVANCED MANUFACTURING
TECHNOLOGY DEMONSTRATION
(CRAMTD)**

**Report on Equipment Maintenance Module Implementation
Part I**

**Mr. A. Gangopadhyay
Department of Industrial Engineering
Rutgers, The State University of New Jersey**

July 1994

1. Introduction

In a manufacturing plant producing combat rations or civilian packaged food products, management does not have the luxury of redundant process equipment. When equipment fails, it must be restored in a reasonable period of time. Maintenance people need good documentation on preventive maintenance, repair procedures, and spare parts inventory. A major reason for a database and electronic work order forms is to document reasons for failure, identify repair procedure, document failed parts and maintain necessary spares.

The maintenance module of the CRAMTD Preliminary Database deals with general information about the production equipment and machinery, spare and repair parts, information on preventive and break-down maintenance of the equipment, and down time information of the production equipment. General information about equipment includes the equipment number, which is a unique identifier for each equipment, equipment description, manufacturer, vendor information, serial number, date in service, and warranty expiration date.

In the preventive maintenance schedule, information is kept for each machine on the tasks to be performed, the last date that each task was performed, and how often each task needs to be done. Each task has a unique identification number.

For break down maintenance, information is kept on the work order issued for the tasks to be done, the machine on which the maintenance task is done, the due date and date the task was requested, and who made the request. Information is also kept on when the task was completed, what parts were used for the repair, the date the parts were withdrawn from inventory, and the number of parts withdrawn. Also kept is information about the employee deployed for the tasks, and the dates and hours of work performed.

Each time a machine goes down for any reason, whether for scheduled maintenance or machine failure, we keep information about the cause of the down time, and the dates it went down and became serviceable again. The database also provides information about the minimum, maximum, and mean down time lengths for each machine.

This report presents the Phase I module developed under STP #4. It will be followed by a report on the final implemented module developed under STP #16.

2. Menus

The maintenance module consists of the following menu items.

1. Equipment Data Entry Form: This allows the operator to store new equipment to the database as well as retrieve information about existing equipment. This form is shown in Figure 1.

2. Preventive Maintenance History Form: This form serves two purposes. It is used to enter a preventive maintenance schedule for each machine, which includes a "task" and the "frequency" with which the task is to be done. Each time preventive maintenance is actually performed, this form is used to update the actual date that the maintenance was

done. This form is shown in Figure 2.

3. **Work Order Data Entry Form:** Every time a work order is issued, this form is used by the operator to enter the relevant information into the system. This form is shown in Figure 3.

4. **Work Order History Form:** For every work order, this is used to store information such as which tasks were performed, when the work was completed, what parts were withdrawn from inventory, and the dates and numbers of parts withdrawn, along with the employees that worked on it and the dates and hours they worked. This form is shown in Figure 4.

5. **Downtime Description Form:** "Down time" is time during which the equipment is not available for use. The reason could be a breakdown, time for preventive maintenance, or even for precautionary purposes. For each type of down time, this form is used to enter a description of the downtime. A unique downtime identifier is generated by the system which is used in other forms to refer to the type of downtime. This form is shown in Figure 5.

6. **Machine Downtime Data Entry Form:** Each time a machine goes down, this form is used to enter the downtime ID, which gives the reason for downtime (the system pops up a list of possibilities). This form is also used to enter the dates and times the machine went out of service, and the date and time the machine became available again. This form is shown in Figure 6.

7. **Machine Downtime History:** For each machine and each type of down time, the system calculates the maximum, minimum, and average down time lengths given any time period. This form is shown in Figure 7.

| Equipment-Data-Entry | |
|--------------------------|-----------------|
| Equipment No | Equipment Name |
| Manufacturer | Vendor Id |
| Serial Number | Date in Service |
| Warranty Expiration Date | |

Char Mode: Replace Page 1 Count: *0

Figure 1: Equipment Data Entry Form

```

+-----Preventive-Maintenance-History-----+
|
|      Equipment No  -----
|
|      Task Number      Date Last Done      Frequency
|      -----      -----      -----
|      -----      -----      -----
|      -----      -----      -----
|      -----      -----      -----
|      -----      -----      -----
|      -----      -----      -----
|      -----      -----      -----
|      -----      -----      -----
|      -----      -----      -----
|
+-----+
+-----+
+-----+
|      Char Mode: Replace   Page 1                      Count: *0
+-----+

```

Figure 2: Preventive Maintenance History Form

+-----Work-Order-Data-Entry-----+

| | | | |
|----------------|-------|--------------|-------|
| Work Order Id | ----- | Machine Id | ----- |
| Due Date | ----- | Requested by | ----- |
| Date Requested | ----- | Task Id | ----- |

+-----+

Char Mode: Replace Page 1 Count: *0

Figure 3: Work Order Data Entry Form


```

+-----Work-Order-History-----+
|
|Work Order Id          Date Completed      Task Id
|-----
|
|Date Requested        Machine Id          -----
|-----
|
|          ===== Parts Consumed =====
|
|          Material Lot   Date Withdrawn    Number Required
|          -----
|
|          ===== Worker Hours =====
|
|Employee Id           Production Date      Hours
|-----
|
+-----+
|
|Char Mode: Replace   Page 1                      Count: *0
|

```

Figure 4: Work Order History Form

| Down Time Description | |
|-----------------------|----------------------|
| Downtime Id | Downtime Description |
| ----- | ----- |

| | | |
|--------------------|--------|-----------|
| Char Mode: Replace | Page 1 | Count: *0 |
|--------------------|--------|-----------|

Figure 5: Downtime Description

```

+-----Machine-Downtime-Data-Entry-----+
|
|      Machine Id -----
|
|      Downtime Id      Start Date      Start time      End Date      End time
|      -----      -----      HR : MN      -----      HR : MN
|      -----      -----      --  --      -----      --  --
|      -----      -----      --  --      -----      --  --
|      -----      -----      --  --      -----      --  --
|      -----      -----      --  --      -----      --  --
|      -----      -----      --  --      -----      --  --
|      -----      -----      --  --      -----      --  --
|      -----      -----      --  --      -----      --  --
|      -----      -----      --  --      -----      --  --
|      -----      -----      --  --      -----      --  --
|      -----      -----      --  --      -----      --  --
|
+-----+
|
|      Char Mode: Replace   Page 1                      Count: *0
|

```

Figure 6: Downtime Data Entry Form

```

+-----Machine-Downtime-History-----+
|
| Machine Number ----- Start Date -----
|
|                               End Date -----
|
|      Mean Down Time Length      Down Time Length Range
|      Down Time Id      Hour      Min      Low      High
|      -----
|      -----
|      -----
|      -----
|      -----
|      -----
|      -----
|      -----
|      -----
|      -----
|
+-----+
|
| Char Mode: Replace Page 1 Count: *0
|
+-----+

```

Figure 7: Downtime History Form

3. Database Relations:

The relations created for the maintenance module are shown below:

| Name | Null? | Type |
|----------------|----------|----------|
| DOWN_TIME_ID | NOT NULL | CHAR(10) |
| DOWN_TIME_DESC | | CHAR(40) |

Down_time_detail

| Name | Null? | Type |
|--------------|----------|----------|
| MACHINE_ID | NOT NULL | CHAR(10) |
| DOWN_TIME_ID | NOT NULL | CHAR(10) |
| START_DATE | | DATE |
| START_HR | | NUMBER |
| START_MIN | | NUMBER |
| END_DATE | | DATE |
| END_HR | | NUMBER |
| END_MIN | | NUMBER |

Machine

| Name | Null? | Type |
|-------------------|----------|----------|
| MACHINE_ID | NOT NULL | CHAR(10) |
| MACHINE_LOCATION | | CHAR(10) |
| MACHINE_DESC | | CHAR(40) |
| STD_SHIFT_LENGTH | | NUMBER |
| SERIAL_NO | | CHAR(30) |
| VENDOR_ID | | CHAR(10) |
| MANUFACTURER | | CHAR(30) |
| DATE_IN_SERVICE | | DATE |
| WARRANTY_EXP_DATE | | DATE |

Work_order

| Name | Null? | Type |
|-----------------|----------|----------|
| WORK_ORDER_ID | NOT NULL | CHAR(10) |
| MACHINE_ID | | CHAR(10) |
| WO_DUE_DATE | | DATE |
| REQUESTED_BY | | CHAR(10) |
| WORK_ORDER_TYPE | | CHAR(20) |

DATE_REQUESTED
DATE_COMPLETED

DATE
DATE

Wo_parts_detail

| Name | Null? | Type |
|-----------------|----------|----------|
| WORK_ORDER_ID | NOT NULL | CHAR(10) |
| TASK_ID | NOT NULL | CHAR(10) |
| MATERIAL_LOT_NO | NOT NULL | CHAR(10) |
| NUMBER_REQUIRED | | NUMBER |
| DATE_WITHDRAWN | | DATE |

Wo_task_emp_detail

| Name | Null? | Type |
|-----------------|----------|----------|
| WORK_ORDER_ID | NOT NULL | CHAR(10) |
| TASK_ID | NOT NULL | CHAR(10) |
| EMPLOYEE_ID | NOT NULL | CHAR(10) |
| HOURS | | NUMBER |
| PRODUCTION_DATE | | DATE |

Pm_history

| Name | Null? | Type |
|----------------|----------|----------|
| MACHINE_ID | NOT NULL | CHAR(10) |
| TASK_ID | NOT NULL | CHAR(10) |
| DATE_LAST_DONE | | DATE |
| FREQUENCY | | NUMBER |

Task

| Name | Null? | Type |
|------------------|----------|----------|
| TASK_ID | NOT NULL | CHAR(10) |
| TASK_DESCRIPTION | | CHAR(40) |

Wo_task_xref

| Name | Null? | Type |
|---------------|----------|----------|
| WORK_ORDER_ID | NOT NULL | CHAR(10) |
| TASK_ID | NOT NULL | CHAR(10) |

4. IDEF1X Model

The part of the IDEF1X model that is relevant to the maintenance module is shown in Figure 8. It consists of nine entities and a total of 31 attributes.




Figure 8: IDEF1X for Maintenance Module